

Parameterize the source file path in ADLS and the destination table name in SQL Server, and trigger the **pipeline** using an event-based trigger when a new file arrives in ADLS. Create dynamic datasets that can be reused with different parameters (for example, changing file names or table names).

The image displays two screenshots of the Microsoft Azure Data Factory portal, illustrating the configuration of a 'Copy data' activity within a pipeline.

Top Screenshot: Shows the 'Copy data' activity selected in the 'Activities' pane. The activity is named 'Copy data1'. The 'General' tab is active, showing the activity state as 'Activated', a timeout of '0.12:00:00', and a retry interval of '30' seconds.

Bottom Screenshot: Shows the 'Source' tab for the 'Copy data' activity. The 'Source dataset' is set to 'adlsfile'. The 'Dataset properties' section shows the 'Name' as 'filepath' and the 'Value' as '@pipeline().parameters.filepath'. The 'File path type' is set to 'File path in dataset'. The 'Filter by last modified' section shows 'Start time (UTC)' and 'End time (UTC)' fields. The 'Recursively' checkbox is checked, and 'Enable partitions discovery' is unchecked.

Microsoft Azure | Data Factory | datamoveadfforlms

Search

kolletushar@outlook.com
DEFAULT DIRECTORY

Migrate to Fabric (Preview)

Factory Resources

- Pipelines 1
 - pipeline1
- Change Data Capture (preview) 0
- Datasets 2
 - adlsfile
 - AzureSqlTable1
- Data flows 0
- Power Query 0

Activities

- Move and transform
- Synapse
- Azure Data Explorer
- Azure Function
- Batch Service
- Databricks
- Data Lake Analytics
- General
- HDInsight
- Iteration & conditionals
- Machine Learning
- Power Query

pipeline1

Validate ✓ Validate copy runtime ✓ Debug Trigger (1)

Sink dataset *

AzureSqlTable1

Open + New Learn more

Dataset properties

Name	Value	Type
tablename	@pipeline().parameters.tablename	string

Write behavior

☒ Insert ☐ Upsert ☐ Stored procedure

Bulk insert table lock

☐ Yes ☒ No

Table option

☒ Use existing ☐ Auto create table

Pre-copy script

Activate Windows
Go to Settings to activate Windows.

Microsoft Azure | Data Factory | datamoveadfforlms

Search

kolletushar@outlook.com
DEFAULT DIRECTORY

Migrate to Fabric (Preview)

Factory Resources

- Pipelines 1
 - pipeline1
- Change Data Capture (preview) 0
- Datasets 2
 - adlsfile
 - AzureSqlTable1
- Data flows 0
- Power Query 0

adlsfile

DelimitedText
adlsfile

Connection Schema Parameters

Linked service *

AzureDataLakeStorage

Test connection Edit + New Learn more

File path

data / source / @dataset().filepath

Browse Preview data

Compression type

No compression

Column delimiter

Comma (,)

Row delimiter

Default (\r\n, or \r\n\r\n)

Encoding

Default(UTF-8)

Quote character

Double quote (")

Escape character

Backslash (\)

First row as header

☒

Null value

Activate Windows
Go to Settings to activate Windows.

Microsoft Azure | Data Factory | datamoveadforlms

Search

kolletushar@outlook.com
DEFAULT DIRECTORY

Factory Resources

- Pipelines 1
 - pipeline1
- Change Data Capture (preview) 0
- Datasets 2
 - adisfile
 - AzureSqlTable1
- Data flows 0
- Power Query 0

pipeline1 adisfile AzureSqlTable1

Azure SQL Database
AzureSqlTable1

Connection Schema Parameters

Linked service * AzureSqlDatabase Test connection Edit + New Learn more

Table schema name @dataset().tablename Preview data

☒ Enter manually

Activate Windows
Go to Settings to activate Windows.

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

kolletushar@outlook.com
DEFAULT DIRECTORY

Home > Storage center | Blob Storage > forpradata | Containers

data

Container

Search

+ Add Directory Upload Refresh Delete Copy Paste Rename Acquire lease Break lease Edit columns

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

data > source

Authentication method: Access key (Switch to Microsoft Entra user account)

Search blobs by prefix (case-sensitive)

Only show active objects

Showing all 2 items

☐	Name	Last modified	Access tier	Blob type	Size	Lease state
☒	[-]					
☐	orders1.csv	4/21/2026, 6:00:28 PM	Hot (Inferred)	Block blob	58 B	Available
☐	orders2.csv	4/21/2026, 6:01:53 PM	Hot (Inferred)	Block blob	58 B	Available

Activate Windows
Go to Settings to activate Windows.

Add or remove favorites by pressing Ctrl+Shift+F

Microsoft Azure | Data Factory | datamoveadforlms

Pipeline runs

Triggered Debug Rerun Cancel options Refresh Edit columns List Gantt

Filter by run ID or name Chennai, Kolkata, Mu... : Last 24 hours Pipeline name: All Status: All Runs: Latest runs

Triggered by: All Add filter X

Showing 1 - 2 items Last refreshed 0 minutes ago

Pipeline name	Run start	Run end	Duration	Triggered by	Status	Run	Parameters
pipeline1	4/21/2026, 6:01:56 PM	4/21/2026, 6:02:12 PM	17s	trigger	Succeeded	Original	
pipeline1	4/21/2026, 6:00:32 PM	4/21/2026, 6:00:50 PM	18s	trigger	Succeeded	Original	

Activate Windows
Go to Settings to activate Windows.

Microsoft Azure | Search resources, services, and docs (G+)

Home > freesqlforlms (freesqlforlms/freesqlforlms)

freesqlforlms (freesqlforlms/freesqlforlms) | Query editor (preview)

Search New query Templates Open in Feedback Sign out Classic experience

Overview Activity log Tags Diagnose and solve problems Query editor (preview) Mirror database in Fabric (preview) Resource visualizer Settings Compute + storage Connection strings Maintenance Properties Locks Data management Replicas Sync to other databases Integrations Azure Synapse Link Stream analytics (preview) Add Azure AI Search Power Platform Power BI Power Apps Power Automate Security

Explorer

- freesqlforlms
 - dbo
 - Queries
 - SQL query 1

SQL query 1

```
1 select * from Orders;
```

Messages Results

	123	OrderID	123	CustomerID	e*	Amount
1	101		1			250.00
2	102		2			450.00
3	103		3			300.00
4	104		2			150.00
5	105		4			700.00
6	106		1			200.00

Succeeded (0 sec 138 ms)

Activate Windows
Go to Settings to activate Windows.

Columns: 3 Rows: 6