

1. Generate a file name in the format:
SalesReport-<Region>-<YYYYMMDD>-<HHMMSS>.csv
2. Convert the region name into uppercase.

The screenshot shows the Microsoft Azure Data Factory interface. On the left, the 'Factory Resources' pane lists 'Pipelines' with 'exppipeline' selected. The 'Activities' pane shows 'Copy data' under 'Move and transform'. The main canvas displays a pipeline diagram with a 'Lookup' activity (Lookup1) connected to a 'ForEach' activity (ForEach1). The 'Output' tab at the bottom shows the pipeline status as 'Succeeded' with a run ID of '833-d51d84d7ec51'. Below this, a table lists the activities and their status:

Activity name	Activity st...	Activit...	Run start	Duration
createfiles	✓ Succeeded	Copy data	4/21/2026, 10:52:16 AM	15s
createfiles	✓ Succeeded	Copy data	4/21/2026, 10:52:16 AM	12s
createfiles	✓ Succeeded	Copy data	4/21/2026, 10:52:16 AM	14s

The screenshot shows the 'Settings' tab for the 'ForEach' activity in the pipeline. The 'Sequential' checkbox is unchecked. The 'Batch count' is set to 1. The 'Items' property is set to '@activity(''Lookup1'').output.value'. The 'Properties' pane on the right shows the 'Name' as 'exppipeline' and the 'Description' as an empty field.

Microsoft Azure | Data Factory | expandfuncdf

Factory Resources

- Pipelines: 1
 - expipeline
- Datasets: 2
 - outputfolder
 - salesdata
- Data flows: 0
- Power Query: 0

Activities

- copy
- Move and transform
 - Copy data

expipeline > ForEach1

createfiles

Properties

General

Name *
expipeline

Description

Annotations
+ New

Sink dataset *
outputfolder

Open + New Learn more

Dataset properties

Name	Value	Type
filename	@concat('SalesReport-', toU	string

Copy behavior
Flatten hierarchy

Max concurrent connections

Block size (MB)

Metadata
+ New

Quote all text
☒

File extension
.csv

Cancel

Microsoft Azure | Data Factory | expandfuncdf

Factory Resources

- Pipelines: 1
 - expipeline
- Datasets: 2
 - outputfolder
 - salesdata
- Data flows: 0
- Power Query: 0

Activities

- copy
- Move and transform
 - Copy data

expipeline > ForEach1

Lookup

Parameters Variables Settings Output

Pipeline bec50294-06e9-4383-9833-d51d84d7ec51

run ID 833-d51d84d7ec51

Pipeline status ✔ Succeeded

View debug run consumption

All status ▾ List ▾ Monitor in Azure Metrics [Export to CSV](#) ▾

Showing 1 - 12 of 12 items

Activity name	Activity st...	Activit...	Run start	Duration
createfiles	✔ Succeeded	Copy data	4/21/2026, 10:52:16 AM	15s
createfiles	✔ Succeeded	Copy data	4/21/2026, 10:52:16 AM	12s
createfiles	✔ Succeeded	Copy data	4/21/2026, 10:52:16 AM	14s
createfiles	✔ Succeeded	Copy data	4/21/2026, 10:52:16 AM	13s
createfiles	✔ Succeeded	Copy data	4/21/2026, 10:52:16 AM	14s
createfiles	✔ Succeeded	Copy data	4/21/2026, 10:52:16 AM	13s
createfiles	✔ Succeeded	Copy data	4/21/2026, 10:52:16 AM	13s
createfiles	✔ Succeeded	Copy data	4/21/2026, 10:52:16 AM	14s
createfiles	✔ Succeeded	Copy data	4/21/2026, 10:52:16 AM	14s
createfiles	✔ Succeeded	Copy data	4/21/2026, 10:52:16 AM	13s
ForEach1	✔ Succeeded	ForEach	4/21/2026, 10:52:16 AM	17s
Lookup1	✔ Succeeded	Lookup	4/21/2026, 10:52:10 AM	5s

Properties

General

Name *
expipeline

Description

Annotations
+ New

Cancel

Microsoft Azure

Home > Storage center > Blob Storage > datafor | Containers

data Container

Search

+ Add Directory Upload Refresh Delete Copy Paste Rename Acquire lease Break lease Edit columns

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

Authentication method: Access key (Switch to Microsoft Entra user account)

Search blobs by prefix (case-sensitive)

Only show active objects

Showing all 10 items

Name	Last modified	Access tier	Blob type	Size	Lease state
[...]					...
SalesReport-ASIA-20241221-052216.csv	4/21/2026, 10:52:27 AM	Hot (Inferred)	Block blob	260 B	Available
SalesReport-ASIA-20241225-052216.csv	4/21/2026, 10:52:27 AM	Hot (Inferred)	Block blob	260 B	Available
SalesReport-EUROPE-20241220-052216.csv	4/21/2026, 10:52:29 AM	Hot (Inferred)	Block blob	260 B	Available
SalesReport-EUROPE-20241224-052216.csv	4/21/2026, 10:52:28 AM	Hot (Inferred)	Block blob	260 B	Available
SalesReport-EUROPE-20241228-052216.csv	4/21/2026, 10:52:28 AM	Hot (Inferred)	Block blob	260 B	Available
SalesReport-SOUTH_AMERICA-20241222-052216.csv	4/21/2026, 10:52:28 AM	Hot (Inferred)	Block blob	260 B	Available
SalesReport-SOUTH_AMERICA-20241226-052216.csv	4/21/2026, 10:52:28 AM	Hot (Inferred)	Block blob	260 B	Available
SalesReport-US-20241219-052216.csv	4/21/2026, 10:52:28 AM	Hot (Inferred)	Block blob	260 B	Available
SalesReport-US-20241223-052216.csv	4/21/2026, 10:52:27 AM	Hot (Inferred)	Block blob	260 B	Available
SalesReport-US-20241227-052216.csv	4/21/2026, 10:52:27 AM	Hot (Inferred)	Block blob	260 B	Available

Add or remove favorites by pressing Ctrl+Shift+F

3. Calculate the number of days between the current date and the last report date.
4. Extract the year from the current date.

Microsoft Azure | Data Factory | expandfuncadf

Factory Resources

- Pipelines: 1
 - expipeline
- Change Data Capture (preview): 0
- Datasets: 4
 - DelimitedText1
 - DelimitedText2
 - outputfolder
 - salesdata
- Data flows: 0
- Power Query: 0

Activities

- Move and transform
 - Copy data

expipeline > ForEach1

createfiles

Set variable (X) diff

Set variable (X) year

Append variable (X) Append variable1

Set variable (X) Set variable1

Activate Windows
Go to Settings to activate Windows.

Microsoft Azure | Data Factory | expandfuncadf

Factory Resources

- Pipelines: 1
 - expipeline
- Datasets: 4
 - DelimitedText1
 - DelimitedText2
 - outputfolder
 - salesdata
- Data flows: 0
- Power Query: 0

Activities

- copy
- Move and transform
 - Copy data

expipeline > ForEach1

createfiles

Set variable (X) diff

Set variable (X) year

Append variable

- Append variable1

Set variable (X) Set variable1

General Settings User properties

Name * logoutput + New

Value @concat('Region:', item().Region, ' | D')

Disclaimer: Append Variables Only Supports Adding To 'Array' Type Variables

Activate Windows
Go to Settings to activate Windows.

Microsoft Azure | Data Factory | expandfuncadf

Factory Resources

- Pipelines: 1
 - expipeline
- Datasets: 4
 - DelimitedText1
 - DelimitedText2
 - outputfolder
 - salesdata
- Data flows: 0
- Power Query: 0

Activities

- copy
- Move and transform
 - Copy data

expipeline > ForEach1

createfiles

Set variable (X) diff

Set variable (X) year

Append variable

- Append variable1

Set variable (X) Set variable1

General Settings User properties

Variable type ☒ Pipeline variable ☐ Pipeline return value

Name * finallog + New

Value @join(variables('logOutput'), '\n')

Activate Windows
Go to Settings to activate Windows.

Microsoft Azure | Data Factory | expandfuncdf

Factory Resources

- Pipelines: 1
 - expipeline
- Datasets: 4
 - DelimitedText1
 - DelimitedText2
 - outputfolder
 - salesdata
- Data flows: 0
- Power Query: 0

Activities

copy

Move and transform

Copy data

Lookup1

ForEach1

Copy data1

General

Filter by last modified

Start time (UTC)

End time (UTC)

Recursively

Enable partitions discovery

Max concurrent connections

Skip line count

Additional columns

Name	Value
log	@variables('finallog')

Activate Windows
Go to Settings to activate Windows.

Microsoft Azure | Data Factory | expandfuncdf

Factory Resources

- Pipelines: 1
 - expipeline
- Datasets: 4
 - DelimitedText1
 - DelimitedText2
 - outputfolder
 - salesdata
- Data flows: 0
- Power Query: 0

Activities

copy

Move and transform

Copy data

Lookup1

ForEach1

Copy data1

General

Sink dataset

DelimitedText1

Dataset properties

Name	Value	Type
filename	@concat('log_', formatDateTime(utc...	string

Copy behavior

Max concurrent connections

Block size (MB)

Metadata

Quote all text

Activate Windows
Go to Settings to activate Windows.

The screenshot shows the Microsoft Azure Storage center interface. On the left, the 'Storage center | Blob Storage' page is visible, showing a list of resources under 'Object storage'. The 'Blob Storage' resource is selected, and its details are shown on the right. The log file content is displayed in a text editor, showing a list of log entries with columns for Region, Days, Year, and nRegion.

logs/log_20260421_083743.txt

```

1 dummy.log
2 "1","Region: Europe | Days: 487 | Year: 2026\nRegion: Europe | Days: 479 | Year: 2026\nRegion: US | Days: 484 | Year: 2026\nRegion:
3

```

5. Check if region equals "US". Append "-Domestic" if true, else "-International".
6. Calculate characters in the final file name. Log the length.
7. Replace spaces in region name with underscores.
8. Log file name, day difference, extracted year, and file name length.

The screenshot shows the Microsoft Azure Data Factory interface. The 'expipeline' pipeline is selected, and its configuration is shown in the 'Sink' tab. The 'Copy data' activity is configured to copy data from 'salesdata' to 'outputfolder'. The 'Pipeline expression builder' is open, showing the expression for the 'ForEach1' iterator. The expression concatenates the file name, region, and day difference to create the final file name.

Pipeline expression builder

```

@concat(
  'SalesReport-',
  toUpper(replace(item().Region, ' ', '_')),
  if(
    equals(toUpper(item().Region), 'US'),
    '-Domestic',
    '-International'
  ),
  '-'
)

```

Microsoft Azure

Search resources, services, and docs (G+J)

Copilot

kolletushar@outlook.com
DEFAULT DIRECTORY | BOLDIUS

Home > Storage center | Blob Storage > datafor | Containers

data
Container

Search

+ Add Directory Upload Refresh Delete Copy Paste Rename Acquire lease Break lease Edit columns

Overview

Diagnose and solve problems
Access Control (IAM)
Settings

data > destination

Authentication method: Access key (Switch to Microsoft Entra user account)

Search blobs by prefix (case-sensitive)

Only show active objects

Showing all 10 items

☐	Name	Last modified	Access tier	Blob type	Size	Lease state
☒	[...]					...
☐	SalesReport-ASIA-International-20241221-085112.csv	4/21/2026, 2:21:24 PM	Hot (Inferred)	Block blob	260 B	Available
☐	SalesReport-ASIA-International-20241225-085112.csv	4/21/2026, 2:21:23 PM	Hot (Inferred)	Block blob	260 B	Available
☐	SalesReport-EUROPE-International-20241220-085112.csv	4/21/2026, 2:21:24 PM	Hot (Inferred)	Block blob	260 B	Available
☐	SalesReport-EUROPE-International-20241224-085112.csv	4/21/2026, 2:21:23 PM	Hot (Inferred)	Block blob	260 B	Available
☐	SalesReport-EUROPE-International-20241228-085112.csv	4/21/2026, 2:21:26 PM	Hot (Inferred)	Block blob	260 B	Available
☐	SalesReport-SOUTH_AMERICA-International-20241222-085112.csv	4/21/2026, 2:21:23 PM	Hot (Inferred)	Block blob	260 B	Available
☐	SalesReport-SOUTH_AMERICA-International-20241226-085112.csv	4/21/2026, 2:21:25 PM	Hot (Inferred)	Block blob	260 B	Available
☐	SalesReport-US-Domestic-20241219-085112.csv	4/21/2026, 2:21:23 PM	Hot (Inferred)	Block blob	260 B	Available
☐	SalesReport-US-Domestic-20241223-085112.csv	4/21/2026, 2:21:24 PM	Hot (Inferred)	Block blob	260 B	Available
☐	SalesReport-US-Domestic-20241227-085112.csv	4/21/2026, 2:21:23 PM	Hot (Inferred)	Block blob	260 B	Available

Activate Windows
Go to Settings to activate Windows.

Add or remove favorites by pressing Ctrl+Shift+F

Microsoft Azure

Search resources, services, and docs (G+J)

Copilot

kolletushar@outlook.com
DEFAULT DIRECTORY | BOLDIUS

Home > Storage center | Blob Storage > datafor

Storage center | Blob Storage
Default Directory (kolletusharoutlook.onmicrosoft.com)

Search

Summary Resources

+ Create Restore ...

All storage resources

Object storage

Blob Storage

File storage

Azure Files

File Sync

NetApp Files

Managed Luster

Block storage

Azure Disks

Elastic SAN

Data management

Migration

Partner solutions

Management services

Help

Name ↑

datafor

Showing 1 - 1 of 1. Display count: auto

Add or remove favorites by pressing Ctrl+Shift+F

logs/log_20260421_085545.txt

Blob

Save Discard Download Refresh Delete

Overview Versions Edit Generate SAS

1 dummy.log
2 "1", "fileName: SalesReport-EUROPE-International-20241228-085527.csv | Days: 479 | Year: 2026 | Length: 52\nfileName: SalesReport-US
3

Text Preview

Activate Windows
Go to Settings to activate Windows.

Expressions used:

1. In for each

```
@activity('Lookup1').output.value
```

2. In Copy activity (outside), additional column (for logging)

```
@variables('finallog')
```

3. In Copy activity (outside), Sink (for logging)

```
@concat('log_', formatDateTime(utcNow(), 'yyyyMMdd_HH:mm:ss'), '.txt')
```

4. Inside foreach (creating file)

```
@concat(  
    'SalesReport-',  
    toUpper(replace(item().Region, ' ', '_')),  
    if(equals(toUpper(item().Region), 'US'), '-Domestic',  
    '-International'),  
    '-',  
    formatDateTime(item().Date, 'yyyyMMdd'),  
    '-',  
    formatDateTime(utcNow(), 'HH:mm:ss'),  
    '.csv'  
)
```

5. diff

```
@div(  
    sub(ticks(utcNow()), ticks(item().Date)),  
    864000000000  
)
```

6. year

```
@formatDateTime(utcNow(), 'yyyy')
```

7. Append (for logging)

```
@concat(  
    'FileName: ',  
    concat(  
        'SalesReport-',  
        toUpper(replace(item().Region, ' ', '_')),  
        if(equals(toUpper(item().Region), 'US'), '-Domestic',  
        '-International'),  
    )  
)
```



```

        '-',
        formatDateTime(item().Date, 'yyyyMMdd'),
        '-',
        formatDateTime(utcNow(), 'HHmmss'),
        '.csv'
    ),
    ' | Days: ',
    string(
        div(
            sub(ticks(utcNow()), ticks(item().Date)),
            864000000000
        )
    ),
    ' | Year: ',
    formatDateTime(utcNow(), 'yyyy'),
    ' | Length: ',
    string(
        length(
            concat(
                'SalesReport-',
                toUpper(replace(item().Region, ' ', '_')),
                if(equals(toUpper(item().Region), 'US'), '-Domestic',
'-International'),
                '-',
                formatDateTime(item().Date, 'yyyyMMdd'),
                '-',
                formatDateTime(utcNow(), 'HHmmss'),
                '.csv'
            )
        )
    )
)
)
)
)

```