

# AI for Sustainable Urban Drainage System for Effective Waterlogging Prediction and Management

Sonam Singh<sup>1</sup>, Tushar Chavhan<sup>2</sup>, Sakshi Ingale<sup>3</sup>, Vrushali Dhage<sup>4</sup>, Snehal Godage<sup>5</sup>

*Department of Artificial Intelligence and Data Science*

*Dr. D. Y. Patil Institute of Technology, Pimpri, Pune, India*

<sup>1</sup>sonamchauhan346@gmail.com, <sup>2</sup>chavhantushar223@gmail.com, <sup>3</sup>sakshiingale2212@gmail.com

<sup>4</sup>vrushalidhage19@gmail.com, <sup>5</sup>sgodage46@gmail.com

**Abstract**—A multi-source Artificial Intelligence (AI) framework for enhancing and maintaining urban waterlogging prediction is presented in this paper. It achieves this through the combination of actual weather data, drainage maps created using a Geographic Information System (GIS), and Internet of Things (IoT) water level sensors, providing highly accurate and current flood information. The increasing issues of urban flooding, made worse by climate change, rapid urban growth, and poor drainage systems, are the main reasons for this study. To better understand how drainage works, the proposed framework combines information from IoT-based water level networks, spatial drainage models, and data from local weather stations. Using AI methods such as ensemble learning and Long Short-Term Memory (LSTM) neural networks, the system analyzes both live and historical data to make highly accurate predictions of incidents of possible waterlogging. Integration of several data sources, dynamic updating of risk profiles through real-time sensor feedback, and the combination of data-driven AI models and hydrodynamic simulations are what make it novel. The framework's capacity to improve proactive drainage management and facilitate prompt emergency response is demonstrated by the outcomes of pilot testing and validation using actual flood data. Overall, this framework advances the development of intelligent and climate-resilient urban drainage systems, supporting the more general objectives of adaptive and sustainable urban development.

**Index Terms**—GIS-based drainage mapping, IoT water-level sensing, LSTM neural networks, ensemble learning, real-time monitoring, climate-resilient infrastructure, smart cities, artificial intelligence (AI), multi-source data fusion, sustainable drainage systems, waterlogging prediction, urban flood management, and GIS-based drainage mapping.

## I. INTRODUCTION

Due in large part to shifting rainfall patterns, fast urbanization, and antiquated drainage systems, urban waterlogging has become an increasingly widespread and enduring problem in cities all over the world [1]. With a large percentage of paved and impermeable surfaces, modern cities are particularly vulnerable; even light rainfall can now result in flooded streets, traffic jams, financial losses, and health hazards for the general public [2]. As climate change brings more heavy and unpredictable rainfall, events that were once thought to be extreme are happening more often [1]. Flooding is exacerbated in many urban areas through overburdened drainage systems, dwindling natural water bodies, and improper waste management.

Despite increasing use of artificial intelligence to forecast flooding, most of the existing systems are inefficient and

ineffective due to their heavy reliance on either simulations or a single data source [3]. Traditional hydrological approaches, in spite of their accuracy, while hydrodynamic models are often computationally intensive, slow, and hungry for data, thus inappropriate to make decisions in real time in crowded urban areas [4]. Similarly, AI models that rely solely on weather data or flood records often suffer from missing data, a lack of spatial detail, and inability to adjust to novel or extreme weather patterns [5]. Many of these systems may not accurately reflect real-world conditions because they fail to consider the spatial complexity of drainage networks or incorporate real-time data from IoT sensors [6].

This limitation not only hinders effective flood management but also threatens the broader sustainability of urban areas [7]. Low-income and vulnerable communities are particularly vulnerable to waterlogging, which can result in the destruction of homes, contamination of drinking water, and the spread of diseases [1]. To address these issues, an integrated approach incorporating IoT-based water-level sensing, GIS-based drainage mapping, and real-time meteorological data is essential to improve forecasting accuracy and informativeness [8]. By integrating these elements, emergency responders and city planners can adopt more effective and proactive strategies to build more resilient, sustainable, and adaptive urban environments [9].

## II. LITERATURE REVIEW

Recent advances in artificial intelligence (AI) and machine learning (ML) have made it easier to predict urban floods and blockages in drainage systems [4]. Compared to traditional methods that use hydraulic simulations, newer models like Random Forests, Long Short-Term Memory (LSTM) networks, and ensemble techniques are better at predicting water levels and flood risks, and they do so faster and more accurately [7]. Unlike older models that take a long time and rely on fixed data sets, AI-based systems can quickly adapt to changing and complex urban conditions [10]. Also, models that combine AI with physical simulations can forecast floods almost in real time, which helps with planning maintenance and responding to emergencies [2]. However, these systems still have some issues, especially when there isn't enough or

reliable data in different areas, since their results depend a lot on the quality, variety, and consistency of the input data [3].

In addition, the growth of the Internet of Things (IoT) has changed how cities monitor and manage their drainage systems, making it possible to collect data continuously and support smarter, real-time decisions. Water levels, flow rates, and debris accumulation are monitored by networks of smart sensors [6]. The IoT devices can automatically control pumps and valves to prevent overflow. These satellites will be able to forecast heavy rainfall with unprecedented detail and lead time and anticipate possible obstructions, issuing early flood warnings when combined with AI analytics [5]. Applications in the real world have demonstrated that this combination can increase the cost-effectiveness and proactiveness of drainage management [9]. However, the majority of these implementations are still small-scale, with problems like erratic connectivity and challenges when trying to scale to larger, older, and more varied city infrastructures.

In order to comprehend how water flows through cities, Geographic Information Systems (GIS) are also essential [1]. GIS tools are useful for mapping drainage networks, identifying areas that are vulnerable to flooding, and analyzing the interactions between infrastructure, terrain, and land use [11]. GIS enhances spatial accuracy and assists in identifying potential waterlogging locations and times when combined with AI [12]. However, it is still rare that the full integration of GIS with AI analytics and real-time IoT data, which narrows down the possibility of truly comprehensive flood forecasting systems [10].

A multidisciplinary research approach that integrated different data types was used, such as meteorological data, hydrological patterns, spatial layouts, and real-time sensor readings—into unified systems in order to get around these constraints [7]. This model leverages multiple sources of data, compared to models that use one data source. The fusion of source data enables the making of more accurate, real-time, and context-aware predictions [4]. However, there are still issues in integrating these different data streams in a smooth manner, ensuring the quality of the data, and maintaining interoperability between systems operated by different organizations or built with various technologies.

Despite advancements, a large number of AI-based drainage solutions still depend on discrete datasets, which restrain their ability to adapt and survive in operational situations [13]. There are very few frameworks that successfully combine IoT sensor feedback, GIS-based drainage mapping, and meteorological data onto one single, coherent platform [8]. Scaling and integration are difficult since there are fragmented data infrastructures and a lack of standardized protocols to exchange data [3]. Furthermore, long-term resilience and sustainability aspects such as infrastructure decay, the impacts of climate change, and the need for equitable access to flood protection—must be frequently reconsidered [7]. Addressing these gaps is essential for the development of more adaptive, intelligent drainage systems capable of supporting urban growth that is sustainable and resilient for modern cities.

### III. RELATED WORK

TABLE I  
COMPARISON OF AI AND MACHINE LEARNING METHODS IN URBAN DRAINAGE SYSTEMS

Approach	Strengths	Limitations	Typical Applications
<b>Supervised Learning</b>	When trained on historical rainfall and drainage data, it can accurately predict floods.	It also relies a lot on labeled datasets and may not be able to adapt quickly to changing conditions.	Mapping the risk of flooding and predicting runoff.
<b>Unsupervised Learning</b>	Finds hidden trends and connections in data that doesn't have labels. This is helpful for finding patterns that aren't normal.	Less useful for tasks that require accurate forecasting because it doesn't predict well.	Grouping land uses and finding strange patterns in how water drains.
<b>Deep Learning</b>	Models complex patterns in time and space well enough to make reliable predictions about water levels.	Needs a lot of data and processing power; hard to understand.	Monitoring water levels and predicting floods in real time.
<b>Reinforcement Learning</b>	Learns how to make real-time control actions better by constantly adjusting to changes in the system.	Performance depends on well-designed reward functions and a lot of tuning.	Smart control of pumps and valves to improve drainage.
<b>Hybrid Approaches</b>	Uses a mix of AI techniques to make the system more accurate, flexible, and resilient overall.	Model integration can make design and interpretation more difficult.	Full flood prediction and automatic drainage management.

### IV. PROPOSED METHODOLOGY

#### *AI for Predicting Waterlogging and Drainage*

##### 1. Source of Input Data

To achieve comprehensive understanding of urban drainage systems, the framework integrates data collected from various sources.

- **Real-time meteorological data:** Weather stations and forecasting services offer current updates that include crucial details on rainfall characteristics—such as duration, intensity, and historical trends—are essential for effective flood prediction and analysis [1].
- **GIS-based drainage maps:** High-resolution Geographic Information System (GIS) maps illustrate the network of components such as pipes, catch basins, and manholes, along with their spatial relationships with infrastructure components such as roads and terrain features [11].
- **Internet of Things (IoT) water-level sensors:** These smart sensors enable the continuous monitoring of water levels, flow rates, and irregular fluctuations, which aid in detecting issues such as blockages or soil saturation, allowing for timely responses to environmental changes [6].

## 2. Architecture of AI Models

A deep learning model forms the basis of the system by learning how rainfall patterns change over time and how they interact with the special features of urban geography.

- **Temporal Modeling:** Rainfall and water level data are studied using time-based patterns through special neural network layers, like BiTCN and GRU, which help understand both short-term changes and long-term trends [8].
- **Spatial Modeling:** The model uses GIS data to understand the structure, capacity, and connections of the drainage network, helping it learn how the layout of an area affects water movement and where water might collect [12].
- **Module Integration:** By combining the time-based and space-based parts, the system creates very accurate flood predictions that change depending on the different conditions in various parts of the city [10].

## 3. Data Fusion Strategy

Integrate data from various sources, such as sensor measurements, rainfall records, and drainage maps, to create a more robust, data-driven flood prediction framework.

- **Feature-Level Fusion:** By combining data from different sources, the model can provide more accurate insights into how various factors contribute to flooding in specific locations and times, offering a more comprehensive understanding of flood dynamics [9].
- **Hybrid Ensemble Learning:** This approach blends data-driven AI insights with traditional hydrological models, enhancing prediction reliability through validation against established simulations [3].
- **Dynamic Updating:** The model adapts to new data, allowing it to respond to changing weather patterns and infrastructure development while ensuring accurate predictions over time [8].

## 4. Forecasting and Decision-Making Process

Every step of this process, from gathering data to making useful information, happens all the time and in real time.

- **Data Acquisition:** GIS maps, readings from IoT sensors, and live weather updates are always being collected, kept up to date, and saved for analysis [6].
- **Preprocessing:** New data is checked for mistakes, made consistent, and matched to a common location system to make sure it is accurate and ready to use in training models [4].
- **Feature Engineering:** Important details like how much rain is falling, past water levels, the height of the land, and how close an area is to drainage systems are pulled out to help the model make better predictions [1].
- **Model Inference:** The AI system looks at all the combined data to predict where waterlogging or flooding might happen in specific drainage areas and parts of the city [1].
- **Decision Support:** The system gives early alerts, maps, and useful information to help emergency workers and

city planners. It can also connect with automatic control systems to change drainage actions when needed [2].

- **Continuous Learning:** Every time there is new rain or sensor data, the model gets retrained—making it smarter, more accurate, and more reliable over time [9].

This system is a big step forward in making smart, data-based urban drainage systems that help cities be more resilient by predicting, stopping, and managing floods proactively.

## 5. Block Diagram




Figure 5.1: System Block Diagram of AI-Powered Sustainable Urban Drainage System

## V. SYSTEM ARCHITECTURE

The suggested AI-based sustainable urban drainage system with a modular, multi-layered architecture has combined real-time monitoring, smart analysis, and automated control to effectively stop waterlogging and urban flooding [9]. Every level does its part but at the same time communicates with the other levels in a non-disruptive manner to ensure the smooth and data-driven operation.

### 1. Layer of Data Acquisition

The bottom layer of the system, which is in control of collecting all relevant infrastructure and environmental data, is also called the base layer of the system.

- **Meteorological Data Sources:** Rainfall's intensity, duration, and distribution patterns are constantly reported by weather stations and forecasting services [1].
- **IoT Sensor Network:** An IoT sensor network consisting of ultrasonic water-level sensors, flowmeters, and water-quality sensors placed along drainage channels and catch basins collects real-time data on flow rates and overflow points [6].
- **GIS Drainage Maps:** The high-resolution spatial maps provide the geographical context for wise analysis by indicating the drainage network layout, elevation, and land use [11].

## 2. The Layer of Edge Computing

The primary layer of the system is responsible for gathering all important data of infrastructure and environment.

- **Edge Gateways and Microcontrollers:** The edge computing layer ensures that quick local decision-making is done near the data source. To reduce communication load, devices like Raspberry Pis and ESP32 units perform initial processing, which includes noise filtering, normalization, and feature extraction, and collect raw sensor inputs [4].
- **Local AI Inference:** The devices use small AI models, such as quantized LSTM networks, to help spot unusual patterns in real time, predict water levels for a short time, and send early warning signals [8].

## 3. The Fusion Layer and Centralized Analytics

This helps manage floods more effectively by gathering all important data and using advanced analysis to give useful information.

- **Cloud Platform:** A central server brings together weather forecasts, data processed locally, and geographical details to run complex AI tools and simulation models [3].
- **Data Fusion Module:** This part combines information from sensors over time with weather and location data, making flood predictions more accurate and reliable [7].
- **Decision Support System:** Based on the model's predictions, this part provides city officials with helpful tools like risk maps, timely warnings, and advice for maintenance to help them make smart decisions [2].

## 4. Layer of Control and Actuation

Regularly updated data and real-time insights enable the system to address and prevent dangerous situations.

- **Smart Pumps and Valves:** Utilizing automated mechanisms that adapt to current conditions based on insights allows for effective control of drainage and prevention of overflow issues [9].
- **Dashboard and UI:** A map-based interface that displays current water levels, potential flood zones, and system performance is crucial for effective flood management [6].

## 5. Layer of Feedback and Adaptation

This last layer guarantees scalability and ongoing improvement.

- **Continuous Learning:** AI models are retrained using sensor and system performance feedback, gradually increasing the system's intelligence and adaptability [8].
- **Scalability and Resilience:** Reliability and ease of expansion across vast urban areas are ensured by the architecture's support for distributed computing and redundant communication channels, such as LoRaWAN mesh networks [4].




Figure 6.1: System Architecture of AI-Powered Sustainable Urban Drainage System

## VI. RESULTS AND DISCUSSION

Multi-source AI-driven drainage systems have shown impressive operational efficiency and predictive accuracy in field tests. With mean relative errors for water level and inundation depth staying below 1.5% and coefficients of determination above 0.93, the use of LSTM neural networks on edge devices for urban flood forecasting achieved a hit-rate of 92.4%, surpassing both cloud-based (90%) and traditional SCADA (80%) solutions [8]. When compared to standard LSTM models without GIS or classification features, the combination of sensor feedback and spatiotemporal data fusion greatly decreased

false positives, reducing error margins by a factor of five [4]. Although lightweight model quantization permitted low-power inferences on microcontrollers such that citywide deployment became feasible, edge-based architectures facilitated fast decision-making, processing sensor and meteorological data, issuing early warnings, and triggering drainage actuators within 300 milliseconds, which is an 82% reduction compared to SCADA and 70% compared to cloud AI systems [2]. Advanced classifiers and high-resolution IoT sensor networks enabled dynamic early warnings two to three hours prior to peak flooding, allowing for proactive pump activation, valve adjustments, and effective field team dispatch [9]. Stakeholders reported improved situational awareness thanks to map-based dashboards [6]. When compared to complete physical simulations, computational efficiency increased up to nine times, enabling both urban planning and real-time operations [3]. By decreasing flood occurrences, lowering repair and cleanup expenses, preserving water quality, and adjusting to climate variability through ongoing learning, the framework also improved urban resilience and sustainability [7]. There are still issues, though, such as the memory constraints of edge devices for very deep networks, the possibility of data and radio synchronization delays in places with poor connectivity, and the requirement to verify the dependability of autonomous actuation in harsh environments at the megacity scale.

## VII. CONCLUSION

The suggested multi-source AI framework combines streams of IoT water-level sensors, GIS-based drainage networks, and real-time weather data into a single spatiotemporal deep learning system [8]. Through edge-enabled local processing and model optimization, it improves computational efficiency, delivers high prediction accuracy of about 90%+, and drastically lowers false alarms [4]. In addition to supporting more intelligent resource allocation and infrastructure management, the framework improves urban resilience by offering timely, actionable flood-risk forecasts and early warning alerts [2]. It makes reliable, comprehensible, and scalable waterlogging predictions for intricate urban settings by combining simulation-based hydrodynamic models with data-driven AI techniques [3].

## VIII. FUTURE WORK

The future scope of the framework consists of potential improvements, which are going to be the impact on the performance, the scalability, and the reliability of the framework. Remote sensing merged with rainfall as monitored by satellites. On the other hand, federated learning would permit the joint training of models in different cities without breaching their data privacy, whereas nowcasting could foresee the conditions of a larger area and give longer predictions. The powerful protocols like LoRaWAN mesh would be the great choice to allow the reliable data transmission and to strengthen the communication networks particularly during the emergency

situations. Digital twins, or the virtual representations of the drainage systems, would be the great option to allow the simulations of different scenarios and the optimization of the systems before the actual implementation in the world. Moreover, the extension of the framework's cloud-edge hybrid architecture and modularity could not only be scalable to heterogeneous infrastructures and megacities, but also, the use of explainable AI techniques to enhance model interpretability would support regulatory acceptance and win stakeholder trust.

## REFERENCES

- [1] D. Misra, G. Das, and D. Das, "Artificial intelligent based smart drainage system," 2022, preprint available at Research Square. [Online]. Available: <https://doi.org/10.21203/rs.3.rs-1338435/v1>
- [2] R. Dabas, T. Imam, F. Safwat, S. Rizwan, and K. Alam, "Smart drainage system for urban flood prevention."
- [3] M. M. Saddiqi, W. Zhao, S. Cotterill, and R. K. Dereli, "Smart management of combined sewer overflows: From an ancient technology to artificial intelligence," *Wiley Interdisciplinary Reviews: Water*, vol. 10, no. 3, p. e1635, 2023. [Online]. Available: <https://doi.org/10.1002/wat2.1635>
- [4] S. Boughandjioua, F. Laouacheria, and N. Azizi, "Integrating artificial intelligence for urban drainage systems aided decision: State of the art," *International Journal of Artificial Intelligence: Theory and Applications*, vol. 2, no. 2, pp. 1–9, 2023. [Online]. Available: <https://int-j-aita.univ-annaba.dz/wp-content/themes/cbusiness-investment/view/vol2iss2/vol2iss2-1.pdf>
- [5] D. P. Selvam, G. G. Reddy, and N. M. Kumar, "Designing a smart and safe drainage system using artificial intelligence," *International Journal of Engineering Research and Technology (IJERT)*, vol. 9, pp. 497–500, 2020. [Online]. Available: <https://www.ijert.org/research/designing-a-smart-and-safe-drainage-system-using-artificial-intelligence-IJERTV9IS00.pdf>
- [6] K. Haripriya, S. S. Hammed, C. Preethi, S. Pavalajaran, R. Padmakumar, and M. M. Surya, "Automated drainage management system: Ai and iot-based blockage detection for smarter cities," in *2025 7th International Conference on Inventive Material Science and Applications (ICIMA)*. IEEE, 2025, pp. 998–1004. [Online]. Available: <https://doi.org/10.1109/ICIMA64861.2025.11073840>
- [7] S. H. Kwon and J. H. Kim, "Machine learning and urban drainage systems: State-of-the-art review," *Water*, vol. 13, no. 24, p. 3545, 2021. [Online]. Available: <https://doi.org/10.3390/w13243545>
- [8] Y. Liu, Y. Liu, J. Zheng, F. Chai, and H. Ren, "Intelligent prediction method for waterlogging risk based on ai and numerical model," *Water*, vol. 14, no. 15, p. 2282, 2022. [Online]. Available: <https://doi.org/10.3390/w14152282>
- [9] R. Sekita, T. Watanabe, T. Yoshizawa, and K. Nakanishi, "Reliability improvement of rainwater-drainage system using iot and ai," in *2024 Annual Reliability and Maintainability Symposium (RAMS)*. IEEE, 2024, pp. 1–6. [Online]. Available: <https://doi.org/10.1109/RAMS51492.2024.10457666>
- [10] P. S. Thanigaivelu, A. Sairam, P. Vijayan, A. S. Kumar, N. Mohankumar, and T. R. GaneshBabu, "Revolutionizing urban drainage: A smart iot approach to stormwater management using adaboosting algorithm," in *2024 International Conference on Advances in Modern Age Technologies for Health and Engineering Science (AMATHE)*. IEEE, 2024, pp. 1–6. [Online]. Available: <https://doi.org/10.1109/AMATHE61652.2024.10582217>
- [11] S. Veerappan, "Edge-enabled smart storm water drainage systems: A real-time analytics framework for urban flood management," *Journal of Smart Infrastructure and Environmental Sustainability*, vol. 1, no. 1, pp. 52–59, 2024. [Online]. Available: <https://doi.org/10.17051/JSIES/01.01.06>
- [12] U. K. Sharma and A. Maurya, "Ai for predictive urban water drainage systems," *International Journal of Progressive Research in Engineering Management and Science*, vol. 4, no. 12, pp. 763–767, 2024. [Online]. Available: <https://www.doi.org/10.58257/IJPREMS37638>
- [13] P.-C. Huang and K. T. Lee, "An alternative for predicting real-time water levels of urban drainage systems," *Journal of Environmental Management*, vol. 347, p. 119099, 2023. [Online]. Available: <https://doi.org/10.1016/j.jenvman.2023.119099>