Assignment 2 – File Ownership Using chown

Objective
To understand and modify file ownership using chown.

Questions
1. Create a file named report.txt.

```
tushar07@Tushar99083W1:~/one/two$ touch report.txt
tushar07@Tushar99083W1:~/one/two$ ls
2.txt  22.txt  report.txt  three
tushar07@Tushar99083W1:~/one/two$
```

2. Create a user named student1.

```
tushar07@Tushar99083W1:~/one/two$ sudo useradd student1
[sudo: authenticate] Password:
```

3. Display the current owner and group of report.txt.

```
tushar07@Tushar99083W1:~/one/two$ stat -c "%n : %U (%G)" report.txt
report.txt : tushar07 (tushar07)
tushar07@Tushar99083W1:~/one/two$
```

4. Change the owner of report.txt to student1.

```
tushar07@Tushar99083W1:~/one/two$ stat -c "%n : %U (%G)" report.txt
report.txt : student1 (tushar07)
tushar07@Tushar99083W1:~/one/two$
```

5. Create another user named student2.

```
tushar07@Tushar99083W1:~/one/two$ sudo useradd student2
tushar07@Tushar99083W1:~/one/two$
```

6. Change the owner of report.txt to student2.

```
tushar07@Tushar99083W1:~/one/two$ sudo chown student2 report.txt
tushar07@Tushar99083W1:~/one/two$ stat -c "%n : %U (%G)" report.txt
report.txt : student2 (tushar07)
```

7. Change both the owner and group of report.txt to:
Owner: student1
Group: student1

```
tushar07@Tushar99083W1:~/one/two$ sudo chown student1:student1 report.txt
tushar07@Tushar99083W1:~/one/two$ stat -c "%n : %U (%G)" report.txt
report.txt : student1 (student1)
tushar07@Tushar99083W1:~/one/two$
```

8. Create a directory named project.

```
tushar07@Tushar99083W1:~/one/two$ mkdir projrct
tushar07@Tushar99083W1:~/one/two$ ls
2.txt  22.txt  projrct  report.txt  three
tushar07@Tushar99083W1:~/one/two$
```

9. Create at least two files inside project.

```
tushar07@Tushar99083W1:~/one/two$ touch projrct/nirmal.txt projrct/nihar.txt
tushar07@Tushar99083W1:~/one/two$ tree
.
├── 2.txt
├── 22.txt
├── projrct
│   ├── nihar.txt
│   └── nirmal.txt
├── report.txt
└── three
    ├── 3.txt
    ├── 33.txt
    └── 333.txt

3 directories, 8 files
```

10. Change the owner of the entire project directory and its contents recursively to student1.

```
tushar07@Tushar99083W1:~/one/two$ sudo chown student1 projrct
tushar07@Tushar99083W1:~/one/two$ stat -c "%n : %U (%G)" report.txt
report.txt : student1 (student1)
tushar07@Tushar99083W1:~/one/two$
```

11. Verify ownership using ls -l.

```
tushar07@Tushar99083W1:~/one/two$ ls -l
total 0
-rw-r--r-- 1 tushar07 tushar07   26 Oct 24 06:26 2.txt
-rw-r--r-- 1 tushar07 tushar07    0 Oct 24 03:08 22.txt
drwxr-xr-x 1 student1 tushar07 4096 Oct 26 08:50 projrct
-rw-r--r-- 1 student1 student1    0 Oct 26 08:35 report.txt
drwxr-xr-x 1 tushar07 tushar07 4096 Oct 24 04:01 three
tushar07@Tushar99083W1:~/one/two$
```