

Github repo url

my github repo

W08-P1: navbar with card1 and card2

```
quiz1_11.css - 1111-sweb-1N-demo-211411011 - Visual Studio Code
File Edit Selection View Go Run Terminal Help
OPEN EDITORS
GROUP 1
  quiz1_11.css demo\w08_11 1, U
GROUP 2
  quiz1_11.js demo\w08_11 U
1111-SWEB-1N-DEMO-211411011
  css
    style_11.css
  demo
    md
    w01_11
    w02_11
    w03_11
    w04_11
    w05_11
    w06_11
  w08_11
    cards
      images
        card1_11.html
        card2_11.css
        card2_11.html
      quiz1_11.css 1, U
      quiz1_11.html
      quiz1_11.js U
    exams\quiz1
    images
  js
    demo.js
    demo_11.html
    index.html
  README.md
  OUTLINE
  TIMELINE
Ln 14, Col 2 Spaces: 4 UTF-8 CRLF ⚡ JavaScript ⚡ Port: 5500 ✓ Spell ✎ Prettier ⌂
quiz1_11.css x
demo > w08_11 > quiz1_11.css > ...
186 Navbar
187 =====
188 */
189
190 .navbar {
191   background-color: var(--clr-primary-10);
192   height: 4rem;
193   padding: 1rem;
194   display: flex;
195   align-items: center;
196   border-bottom: 1px solid var(--clr-grey-3);
197 }
198
199 .navbar-center {
200   display: flex;
201   justify-content: space-around;
202   width: 100%;
203   max-width: var(--max-width);
204   margin: 0 auto;
205 }
206
207 .navbar-links {
208   display: flex;
209   justify-content: center;
210   align-items: center;
211   gap: 1.5rem;
212 }
213
214 .show-quizi-answer {
215   width: 100vw;
216   height: calc(100vh - 4rem);
217 }
218
219 .navbar-header {
220   text-transform: capitalize;
221   padding: 0.5rem 1rem;
222   border: transparent;
223 }

quiz1_11.js x
demo > w08_11 > quiz1_11.js > showPage
1 function showPage(index) {
2
3   const p = document.querySelector('.show-quizi-answer');
4   console.log('p', p);
5
6   switch(index) {
7     case 1:
8       p.innerHTML = `<iframe src="./cards/card1_11.html"`;
9       break;
10      case 2:
11        p.innerHTML = `<iframe src="./cards/card2_11.html"`;
12        break;
13    }
14 }

main* ○ 0 0 1 ⌂
Windows Search Chrome Microsoft Edge File Explorer Taskbar
下午 06:50 2022-10-27
```

姓名:李翌楷 學號:211411011

[cards 1](#) [cards 2](#)



First Card 1

Minima, quae!

[Sign In](#)



Second Card

Minima, quae!

[Sign In](#)



Third Card

Minima, quae!

[Sign In](#)







Always match Chrome's language [Switch DevTools to Chinese](#) Don't show again

```
<!DOCTYPE html>
<html lang="en">
  <head></head>
  <body>
    <!-- navbar -->
    <nav class="navbar" id="navbar">...</nav> flex
    <--> <section class="show-quiz1-answer"> == $0
      <iframe src="/cards/card1_11.html" width="100%" height="100%">...</iframe>
    </section>
    <script src="/quiz1_11.js"></script>
    <!-- Code injected by live-server -->
    <script>...</script>
  </body>
</html>
```

html body section.show-quiz1-answer

.show-quiz1-answer { width: 100vw; height: calc(100vh - 4rem); } user agent stylesheet

section { display: block; }

Inherited from body

@media screen and (min-width: 800px) body { font-size: 1rem; } quiz1_11.css:119

body { } quiz1_11.css:62

下午 07:00 2022-10-27

姓名:李翌楷 學號:211411011

[cards 1](#) [cards 2](#)



First Card 2

Minima, quae!

[Sign In](#)



Second Card

Minima, quae!

[Sign In](#)



Third Card

Minima, quae!

[Sign In](#)







Always match Chrome's language [Switch DevTools to Chinese](#) Don't show again

```
<!DOCTYPE html>
<html lang="en">
  <head></head>
  <body>
    <!-- navbar -->
    <nav class="navbar" id="navbar">...</nav> flex
    <--> <section class="show-quiz1-answer"> == $0
      <iframe src="/cards/card2_11.html" width="100%" height="100%">...</iframe>
    </section>
    <script src="/quiz1_11.js"></script>
    <!-- Code injected by live-server -->
    <script>...</script>
  </body>
</html>
```

html body section.show-quiz1-answer

.show-quiz1-answer { width: 100vw; height: calc(100vh - 4rem); } user agent stylesheet

section { display: block; }

Inherited from body

@media screen and (min-width: 800px) body { font-size: 1rem; } quiz1_11.css:119

body { } quiz1_11.css:62

下午 07:01 2022-10-27

W08-P2: fixed navbar setup and two sections with two links

Visual Studio Code interface showing the file structure and code for a web application. The left sidebar shows the project tree with files like landing_11.html, style_11.css, and script_11.js. The right pane shows the code editor with two tabs: landing_11.html and style_11.css. A red box highlights a section of the CSS code for the navbar-fixed class, and another red box highlights a section of the JavaScript code for the scroll event listener.

```
landing_11.html U
demo > w08_11 > cards > landing_11.html ...
14   <!-- nav header -->
15   <div class="navbar-header">
16   | 姓名:李翌楷 學號:211411011
17   </div>
18   <!-- nav links -->
19   <ul class="navbar-links">
20     <li>
21       | <a href="#section-blogs">blogs</a>
22     </li>
23     <li>
24       | <a href="#section-cards">cards</a>
25     </li>
26   </ul>
27 </div>
28
29
30 <section class="blogs" id="section-blogs">...
31 </section>
32
33 <section class="cards" id="section-cards">...
34 </section>
35
36 <section class="show-quiz1-answer"></section>
37 <script src="/js/script_11.js"></script>
38
39 </body>
```

```
style_11.css U
...
251   }
252   .navbar-fixed {
253     position: fixed;
254     top: 0;
255     left: 0;
256     width: 100%;
257     background: var(--clr-white);
258     z-index: 2;
259     box-shadow: var(--light-shadow);
260   }
```

```
script_11.js U
...
1  const navbar = document.querySelector('#navbar')
2
3 //add fixed class to navbar
4
5 window.addEventListener('scroll', function () {
6
7   if (window.pageYOffset > 100) {
8     navbar.classList.add('navbar-fixed');
9   } else {
10    navbar.classList.remove('navbar-fixed');
11  }
12});
```

Browser screenshot showing the landing page with three cards labeled "1st Card", "2nd Card", and "3rd Card". The "cards" button in the navigation bar is highlighted with a red box. The DevTools Elements tab is open, showing the DOM structure and the CSS styles for the .navbar-fixed class. A red box highlights the CSS rule for the .navbar-fixed class in the style_11.css file.

姓名:李翌楷 學號:211411011

blogs cards

Six Cards

1st Card

1st Card

1st Card

Lorem ipsum dolor sit amet consectetur adipisciing elit.
Velit, obcaecati.

Sign In

2nd Card

2nd Card

2nd Card

Lorem ipsum dolor sit amet consectetur adipisciing elit.
Velit, obcaecati.

Sign In

3rd Card

3rd Card

3rd Card

Lorem ipsum dolor sit amet consectetur adipisciing elit.
Velit, obcaecati.

Sign In

```
DevTools is now available in Chinese!
Always match Chrome's language Switch DevTools to Chinese Don't show again
<!DOCTYPE html>
<html lang="en">
  <head></head>
  <body>
    <!-- navbar -->
    <nav class="navbar navbar-fixed" id="navbar"></nav> <flex> == $0
    <section class="blogs" id="section-blogs">...</section>
    <section class="cards" id="section-cards">...</section>
    <section class="show-quiz1-answer">...</section>
    <script src="/js/script_11.js"></script>
    <!-- Code injected by live-server -->
    <script></script>
  </body>
</html>
```

```
html body nav#navbar.navbar.navbar-fixed
Styles Computed Layout Event Listeners DOM Breakpoints Properties Accessibility
Filter element.style {
```

```
.navbar-fixed {
  position: fixed;
  top: 0;
  left: 0;
  width: 100%;
  background: var(--clr-white);
  z-index: 2;
  box-shadow: var(--light-shadow);
}
```

```
.navbar {
  background-color: var(--clr-primary-10);
  height: 4rem;
  padding: 1rem;
  display: flex;
  align-items: center;
}
```

姓名:李翌楷 學號:211411011

blogs cards

CSS Grid Using Minmax



LIFESTYLE

Seven Reasons Why Coffee Is Awesome

Lorem, ipsum dolor sit amet consectetur



LIFESTYLE

Seven Reasons Why Coffee Is Awesome

Lorem, ipsum dolor sit amet consectetur



LIFESTYLE

Seven Reasons Why Coffee Is Awesome

Lorem, ipsum dolor sit amet consectetur



LIFESTYLE

Seven Reasons Why Coffee Is Awesome

Lorem, ipsum dolor sit amet consectetur

DevTools is now available in Chinese!

Always match Chrome's language Switch DevTools to Chinese Don't show again

```
<!DOCTYPE html>
<html lang="en">
  <head></head>
  <body>
    <!-- navbar -->
    <nav class="navbar" id="navbar">flex == 50
      <div class="navbar-center"></div> flex
    </nav>
    <section class="blogs" id="section-blogs"></section>
    <section class="cards" id="section-cards"></section>
    <section class="show-quiz1-answer"></section>
    <script src="/js/script_11.js"></script>
    <!-- Code injected by live-server -->
    <script></script>
  </body>
</html>
```

html body nav#navbar.navbar

Styles Computed Layout Event Listeners DOM Breakpoints Properties Accessibility

element.style { } style_11.css:211

nav { background-color: var(--clr-primary-10); height: 40px; padding: 0 1rem; display: flex; align-items: center; border-bottom: 1px solid var(--clr-grey-3); }

* { margin: 0; padding: 0; box-sizing: border-box; }

nav { user agent stylesheet }

下午 08:30 2022-10-27

W08-P3: define css variables for .btn-1, .btn-2, .btn-3

姓名:李翌楷 學號:211411011

blogs cards

Six Cards



1st Card

Lorem ipsum dolor sit amet consectetur adipisicing elit. Velit, obcaecati.

Sign In



2nd Card

Lorem ipsum dolor sit amet consectetur adipisicing elit. Velit, obcaecati.

Sign In



3rd Card

Lorem ipsum dolor sit amet consectetur adipisicing elit. Velit, obcaecati.

Sign In



4th Card

Lorem ipsum dolor sit amet consectetur adipisicing elit. Velit, obcaecati.

Sign In





DevTools is now available in Chinese!

Always match Chrome's language Switch DevTools to Chinese Don't show again

```
<!-- navbar navbar-fixed -->
<nav class="navbar navbar-fixed" id="navbar"></nav> flex
  <section class="blogs" id="section-blogs"></section>
  <section class="cards" id="section-cards">
    <div class="section-title"></div>
    <div class="cards-center">grid
      <div class="card card-1"></div>
      <div class="card card-2"></div>
      <div class="card card-3">
        
        <h2>Card /2</h2>
        <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Velit, obcaecati.</p>
        <button class="btn btn-3">sign in</button>
      </div>
      <div class="card card-4"></div>
      <div class="card card-5"></div>
      <div class="card card-6"></div>
    </div>
  </section>
```

html body section\$section-cards.cards div.cards-center div.card.card-3 button.btn.btn-3

Styles Computed Layout Event Listeners DOM Breakpoints Properties Accessibility

element.style { } style_11.css...7774020:330

.card .btn { text-transform: capitalize; padding: 0.5rem 1rem; border: 1px transparent; border-radius: 0.5rem; letter-spacing: 2px; }

.btn-3 { background: var(--card-3-background); color: var(--card-3-border); border: 1px var(--card-3-border) !important; }

.btn { text-transform: uppercase; }

style_11.css...7774020:350

style_11.css...7774020:154

下午 09:36 2022-10-27

File Edit Selection View Go Run Terminal Help

style_11.css - 1111-sweb-1N-demo-211411011 - Visual Studio Code

EXPLORER

OPEN EDITORS

GROUP 1

- style_11.css demo\w08_1... 1, M

GROUP 2

- landing_11.html demo\w0... M

GROUP 3

- style_11.css demo\w08_1... 1, M

1111-SWEB-1N-DEMO-211411011

- w08_p2-3.png
- w08_p3.png
- w01_11
- w02_11
- w03_11
- w04_11
- w05_11
- w06_11
- w08_11
- cards
- css
- style_11.css 1, M
- images
- js
- card_11.css
- card1_11.html
- card2_11.html
- landing_11.html
- quiz1_11.css
- quiz1_11.html
- quiz1_11.js
- exams\quiz1
- images

TUTORIALS JUPITER PROBLEMS 37 OUTPUT DEBUG CONSOLE

style_11.css 1, M

```

demo > w08_11 > cards > css > style_11.css > root
332 padding: 0.5rem 1rem;
333 border: transparent;
334 border-radius: 0.5rem;
335 letter-spacing: 2px;
336
337 .btn-1 {
338 background: var(--card-1-background);
339 color: var(--card-1-border);
340 border: var(--card-1-border) !important;
341 }
342
343 .btn-2 {
344 background: var(--card-2-background);
345 color: var(--card-2-border);
346 border: var(--card-2-border) !important;
347 }
348
349 .btn-3 {
350 background: var(--card-3-background);
351 color: var(--card-3-border);
352 border: var(--card-3-border) !important;
353 }
354
355 /*
=====
blogs
=====
*/
360 */

```

landing_11.html M

```

demo > w08_11 > cards > landing_11.html > html > body > section#section-cards.cards >
178 </div>
179 <div class="cards_center">
180 > <div class="card card-1">...
181 </div>
182 <div class="card card-2">...
183 </div>
184 <div class="card card-3">...
185 </div>
186 <div class="card card-1">...
187 </div>
188 <div class="card card-2">...
189 </div>
190 <div class="card card-3">...
191 </div>
192 <div class="card card-1">...
193 </div>
194 <div class="card card-2">...
195 </div>
196 <div class="card card-3">...
197 </div>
198 <div class="card card-1">...
199 </div>
200 <div class="card card-2">...
201 </div>
202 <div class="card card-3">...
203 </div>
204 <div class="card card-1">...
205 </div>
206 <div class="card card-2">...
207 </div>
208 <div class="card card-3">...
209 </div>
210 <div class="card card-1">...
211 </div>
212 <div class="card card-2">...
213 </div>
214 <div class="card card-3">...
215 </div>
216 <div class="card card-1">...
217 </div>
218 <div class="card card-2">...
219 </div>
220 <div class="card card-3">...
221 </div>
222 <div class="card card-1">...
223 </div>
224 <div class="card card-2">...
225 </div>
226 <div class="card card-3">...
227 </div>
228 <div class="card card-1">...
229 </div>
230 <div class="card card-2">...
231 </div>
232 <div class="card card-3">...
233 </div>
234 </div>

```

style_11.css 1, M

```

demo > w08_11 > cards > style_11.css > root
66 /* cards */
67 --card-1-color: #fff69a6;
68 --card-1-background: #f4c6d8;
69 --card-1-border: 2px solid #ff69a6;
70 --card-2-color: #blue;
71 --card-2-background: rgba(0,255,0,1);
72 --card-2-border: 2px solid #blue;
73 --card-3-color: #rgb(64,124,64);
74 --card-3-background: rgba(0,255,0,1);
75 --card-3-border: 2px solid #rgb(35,70,35);
76 */

```

TERMINAL GITLENS JUPITER PROBLEMS 37 OUTPUT DEBUG CONSOLE

Total 18 (delta 7), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (7/7), completed with 7 local objects.
To https://github.com/tutelary1105/1111-sweb-1N-demo-211411011.git
7a57c4b..e1c2747 main -> main

User@E201-61 MINGW64 /d/1111-sweb-1N-demo-211411011 (main)

You, 1 minute ago Ln 72, Col 30 Spaces: 4 UTF-8 CRLF { CSS ⚡ Port : 5500 ⚡ 6 Spell ⚡ Prettier ⚡

下午 09:38 2022-10-27

W08-logs: W8 all logs

```

User@E201-61 MINGW64 /d/1111-sweb-1N-demo-211411011 (main)
$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2022-10-26"
0636001 tutelary1105 Thu Oct 27 21:41:37 2022 +0800 W08-P3: define css variables for .btn-1, .btn-2, .btn-3
e1c2747 tutelary1105 Thu Oct 27 20:32:56 2022 +0800 W08-P2: fixed navbar setup and two sections with two links
7a57c4b tutelary1105 Thu Oct 27 19:04:42 2022 +0800 W08-P1: navbar with card1 and card2

```

```

$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2022-10-26"
0636001 tutelary1105 Thu Oct 27 21:41:37 2022 +0800 W08-P3: define css variables for .btn-1, .btn-2, .btn-3
e1c2747 tutelary1105 Thu Oct 27 20:32:56 2022 +0800 W08-P2: fixed navbar setup and two sections with two links
7a57c4b tutelary1105 Thu Oct 27 19:04:42 2022 +0800 W08-P1: navbar with card1 and card2

```