

CLASS 10 · CBSE · NCERT MATHEMATICS · PYQ SOLUTIONS

Chapter 6: Triangles

Step-by-step solutions to the previous year questions

The question numbers match the PYQ question sheet.

1 Basic Proportionality Theorem

1. In $\triangle ABC$, D lies on AB and E lies on AC with $DE \parallel BC$. If $AD = x$, $DB = x - 2$, $AE = x + 2$ and $EC = x - 1$, find x . **CBSE 2026, 2 marks**

SOLUTION

By the Basic Proportionality Theorem, $\frac{AD}{DB} = \frac{AE}{EC}$.

$$\frac{x}{x-2} = \frac{x+2}{x-1}, \text{ so } x(x-1) = (x+2)(x-2)$$


$$x^2 - x = x^2 - 4$$

Answer: $x = 4$

2. State the Basic Proportionality Theorem and prove it. **CBSE 2026, 5 marks**

SOLUTION

Statement: If a line is drawn parallel to one side of a triangle and cuts the other two sides at distinct points, it divides those two sides in the same ratio.



Given: $\triangle ABC$ with $DE \parallel BC$, where D is on AB and E is on AC . **To prove:** $\frac{AD}{DB} = \frac{AE}{EC}$.

Construction: Join BE and CD . Draw $EN \perp AB$ and $DM \perp AC$.


$$\frac{\text{ar}(\triangle ADE)}{\text{ar}(\triangle BDE)} = \frac{\frac{1}{2} \times AD \times EN}{\frac{1}{2} \times DB \times EN} = \frac{AD}{DB} \dots (1)$$

$$\frac{\text{ar}(\triangle ADE)}{\text{ar}(\triangle CED)} = \frac{\frac{1}{2} \times AE \times DM}{\frac{1}{2} \times EC \times DM} = \frac{AE}{EC} \dots (2)$$

$\triangle BDE$ and $\triangle CED$ stand on the same base DE and lie between the same parallels DE and BC ,
so $\text{ar}(\triangle BDE) = \text{ar}(\triangle CED) \dots (3)$

From (1), (2) and (3): $\frac{AD}{DB} = \frac{AE}{EC}$. **Proved.**

3. Prove that a line drawn parallel to one side of a triangle, cutting the other two sides at distinct points, divides those two sides in the same ratio. **CBSE 2024, 5 marks**



SOLUTION

Given: in $\triangle ABC$, $DE \parallel BC$, with D on AB and E on AC . To prove: $\frac{AD}{DB} = \frac{AE}{EC}$.

Construction: join BE and CD . Draw $EN \perp AB$ and $DM \perp AC$.


$$\frac{\text{ar}(\triangle ADE)}{\text{ar}(\triangle BDE)} = \frac{\frac{1}{2} \times AD \times EN}{\frac{1}{2} \times DB \times EN} = \frac{AD}{DB}$$

$$\frac{\text{ar}(\triangle ADE)}{\text{ar}(\triangle CED)} = \frac{\frac{1}{2} \times AE \times DM}{\frac{1}{2} \times EC \times DM} = \frac{AE}{EC}$$

$\triangle BDE$ and $\triangle CED$ are on the same base DE and between the same parallels DE and BC , so $\text{ar}(\triangle BDE) = \text{ar}(\triangle CED)$.

Hence $\frac{AD}{DB} = \frac{AE}{EC}$.

4. In $\triangle ABC$, X lies on AB and Z on AC with $XZ \parallel BC$. M is a point on BC , and AM meets XZ at Y . If $AZ = 3$ cm, $ZC = 2$ cm, $BM = 3$ cm and $MC = 5$ cm, find XY . **CBSE 2023, 2 marks**



SOLUTION

$$XZ \parallel BC, \text{ so } \frac{AX}{AB} = \frac{AZ}{AC} = \frac{3}{3+2} = \frac{3}{5}.$$

In $\triangle ABM$, $XY \parallel BM$, so $\triangle AXY \sim \triangle ABM$ (AA).

$$\frac{XY}{BM} = \frac{AX}{AB} = \frac{3}{5}, \text{ so } XY = \frac{3}{5} \times 3$$

Answer: $XY = 1.8$ cm

5. A line parallel to one side of a triangle meets the other two sides at distinct points. Prove that it divides those two sides in the same ratio. **CBSE 2023, 5 marks**

SOLUTION

This is the Basic Proportionality Theorem. In $\triangle ABC$, let $DE \parallel BC$ with D on AB and E on AC .

Join BE and CD , and draw $EN \perp AB$ and $DM \perp AC$.

$$\frac{\text{ar}(\triangle ADE)}{\text{ar}(\triangle BDE)} = \frac{\frac{1}{2} \times AD \times EN}{\frac{1}{2} \times DB \times EN} = \frac{AD}{DB} \text{ and } \frac{\text{ar}(\triangle ADE)}{\text{ar}(\triangle CED)} = \frac{\frac{1}{2} \times AE \times DM}{\frac{1}{2} \times EC \times DM} = \frac{AE}{EC}$$

$\triangle BDE$ and $\triangle CED$ are on the same base DE and between the same parallels, so their areas are equal.

Hence $\frac{AD}{DB} = \frac{AE}{EC}$. **Proved.** (The figure is with the 2026 question above.)

2 Criteria for similarity of triangles

6. $\triangle ABC \sim \triangle DEF$ with $2AB = DE$ and $BC = 8$ cm. Find EF . (a) 4 cm (b) 8 cm (c) 12 cm (d) 16 cm
CBSE 2026, 1 mark


SOLUTION

Corresponding sides are proportional: $\frac{AB}{DE} = \frac{BC}{EF}$.

$$\frac{AB}{DE} = \frac{1}{2}, \text{ so } \frac{8}{EF} = \frac{1}{2} \text{ and } EF = 16 \text{ cm.}$$

Answer: (d)

7. $\triangle ABC \sim \triangle XYZ$ with $AB = 4$ cm, $BC = 6$ cm, $AC = y$ cm, $XY = x$ cm, $YZ = 7.2$ cm and $XZ = 6$ cm. Find x and y . **CBSE 2026, 2 marks**



SOLUTION


$$\frac{AB}{XY} = \frac{BC}{YZ} = \frac{AC}{XZ}, \text{ and } \frac{BC}{YZ} = \frac{6}{7.2} = \frac{5}{6}$$

$$\frac{4}{x} = \frac{5}{6}, \text{ so } x = \frac{24}{5} = 4.8$$

$$\frac{y}{6} = \frac{5}{6}, \text{ so } y = 5$$

Answer: $x = 4.8, y = 5$

8. CM and RN are medians of $\triangle ABC$ and $\triangle PQR$, and $\triangle ABC \sim \triangle PQR$. Prove that (i) $\triangle AMC \sim \triangle PNR$ (ii) $\triangle CMB \sim \triangle RNQ$. **CBSE 2026, 5 marks**



SOLUTION

$$\triangle ABC \sim \triangle PQR, \text{ so } \angle A = \angle P, \angle B = \angle Q \text{ and } \frac{AB}{PQ} = \frac{BC}{QR} = \frac{CA}{RP}.$$

M and N are mid-points, so $AB = 2AM = 2MB$ and $PQ = 2PN = 2NQ$. Hence $\frac{AM}{PN} = \frac{MB}{NQ} = \frac{AB}{PQ}$.

(i) In $\triangle AMC$ and $\triangle PNR$: $\frac{AM}{PN} = \frac{AC}{PR}$ and the included angles $\angle A = \angle P$. **So** $\triangle AMC \sim \triangle PNR$ (SAS).

(ii) In $\triangle CMB$ and $\triangle RNQ$: $\frac{MB}{NQ} = \frac{BC}{QR}$ and the included angles $\angle B = \angle Q$. **So** $\triangle CMB \sim \triangle RNQ$ (SAS).

9. In $\triangle ABC$ and $\triangle DEF$, $\angle B = \angle E$, $\angle C = \angle F$ and $AB = 3DE$. Are the two triangles similar, congruent, both or neither? **CBSE 2025, 1 mark**

SOLUTION

Two pairs of angles are equal, so the triangles are similar by the AA criterion.

$AB = 3DE$, so the corresponding sides are not equal. The triangles are therefore not congruent.

Answer: similar but not congruent

10. $\triangle ABC \sim \triangle PQR$ with $AB = 6$ cm, $BC = 4$ cm, $AC = 8$ cm and $PR = 6$ cm. Find $PQ + QR$.

CBSE 2025, 2 marks


SOLUTION

Corresponding sides are in the same ratio: $\frac{AB}{PQ} = \frac{BC}{QR} = \frac{AC}{PR} = \frac{8}{6} = \frac{4}{3}$

$$PQ = 6 \times \frac{3}{4} = 4.5 \text{ cm and } QR = 4 \times \frac{3}{4} = 3 \text{ cm}$$

Answer: $PQ + QR = 7.5$ cm

11. In $\triangle PQR$, S is a point on QR and T is a point on PQ . It is given that $\frac{QR}{QS} = \frac{QT}{PR}$ and $\angle PQR = \angle PRQ$. Prove that $\triangle PQS \sim \triangle TQR$. **CBSE 2025, 2 marks**



SOLUTION


$\angle PQR = \angle PRQ$, so the sides opposite these angles are equal: $PR = PQ$.

Put PQ in place of PR in the given relation: $\frac{QR}{QS} = \frac{QT}{PQ}$, that is $\frac{QT}{QR} = \frac{PQ}{QS}$.

In $\triangle PQS$ and $\triangle TQR$: $\frac{PQ}{TQ} = \frac{QS}{QR}$ and the included angle $\angle Q$ is common.

So $\triangle PQS \sim \triangle TQR$ by the SAS criterion.

- 12.** $ABCD$ is a parallelogram and E is a point on BC . The diagonal BD meets AE at F . Prove that $DF \times EF = FB \times FA$. **CBSE 2025, 5 marks**



SOLUTION

In $\triangle DFA$ and $\triangle BFE$: $\angle DFA = \angle BFE$ (vertically opposite angles).


$AD \parallel BC$ and BD is a transversal, so $\angle ADF = \angle EBF$ (alternate angles).

So $\triangle DFA \sim \triangle BFE$ by the AA criterion.

Corresponding sides are proportional: $\frac{DF}{BF} = \frac{FA}{FE}$.

Cross-multiplying, $DF \times EF = FB \times FA$. **Proved.**

- 13.** In $\triangle ABC$, D is a point on BC with $AD \perp BC$ and $AD^2 = BD \times DC$. Prove that $\angle BAC = 90^\circ$. **CBSE 2025, 5 marks**



SOLUTION

In right triangle ADB : $AB^2 = AD^2 + BD^2$... (1)

In right triangle ADC : $AC^2 = AD^2 + DC^2$... (2)


Adding (1) and (2): $AB^2 + AC^2 = 2AD^2 + BD^2 + DC^2$

Since $AD^2 = BD \times DC$: $AB^2 + AC^2 = BD^2 + 2BD \times DC + DC^2 = (BD + DC)^2 = BC^2$

By the converse of the Pythagoras theorem, the angle opposite BC is a right angle.

So $\angle BAC = 90^\circ$. **Proved.**

14. In quadrilateral $ABCD$, the diagonal BD bisects both $\angle B$ and $\angle D$. Prove that (i) $\triangle ABD \sim \triangle CBD$ (ii) $AB = BC$. **CBSE 2024, 2 marks**



SOLUTION


(i) In $\triangle ABD$ and $\triangle CBD$: $\angle ABD = \angle CBD$ (BD bisects $\angle B$) and $\angle ADB = \angle CDB$ (BD bisects $\angle D$).

So $\triangle ABD \sim \triangle CBD$ by the AA criterion.

(ii) Corresponding sides are proportional: $\frac{AB}{CB} = \frac{BD}{BD} = 1$

Hence $AB = BC$.

15. PA , QB and RC are all perpendicular to the line AC , where Q is the point in which PC and AR meet. If $AP = x$, $BQ = y$ and $CR = z$, prove that $\frac{1}{x} + \frac{1}{z} = \frac{1}{y}$. **CBSE 2024, 5 marks**



SOLUTION

In $\triangle CQB$ and $\triangle CPA$: $\angle C$ is common and $\angle CBQ = \angle CAP = 90^\circ$, so $\triangle CQB \sim \triangle CPA$ (AA).

Hence $\frac{BQ}{AP} = \frac{BC}{AC}$, that is $\frac{y}{x} = \frac{BC}{AC}$.


In $\triangle AQB$ and $\triangle ARC$: $\angle A$ is common and $\angle ABQ = \angle ACR = 90^\circ$, so $\triangle AQB \sim \triangle ARC$ (AA).

Hence $\frac{BQ}{CR} = \frac{AB}{AC}$, that is $\frac{y}{z} = \frac{AB}{AC}$.

Adding: $\frac{y}{x} + \frac{y}{z} = \frac{BC + AB}{AC} = \frac{AC}{AC} = 1$

Dividing by y : $\frac{1}{x} + \frac{1}{z} = \frac{1}{y}$.

16. In $\triangle ABC$, $\angle ACB = 90^\circ$ and $CD \perp AB$. Prove that $CD^2 = BD \times AD$. **CBSE 2019, 3 marks**



SOLUTION

In $\triangle ADC$ and $\triangle CDB$: $\angle ADC = \angle CDB = 90^\circ$.


$\angle DAC = 90^\circ - \angle ACD$ (angle sum in $\triangle ADC$) and $\angle DCB = 90^\circ - \angle ACD$ (because $\angle ACB = 90^\circ$). So $\angle DAC = \angle DCB$.

Hence $\triangle ADC \sim \triangle CDB$ by the AA criterion.

$$\frac{AD}{CD} = \frac{CD}{BD}$$

So $CD^2 = BD \times AD$. **Proved.**

17. $\triangle ABC$ is right-angled at C . P is a point on CA and Q is a point on CB . Prove that $AQ^2 + BP^2 = AB^2 + PQ^2$. **CBSE 2019, 3 marks**



SOLUTION

Each of the triangles ACQ , PCB , ACB and PCQ has a right angle at C . Apply the Pythagoras theorem to each.

$$AQ^2 = AC^2 + CQ^2 \text{ and } BP^2 = PC^2 + BC^2$$

$$\text{Adding: } AQ^2 + BP^2 = (AC^2 + BC^2) + (PC^2 + CQ^2)$$


$$AC^2 + BC^2 = AB^2 \text{ and } PC^2 + CQ^2 = PQ^2$$

So $AQ^2 + BP^2 = AB^2 + PQ^2$. **Proved.**

3 Right-angled triangles

18. ABC is an equilateral triangle and D is a point on BC with $BD = \frac{1}{3}BC$. Prove that $9AD^2 = 7AB^2$.

CBSE 2018, 4 marks



SOLUTION

Let each side be a . Draw $AE \perp BC$. In an equilateral triangle the altitude bisects the base, so $BE = \frac{a}{2}$.

$$BD = \frac{a}{3}, \text{ so } DE = BE - BD = \frac{a}{2} - \frac{a}{3} = \frac{a}{6}.$$

$$\text{In right triangle } AEB: AE^2 = a^2 - \frac{a^2}{4} = \frac{3a^2}{4}$$

$$\text{In right triangle } AED: AD^2 = AE^2 + DE^2 = \frac{3a^2}{4} + \frac{a^2}{36} = \frac{28a^2}{36} = \frac{7a^2}{9}$$

So $9AD^2 = 7a^2 = 7AB^2$. **Proved.**

These questions are based on questions asked in past board examinations. They have been reworded by MathSetu, the figures are redrawn, and the solutions are MathSetu's own. MathSetu is an independent study resource and is not affiliated with or endorsed by CBSE, CISCE, NCERT or any publisher.