Université d'Ottawa Faculté de génie

École de science d'informatique et de génie électrique



University of Ottawa Faculty of Engineering

School of Electrical Engineering and Computer Science

## **Assignment 3**

### **CSI2120 Programming Paradigms**

**Winter 2023** Due on April 10th 2023, 11:30 PM 8% - 10 points

#### Mini-Sudoku

2	1	4	3	
4	3	2	1	i onno
1	2	3	\$	signme
3	4	1	2	•

# ent Project Exam Help

https://tutorcs.com
A mini-sudoku is an array of 4x4 in which each entry is one of the four numbers 1,2,3,4. To be a valid Sudoku, each row, each column, and each of the four quadrants must contain different numbers (as shown in the figure above Note that this Sudoky is already complete, you only have to check its validity.

We ask you to write a program that will take as input a completed Sudoku (a 4x4 matrix) and will check if this one is a valid Sudoku solution (true or false).

#### **Question 1:**

The Sudoku must be represented with a list of 4 lists, each list element representing one row of the matrix.

```
(define sudoku1 '((2 1 4 3) (4 3 2 1) (1 2 3 4) (3 4 1 2)))
(define sudoku2 '((2 1 4 3) (4 3 2 1) (1 2 3 3) (3 4 1 2)))
```

You must solve the problem using the following functions:

a) Write the function different that returns true if all numbers in a list are different. [2]

```
(different '(1 3 6 4 8 0))
#t
```

```
(different '(1 3 6 4 1 8 0))
#f
```

b) Write the function extract4Columns that extracts the 4 columns of the 4x4 Sudoku. [2]

```
(extract4Columns sudoku1)
((2 \ 4 \ 1 \ 3) \ (1 \ 3 \ 2 \ 4) \ (4 \ 2 \ 3 \ 1) \ (3 \ 1 \ 4 \ 2))
```

c) Write the function extract4Quadrants that extracts the 4 quadrants of the 4x4 Sudoku. [2]

```
(extract4Columns sudoku1)
((2 1 4 3) (4 3 2 1) (1 2 3 4) (3 4 1 2))
```

d) Write the function merge3 that merges three lists. [2]

```
(merge3 '(1 3 6) '(5 4) '(1 2 3))
(1 \ 3 \ 6 \ 5 \ 4 \ 1 \ 2 \ 3)
  Assignment Project Exam
```

- e) Write the function checkSudoku that verifies if a sudoku is valid by proceeding as follows: [2]
  - merges together the dist of rows of the sudoky with the list of its columns (from extract4co1 mins) and the lists of its quadrants (from extract4Quadrants);
  - use map in order to call the function different on each element of the merged list;
  - use the result of map in order to determine if the sudoku is valid and return the result \_nat: cstutores (true or false)

```
(checkSudoku sudoku1)
(checkSudoku sudoku2)
#f
```