
Cucumber Report



Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
hooks_test	6.442 s	1	0	1	0	3	2	1	0	


Tag	Scenario		Feature					
Name	T	P	F	S	T	P	F	S
@failed_tests	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	hooks_test	1	0	1	0	6.442 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	hooks_test	<u>TC_01</u>	3	2	1	0	6.440 s

DETAILED SECTION -- 6 --

hooks_test

FAILED	DURATION - 6.442 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 9:29:57.669 PM // 9	9:30:04.111 PM /	Pass - 0	1	Pass - 2	3
		Fail - 1		Fail - 1	👤 👅
		Skip - 0		Skip - 0	

TC_01



#	Step / Hook Details	Status	Duration
1	Given user is on "https://www.bluerentalcars.com/login" page	PASSED	3.958 s
2	And user enters customer_email and customer_password	PASSED	2.163 s
	username password jack@gmail.com 12345		
3	Then verify the next page url contains login keyword	FAILED	0.005 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinitions.BlueRentalLoginStepDefinitions.verify_the_next_page_url_contains_login_keyword(BlueRentalLoginStepDefinitions. java:55) at ?.verify the next page url contains login keyword(file:///C:/Users/tasta/IdeaProjects/My-Cucumber-Project/./src/test/resources/features/day26_failed_test_cases.feature:9) * Not displayable characters are replaced by '?'.		
	AFTER - hooks.Hooks.tearDownScenario(io.cucumber.java.Scenario)	PASSED	0.303 s
	failed_scenario_TC_01		

DETAILED SECTION -- 7 --

#		Step / Hook Details	Status	Duration
	BULL OFFICE AT THE PARTY OF THE			
	Customer Services			