




The Version Of History

Version	Description	Engineer	Date
V1.0.0	New Design	Wuxiaoping	2025/5/6
V1.0.1	UPDATE BATTERY CONNECTOR	Wuxiaoping	2025/6/26

Catalog


Page	Description
P01	COVERSHEET
P02	BLOCK_DIAGRAM
P03	CAT1
P04	T5-E1-IPEX
P05	FUNC






电源输入与电池充电


拨码开关




VCAT1转3V3






CAT.1模组



SIM 卡




UART1--->日志
UART0--->烧录授权与产测




CHRG_STAT	<<CHRG_STAT	(3)
CHRG_STDBY	<<CHRG_STDBY	(3)
TX0	>>TX0	(3)
RX0	<<RX0	(3)
MAIN_DTR	>>MAIN_DTR	(3)
VBUS_CTRL	>>VBUS_CTRL	(3)
RST_CAT	>>RST_CAT	(3)
PWRKEY_CTRL	>>PWRKEY_CTRL	(3)
DP	<<DP	(3)
DN	<<DN	(3)
SPK_CTRL	>>SPK_CTRL	(5)
PWM_R	>>PWM_R	(5)
PWM_G	>>PWM_G	(5)
FUN_KEY	<<FUN_KEY	(5)
KEY_DET	<<KEY_DET	(5)
SCL	<<SCL	(5)
SDA	<<SDA	(5)
INT	>>INT	(5)
MICP1	<<MICP1	(5)
MICN1	<<MICN1	(5)
MICP2	<<MICP2	(5)
MICN2	<<MICN2	(5)
OUTP	>>OUTP	(5)
OUTN	>>OUTN	(5)

tuya 杭州涂鸦信息技术有限公司


Project:	SCHEMATIC1		
File:	04_T5-E1-IPEX		
Date:	Jun 27, 2025	Rev:	<Revision>
Designed by:	<Organization Name>	Sheet:	4 of 5




GSENSOR




LED



功能按键




MIC



AEC

PWM_R << PWM_R (4)
 PWM_G << PWM_G (4)
 KEY_DET << KEY_DET (4)
 FUN_KEY << FUN_KEY (4)
 INT << INT (4)
 SCL << SCL (4)
 SDA << SDA (4)
 SPK_CTRL << SPK_CTRL (4)

MICP1 >> MICP1 (4)
 MICN1 >> MICN1 (4)
 MICP2 >> MICP2 (4)
 MICN2 >> MICN2 (4)
 OUTP >> OUTP (4)
 OUTN >> OUTN (4)



SPEAKER