



SnappTrip

POST Create Rule

```
localhost:8000/rule?name=Test&type=MARKUP&condition_id=3&action_id=3
```

PARAMS

name

Test

type

MARKUP

condition_id

3

action_id

3

Example Request

Create Rule

```
curl --location --request POST 'localhost:8000/rule?name=Test&type=MARKUP&condition_id=3&action_id=3'
```

Example Response

200 OK

Body

Header (9)

```
{
  "status": true,
  "message": "Rule added successfully."
}
```



POST Create Action

```
localhost:8000/action?fixedDisplacementAmount=500&percentageDisplacementAmount=15&maximumDisplacementAmount=30000
```

PARAMS

fixedDisplacementAmount

500

percentageDisplacementAmount

15

maximumDisplacementAmount

30000

Example Request

Create Action

```
curl --location --request POST 'localhost:8000/action?fixedDisplacementAmount=500&percentageDisplacementAmount=15&maximumDisplacementAmount=30000'
```

Example Response

200 OK

Body

Header (9)

```
{
  "status": true,
  "message": "Action added successfully."
}
```

POST Create Condition

```
localhost:8000/condition?userType=B2B&channelType=Ap
```

PARAMS

**channelType**

Ap

Example Request

Create Condition

```
curl --location --request POST 'localhost:8000/condition?userType=B2B&channelType=Ap'
```

Example Response

200 OK

Body

Header (9)

```
{
  "status": true,
  "message": "action added successfully."
}
```

GET Apply

```
http://localhost:8000/apply?price=100000&userType=B2C&channelType=Snapp
```

PARAMS**price**

100000

userType

B2C

channelType

Snapp

Example Request

Apply

```
curl --location --request GET 'http://localhost:8000/apply?price=100000&userType=B2C&channelType=
```

Documentation Settings

Example Response

200 OK

Body

Header (9)

```
{
  "applied": false,
  "appliedRules": []
}
```

GET Get all Conditions

localhost:8000/conditions

Example Request

Get all Conditions

```
curl --location --request GET 'localhost:8000/conditions'
```

Example Response

200 OK

Body

Header (9)

```
[
  {
    "id": 1,
    "userType": "B2B",
    "channelType": "Snapp"
  },
  {
    "id": 2,
    "userType": "B2C"
  }
]
```

View More

GET Get all Rules

localhost:8000/rules



Example Request

Get all Rules

```
curl --location --request GET 'localhost:8000/rules'
```

Example Response

200 OK

Body

Header (9)

```
[
  {
    "id": 1,
    "name": "Markup test",
    "type": "MARKUP",
    "condition_id": 1,
    "action_id": 1
  },
  r
```

View More

GET Get all Actions

localhost:8000/actions

Example Request

Get all Actions

```
curl --location --request GET 'localhost:8000/actions'
```