

Отчет по индивидуальному проекту №1

Операционные системы

Бондарь Т. В.

Российский университет дружбы народов, Москва, Россия

Информация

- Бондарь Татьяна Владимировна
- НКАбд-01-24, студ. билет №1132246711
- Российский университет дружбы народов
- https://github.com/tvbondar/study_2024-2025_os-intro

Научиться размещать сайт на Github pages. Выполнить первый этап индивидуального проекта.

1. Установка необходимого ПО
2. Скачивание шаблона темы сайта
3. Размещение его на хостинге Git
4. Установка параметра для URL сайта
5. Размещение заготовки сайта на Github pages

Выполнение индивидуального
проекта. Установка необходимого
ПО

Выполнение индивидуального проекта. Установка необходимого ПО

1. Скачиваю последнюю версию исполняемого файла hugo для своей операционной системы.

v0.144.2 Latest

What's Changed

- Fix --printPathWarnings when site calls templates.Defer [c3d435a](#) @bep #13420

Contributors


bep

Assets 31

 hugo_0.144.2_checksums.txt	2.88 KB	3 days ago
 hugo_0.144.2_darwin-universal.tar.gz	32.8 MB	3 days ago
 hugo_0.144.2_dragonfly-amd64.tar.gz	16.6 MB	3 days ago
 hugo_0.144.2_freebsd-amd64.tar.gz	16.6 MB	3 days ago
 hugo_0.144.2_linux-64bit.tar.gz	16.6 MB	3 days ago
 hugo_0.144.2_linux-amd64.deb	17.4 MB	3 days ago
 hugo_0.144.2_linux-amd64.tar.gz	16.6 MB	3 days ago
 hugo_0.144.2_linux-arm.tar.gz	15.1 MB	3 days ago
 hugo_0.144.2_linux-arm64.deb	16 MB	3 days ago
 hugo_0.144.2_linux-arm64.tar.gz	15.3 MB	3 days ago

2. Распаковываю архив с исполняемым файлом




Рис. 2: Архив

3. Создаю в домашнем каталоге папку bin, в нее перекладываю исполняемый файл hugo.




Рис. 3: Содержимое каталога bin

4. Создаю свой репозиторий под названием blog на основе шаблона Hugo blox

The screenshot shows a GitHub repository page for a repository named "blog", which is public and generated from the "HugoBlox/theme-academic-cv" template. The repository is currently on the "main" branch, has 1 branch and 0 tags. The commit history shows an initial commit by user "tvbondar" with the commit hash 98d97d4. The file list includes folders like ".github", "assets/media", "config/_default", "content", "layouts/partials/hooks/head-end", and "static/uploads", as well as files like "LICENSE.md", "README.md", "go.mod", "hugoblox.yaml", and "netlify.toml".

File/Folder	Commit Message	Commit Hash	Time
tvbondar Initial commit • 98d97d4 · now 1 Commit			
.github	Initial commit		now
assets/media	Initial commit		now
config/_default	Initial commit		now
content	Initial commit		now
layouts/partials/hooks/head-end	Initial commit		now
static/uploads	Initial commit		now
LICENSE.md	Initial commit		now
README.md	Initial commit		now
go.mod	Initial commit		now
hugoblox.yaml	Initial commit		now
netlify.toml	Initial commit		now

5. Клонировать созданный репозиторий себе в локальный.




Рис. 5: Содержимое каталога blog

6. Запускаю исполняемый файл.

```
tvbondar@fedora:~$ cd ~/bin/blog
tvbondar@fedora:~/bin/blog$ ~/bin/hugo
hugo: downloading modules ...
hugo: collected modules in 34073 msStart building sites ...
hugo v0.144.2-098c68fd18f48031a7145bedab30cbaede48858f+extended linux/amd64 BuildDate=2025-02-19T12:17:04Z VendorInfo=gohugoio
```

	EN
Pages	66
Paginator pages	0
Non-page files	23
Static files	1
Processed images	85
Aliases	18
Cleaned	0

```
Total in 43305 ms
tvbondar@fedora:~/bin/blog$
```

Рис. 6: КЗапуск файла hugo

7. Удаляю папку public, мы создадим свою.




Рис. 7: Удаление папки public

8. Запускаю исполняемый файл с командой server

```
Static files      | 1
Processed images | 85
Aliases          | 18
Cleaned          | 0

Total in 43305 ms
tvbondar@fedora:~/bin/blog$ mc

tvbondar@fedora:~/bin/blog$ ~/bin/hugo server
Watching for changes in /home/tvbondar/{.cache,bin}
Watching for config changes in /home/tvbondar/bin/blog/config/_default, /home/tv
bondar/.cache/hugo_cache/modules/filecache/modules/pkg/mod/github.com/!hugo!blox
/hugo-blox-builder/modules/blox-plugin-netlify@v1.1.2-0.20231209203044-d31adfedd
40b/config.yaml, /home/tvbondar/.cache/hugo_cache/modules/filecache/modules/pkg/
mod/github.com/!hugo!blox/hugo-blox-builder/modules/blox-tailwind@v0.3.1/hugo.ya
ml, /home/tvbondar/bin/blog/go.mod
Start building sites ...
hugo v0.144.2-098c68fd18f48031a7145bedab30cbaede48858f+extended linux/amd64 Buil
dDate=2025-02-19T12:17:04Z VendorInfo=gohugoio

-----+-----
Pages      | 66
```

Рис. 8: Запуск hugo

9. Получаем страницу сайта на локальном сервере.




Рис. 9: Страница сайта

10. Создаю новый репозиторий. Имя репозитория - адрес сайта.

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository](#).

Required fields are marked with an asterisk ().*

Repository template

No template ▾

Start your repository with a template repository's contents.

Owner *

 tvbondar ▾

/

Repository name *

github.io

✔ github.io is available.

Great repository names are short and memorable. Need inspiration? How about **reimagined-journey** ?

Description (optional)

☒  **Public**

Anyone on the internet can see this repository. You choose who can commit.

☐  **Private**

You choose who can see and commit to this repository.

Initialize this repository with:


☐ Add a README file

11. Клонирование репозиторий

```
Environment: "development"
Serving pages from disk
Running in Fast Render Mode. For full rebuilds on change: hugo server --disableFastRender
Web Server is available at http://localhost:1313/ (bind address 127.0.0.1)
Press Ctrl+C to stop
^Ctvbondar@fedora:~/bin/blog$ cd ~
tvbondar@fedora:~$ git clone --recursive https://github.com/tvbondar/github.io.git
Cloning into 'github.io'...
warning: You appear to have cloned an empty repository.
tvbondar@fedora:~$
```

Рис. 11: Клонирование репозитория

12. Создаю главную ветку main

A terminal window with a dark background. The prompt is 'tvbondar@fedora:~/github.io\$'. The command 'git checkout -b main' is entered. The output is 'Switched to a new branch 'main''. The prompt is then 'tvbondar@fedora:~/github.io\$'.

```
tvbondar@fedora:~/github.io$ git checkout -b main
Switched to a new branch 'main'
tvbondar@fedora:~/github.io$
```

Рис. 12: Создание главной ветки

13. Создаю пустой файл README.md и отправляю изменения в глобальный репозиторий.

```
tvbondar@fedora:~/github.io$ git checkout -b main
Switched to a new branch 'main'
tvbondar@fedora:~/github.io$ touch README.txt
tvbondar@fedora:~/github.io$ git add .
tvbondar@fedora:~/github.io$ touch README.md
tvbondar@fedora:~/github.io$ git add .
tvbondar@fedora:~/github.io$ git commit -am "feat(main): add files"
[main (root-commit) 8747772] feat(main): add files
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 README.md
tvbondar@fedora:~/github.io$ git push
```

Рис. 13: Отправка файлов на Github

14. Подключаю репозиторий github.io к каталогу public

```
tvbondar@fedora:~/bin/blog$ git submodule add -t main git@github.com:tvbondar/github.io.git public
usage: git submodule [--quiet] [--cached]
      or: git submodule [--quiet] add [-b <branch>] [-f|--force] [--name <name>] [--reference <repository>] [--] <repository> [<path>]
      or: git submodule [--quiet] status [--cached] [--recursive] [--] [<path>...]
      or: git submodule [--quiet] init [--] [<path>...]
      or: git submodule [--quiet] deinit [-f|--force] [--all] [--] <path>...
      or: git submodule [--quiet] update [--init [--filter=<filter-spec>]] [--remote [-N|--no-fetch] [-f|--force] [--checkout|--merge|--rebase] [--[no-]recommend-shallow] [--reference <repository>] [--recursive] [--[no-]single-branch] [--] [<path>...]
      or: git submodule [--quiet] set-branch (--default|--branch <branch>) [--] <path>
      or: git submodule [--quiet] set-url [--] <path> <newurl>
      or: git submodule [--quiet] summary [--cached|--files] [--summary-limit <n>] [commit] [--] [<path>...]
      or: git submodule [--quiet] foreach [--recursive] <command>
      or: git submodule [--quiet] sync [--recursive] [--] [<path>...]
      or: git submodule [--quiet] absorbgitdirs [--] [<path>...]
tvbondar@fedora:~/bin/blog$
```

Рис. 14: Подключение репозитория к каталогу

15. Снова запускаю исполняемый файл.

```
or: git submodule [--quiet] foreach [--recursive] <command>
or: git submodule [--quiet] sync [--recursive] [--] [<path>...]
or: git submodule [--quiet] absorbgitdirs [--] [<path>...]
tvbondar@fedora:~/bin/blog$ ~/bin/hugo
Start building sites ...
hugo v0.144.2-098c68fd18f48031a7145bedab30cbaede48858f+extended linux/amd64 BuildDate=2025-02-19T12:17:04Z VendorInfo=gohugoio

| EN
-----+-----
Pages | 66
Paginator pages | 0
Non-page files | 23
Static files | 1
Processed images | 85
Aliases | 18
Cleaned | 0

Total in 779 ms
tvbondar@fedora:~/bin/blog$
```

Рис. 15: Запуск исполняемого файла

16. Проверяю есть ли подключение между public и tvbondar.github.io, после чего отправляю изменения на глобальный репозиторий.

```
tvbondar@fedora:~/bin/blog$ cd public/  
tvbondar@fedora:~/bin/blog/public$ git remote  
origin  
tvbondar@fedora:~/bin/blog/public$ git add .  
tvbondar@fedora:~/bin/blog/public$ git commit -am "feat(main): add cite"  
[main f9e37e6] feat(main): add cite  
227 files changed, 59543 insertions(+)  
create mode 100644 public/404.html  
create mode 100644 public/_headers  
create mode 100644 public/_redirects  
create mode 100644 "public/author/\345\220\263\345\201\245\351\233\204/avatar.jpg"  
create mode 100644 "public/author/\345\220\263\345\201\245\351\233\204/avatar_h  
u_2edebb31100122a9.jpg"  
create mode 100644 "public/author/\345\220\263\345\201\245\351\233\204/avatar_h  
u_4487bc68c2269668.jpg"  
create mode 100644 "public/author/\345\220\263\345\201\245\351\233\204/avatar_h  
u_4bb3a690b6cee14a.webp"
```

Рис. 16: Отправка файлов

17. Проверяю, сохранились ли изменения.

blog / public / 

 tvbondar feat(main): add cite  feb37e5 - 3 minutes ago  History

Name	Last commit message	Last commit date
..		
author/吴健雄	feat(main): add cite	3 minutes ago
css/themes	feat(main): add cite	3 minutes ago
dist	feat(main): add cite	3 minutes ago
event	feat(main): add cite	3 minutes ago
experience	feat(main): add cite	3 minutes ago
js	feat(main): add cite	3 minutes ago
media	feat(main): add cite	3 minutes ago
post	feat(main): add cite	3 minutes ago
project	feat(main): add cite	3 minutes ago
projects	feat(main): add cite	3 minutes ago
publication	feat(main): add cite	3 minutes ago
publication_types	feat(main): add cite	3 minutes ago
tags	feat(main): add cite	3 minutes ago
teaching	feat(main): add cite	3 minutes ago
uploads	feat(main): add cite	3 minutes ago

Рис. 17: Репозиторий blog

Мы научились размещать сайт на Github pages, выполнили первый этап индивидуального проекта.

