

New Topic. I am building an app with the PRD attached. I am wanting the app to keep track of how the caregiver is feeling so that it can generate a flagging moment when he or she is in need of support or resources. the flag would be triggered when the caregiver certain key words in their narrative for the day of how they are feeling. over time the app should be generative in flagging the caregiver. create a list of key words that would have been used by the narrator a trigger the App for the flagging. The second item I want the app to keep track of is a list of words for each of the seven stages of dementia/alzheimers/cognitive deficit disorders that would alert the app to flag the loved one (the patient) as transitioning from one phase to the next

4:26 PM

Reading the PRD file

Reading the PRD file

Here are both comprehensive keyword lists for CareSync:

CARESYNC KEYWORD FLAGGING SYSTEM

PART ONE: CAREGIVER DISTRESS KEYWORDS

Triggering the Wellbeing Support Flag

These are organized by distress category. The app should weight them individually and cumulatively — the more categories triggered within a 7-day narrative window, the higher the urgency of the flag.

CATEGORY 1: EMOTIONAL EXHAUSTION & BURNOUT

Highest weight — flag immediately on first appearance

- Exhausted, depleted, drained, empty, running on fumes
- Done, finished, can't do this anymore, at my limit, at my breaking point
- Burned out, burning out, checked out
- Numb, shut down, disconnected, going through the motions
- Hollow, lifeless, mechanical

- Nothing left, nothing to give, gave everything
 - Surviving, barely surviving, just surviving, just getting through
 - Can't keep up, falling behind, losing ground
 - Too much, it's too much, this is too much
-

CATEGORY 2: CRISIS LANGUAGE & ACUTE DISTRESS

Highest weight — immediate flag + resource prompt

- Can't go on, don't want to do this anymore
 - Gave up, giving up, want to give up
 - Hopeless, no hope, what's the point
 - Desperate, desperation
 - Breaking down, fell apart, lost it, broke down
 - Can't breathe, suffocating, drowning, sinking
 - Hit a wall, at rock bottom, rock bottom
 - No way out, trapped, stuck, no escape
 - Crisis, in crisis, having a crisis
 - Falling apart, coming apart
-

CATEGORY 3: ISOLATION & LONELINESS

Moderate-high weight — flag after 2 appearances within 14 days

- Alone, so alone, completely alone, all alone
 - No one understands, nobody understands
 - Isolated, isolation, cut off
 - Invisible, unseen, unnoticed
 - No one to talk to, no one to help, no one to call
 - By myself, on my own, doing this alone
 - Abandoned, left alone, left to deal with this
 - No support, no help, no one cares
 - Nobody asks how I'm doing
 - Forgotten
-

CATEGORY 4: ANXIETY & FEAR

Moderate-high weight

- Anxious, anxiety, panicking, panic attack
 - Terrified, scared, afraid, frightened
 - Worried, constant worry, always worried
 - On edge, wound up, can't relax
 - Dread, dreading, wake up dreading
 - Worst case, what if, fear the worst
 - Can't stop thinking, racing thoughts, mind won't stop
 - Nervous, nervous wreck
 - Overwhelmed, overwhelm, completely overwhelmed
-

● **CATEGORY 5: GRIEF & LOSS**

Moderate-high weight — especially important for anticipatory grief tracking

- Grief, grieving, grieved
 - Lost him/her already, already losing them, losing them slowly
 - Not the same person, doesn't know me anymore, stranger
 - Miss who they were, miss the person they were
 - Mourning, in mourning
 - Gone but still here, here but gone
 - Ambiguous loss, losing them twice
 - Heartbroken, heartbreak, my heart breaks
 - Sad, so sad, deep sadness, profound sadness
 - Crying, cried all day, can't stop crying
 - It hurts, this hurts, the pain of watching
-

● **CATEGORY 6: PHYSICAL SYMPTOMS OF STRESS**

Moderate weight — flag after 2 appearances

- Not sleeping, can't sleep, no sleep, sleep deprived
 - Up all night, awake all night
 - Not eating, forgot to eat, haven't eaten
 - Headache, migraines
 - Sick, getting sick, always sick
 - Exhausted body, physically exhausted, body aching
 - No energy, zero energy, no strength
 - Falling asleep, can't stay awake
 - My health, neglecting my health, ignoring my health
-

CATEGORY 7: GUILT & SELF-BLAME

Moderate weight

- Guilty, feel guilty, guilt
 - My fault, I failed, I let them down
 - Bad caregiver, not good enough, not doing enough
 - Should have, shouldn't have, I should be
 - I'm selfish, being selfish, feeling selfish
 - Resenting, resentment, I resent
 - Angry at them, angry at myself
 - Ashamed, shame
 - What kind of person, what kind of caregiver
 - I snapped, I yelled, I lost my patience
-

CATEGORY 8: CAREGIVER IDENTITY LOSS

Moderate weight — flags slow erosion before crisis

- Lost myself, losing myself, don't know who I am anymore
 - No life of my own, gave up my life
 - Can't remember the last time, haven't done that in months
 - Used to, I used to be, before all this
 - My career, my job, had to quit
 - No time for me, no time for anything
 - My friends, lost my friends, friends stopped calling
 - Who am I, what happened to me
 - Don't recognize myself
 - Put myself last, always last
-

CATEGORY 9: HELP-SEEKING SIGNALS

Lower distress weight but HIGH action priority — flag immediately with resource prompt

- Need help, need support, asking for help
- Need a break, need rest, need to rest
- Need someone to talk to
- Where do I go, who do I call, don't know where to turn
- Respite, need respite
- Therapy, counseling, therapist, need a therapist
- Support group, looking for a group

- Can't afford, financial stress, money stress
 - Can someone help me
-

GENERATIVE SCORING LOGIC NOTES

(For development team)

The flag system should escalate based on:

- **Frequency:** Same category word appearing 3+ times in 7 days = elevated flag
 - **Cross-category clustering:** Words from 3+ different categories in a single entry = immediate flag
 - **Trajectory:** Scores declining week-over-week for 3 consecutive weeks = proactive outreach flag
 - **Absence:** No log entries for 5+ days after a high-distress entry = wellbeing check prompt
 - **Escalation language:** Any entry containing crisis language (Category 2) = immediate resource display regardless of other scores
-
-

PART TWO: PATIENT STAGE TRANSITION KEYWORDS

Flagging Progression Across the Seven Stages of Dementia / Alzheimer's / Cognitive Deficit Disorders

These are words and phrases a caregiver would naturally use in a daily narrative log when describing their loved one's behavior, abilities, and changes. The app should flag when a cluster of keywords from the *next* stage begins appearing alongside keywords from the *current* stage.

STAGE 1 → STAGE 2 TRANSITION FLAG

Stage 1: No impairment (pre-diagnosis, baseline) **Watching for early Stage 2 signals**

Caregiver narrative keywords indicating transition:

- Forgot, forgetting more, more forgetful than usual
- Can't find, misplaced, lost their keys/wallet/glasses
- Repeating, asked me again, told me that already
- Takes longer, slower to remember

- Tip of the tongue, couldn't think of the word
 - Seemed confused for a moment, spaced out briefly
 - Not themselves lately, something seems off
 - Missed an appointment, forgot we had plans
 - Got a little lost driving, took a wrong turn
-

STAGE 2 → STAGE 3 TRANSITION FLAG

Stage 2: Very mild decline (noticeable to close family) **Watching for early Stage 3 signals**

Caregiver narrative keywords indicating transition:

- Getting worse, noticeably worse, decline is faster now
 - People at work noticed, friends noticed, family noticed
 - Struggling at work, made mistakes at work
 - Losing track of conversations, can't follow along
 - Finding the right word, word finding problems, pauses mid-sentence
 - Forgot someone's name, couldn't remember who that was
 - Reading the same thing again, trouble reading
 - Lost in familiar area, got turned around near home
 - Organizing is hard, can't plan anymore, overwhelmed by tasks
 - Trouble with finances, made a mistake with the bills, confused by money
 - Denying it, getting defensive, won't admit it
 - More anxious than usual, worried about forgetting
 - Had to help them more than usual this week
-

STAGE 3 → STAGE 4 TRANSITION FLAG

Stage 3: Mild decline (mild cognitive impairment) **Watching for early Stage 4 signals**

Caregiver narrative keywords indicating transition:

- Can't manage finances anymore, took over the bills
- Forgot a major event, forgot the holiday, forgot the funeral
- Doesn't know the date, lost track of time, confused about the month
- Cooking problems, left stove on, burned something, forgot they were cooking
- Can't do it alone anymore, needs supervision, can't be left alone
- Mood is different, personality change, not who they were
- Withdrew, withdrawn, stopped going out, avoiding people
- Less interested, lost interest in hobbies, stopped doing things they loved
- Repeating stories, same story again, asks the same question every hour

- Needs help choosing clothes, picked inappropriate outfit
 - Driving is dangerous, took the car, we had to hide the keys
 - Getting upset more easily, emotional, crying more, irritable
 - Becoming dependent, more dependent on me
-

STAGE 4 → STAGE 5 TRANSITION FLAG

Stage 4: Moderate decline **Watching for early Stage 5 signals**

Caregiver narrative keywords indicating transition:

- Doesn't know the year, confused about what year it is
 - Forgot where they live, couldn't remember their address
 - Doesn't remember their history, forgot where they worked, forgot their school
 - Can't choose their own clothes, I dress them now
 - Needs help bathing, help with hygiene, prompting to shower
 - Can't manage meals, I prepare everything now
 - Doesn't recognize old friends, confused who that person was
 - Remembered me but confused about the relationship, thinks I'm someone else sometimes
 - Wandered, wandering is a concern now, found them outside
 - Sundowning, worse in the evening, agitated at night
 - Needs reminders for everything, constant reminders
 - Incontinent once, had an accident
 - Sleep is very disrupted, up all night, day and night reversed
-

STAGE 5 → STAGE 6 TRANSITION FLAG

Stage 5: Moderately severe decline **Watching for early Stage 6 signals**

Caregiver narrative keywords indicating transition:

- Didn't recognize me, looked at me like a stranger, didn't know who I was
- Confused about family, thinks I'm their mother/sister/husband
- Forgot their spouse's name, forgot children's names
- Full-time incontinence, bowel accidents, need adult briefs now
- Can't dress at all, fully assisting with dressing
- Agitated, severe agitation, combative, hit me, grabbed me
- Hallucinating, seeing things, hearing things, talking to someone not there
- Paranoid, suspicious, thinks things are being stolen, accused me
- Doesn't know where they are, completely disoriented

- Only says a few words now, speech is very limited, hard to understand
- Delusions, believes something that isn't true, fixed belief
- Pacing, can't sit still, constantly moving, restless
- Needs total care, complete care, no independence left

STAGE 6 → STAGE 7 TRANSITION FLAG

Stage 6: Severe decline **Watching for early Stage 7 signals**

Caregiver narrative keywords indicating transition:

- Stopped speaking, not speaking, lost speech, no words
- Only sounds now, grunting, moaning, not words
- Can't walk, stopped walking, lost ability to walk, wheelchair now
- Can't sit up on their own, needs support to sit
- Can't hold their head up, head control is gone
- Swallowing problems, choking, difficulty swallowing, aspiration risk
- Refusing food, not eating, won't open mouth, feeding is a struggle
- Lost the smile, no more smile, expressionless, blank face
- Not responsive, unresponsive to voice, doesn't react
- Fetal position, curling up, contracted
- Infections, repeated infections, UTI again, pneumonia, aspiration pneumonia
- Skin breakdown, pressure sore, wound, bedsore
- Hospice conversation, talking to hospice, palliative care, comfort care only
- End of life, preparing for the end, saying goodbye

STAGE TRANSITION LOGIC NOTES

(For development team)

- **Cluster threshold:** Flag a potential stage transition when 4 or more keywords from the *next* stage appear within any rolling 21-day window
- **Override flag:** Any single keyword from Stage 6→7 column (especially hospice, end of life, not responsive) should trigger an immediate resource prompt regardless of cluster count
- **Confirmation prompt:** When a transition flag is triggered, present the caregiver with a gentle check-in: *"We've noticed some changes in what you're describing. Would you like to review where [patient name] is in their journey and see updated resources for this stage?"*
- **Never diagnose:** All flags are informational and resource-directed only — consistent with the PRD's non-medical-device positioning

- **Cross-reference:** Stage transition flags should also trigger a caregiver wellbeing flag, since stage transitions are high-stress inflection points

These two keyword systems together give CareSync a generative, layered intelligence layer — one watching the caregiver, one watching the patient — with every flag designed to respond with support, not alarm.