

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main(){
3     int t;
4     scanf("%d",&t);
5     while(t--){
6         int n;
7         scanf("%d",&n);
8         int a[n];
9         for(int i=0;i<n;i++){
10             scanf("%d",&a[i]);
11         }
12         int k;
13         scanf("%d",&k);
14         int flag=0;
15         for(int i= 0; i<n; i++){
16             for(int j=i+ 1;j<n;j++){
17                 if(a[i] - a[j] == k || a[j] - a[i] == k)
18                 {
19                     flag= 1;
20                     break;
21                 }
22             }
23         }
24         if(flag)
25             break;
26     }
27     printf("%d\n",flag);
28 }
29 }
```

```

13     scanf("%d",&k);
14     int flag=0;
15     for(int i= 0; i<n; i++){
16         for(int j=i+ 1;j<n;j++){
17             if(a[i] - a[j] == k || a[j] - a[i] == k)
18             {
19                 flag= 1;
20                 break;
21             }
22         }
23     }
24     if(flag)
25         break;
26
27 }
28 printf("%d\n",flag);
29 }
30 }
31

```

	Input	Expected	Got	
✓	1 3 1 3 5 4	1	1	✓
✓	1	0	0	✓

```
1 #include<stdio.h>
2 int main(){
3     int t;
4     scanf("%d",&t);
5     while(t--){
6         int n,c=0;
7         scanf("%d",&n);
8         for(int i=0;i<=n;i++){
9             if(i%2!=0) c=c+i;
10        }printf("%d\n",c);
11    }
12 }
```

	Input	Expected	Got	
✓	3	1	1	✓
	1	1	1	
	0	1	1	

	Input	Expected	Got	
✓	3 1 2 3	1 1 4	1 1 4	✓
✓	10 71 100 86 54 40 9 77 9 13 98	1296 2500 1849 729 400 25 1521 25 49 2401	1296 2500 1849 729 400 25 1521 25 49 2401	✓

Passed all tests! ✓

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int s1,s2,ans;
5     scanf("%d",&s1);
6     int ta[s1];
7     for(int i=0;i<s1;i++)
8         scanf("%d",&ta[i]);
9     scanf("%d",&s2);
10    int tb[s2];
11    for(int i=0;i<s2;i++)
12        scanf("%d",&tb[i]);
13    for(int j=0;j<s2;j++)
14    {
15        ans=0;
16        for(int i=0;i<s1;i++){
17            if(tb[j]>=ta[i])
18                ans++;
19        }printf("%d\n",ans);
20    }
21 }
```

	Input	Expected	Got	
✓	4	2	2	✓
	1	4	4	
	4			
	2			

```
20 | }  
21 | }
```

	Input	Expected	Got	
✓	4	2	2	✓
	1	4	4	
	4			
	2			
	4			
	2			
	3			
	5			
✓	5	1	1	✓
	2	0	0	
	10	3	3	
	5	4	4	
	4			
	8			
	4			
	3			
	1			
	7			
	8			

Passed all tests! ✓