

solKidGalGame test summary - Issue #168

Date: 2026-06-19

Scope

- Implemented class-level wardrobe layer bounds via wardrobeLayerBoundsByType.
- Each wearable layer now carries item type and render bounds metadata.
- paper-doll rendering emits CSS layer inset variables and layer type classes.
- data-audit verifies layer type, bounds inheritance, alpha safeBox alignment, and PNG/WebP bitmap-only wardrobe assets; SVG formal layer/thumb assets are rejected.
- README and docs/design.md were synchronized to the implemented runtime names.

Verification

- pwsh scripts/docLint.ps1 -Path docs/design.md: PASS.
- npx --yes -p typescript tsc --noEmit --project jsconfig.json: PASS.
- Wardrobe layer/thumb SVG scan: PASS, no SVG files under assets/layers or assets/thumbs.
- In-app Browser data-audit at <http://127.0.0.1:4174/?selftest=data-audit&fresh=1>: PASS; 80 wardrobe layers checked; no errors or warnings.
- In-app Browser wardrobe-detail desktop visual QA: PASS; rose dress/crown rendered with layer bounds variables; no framework overlay; no console errors/warnings.
- Interaction proof: clicked Equip Blue harbor dress; feedback changed to Blue harbor dress equipped.; all visible doll outfit datasets changed to blueDress; blue dress layers present and rose dress layers removed; no console errors/warnings.
- In-app Browser mobile visual QA at 390x844: PASS; wardrobe detail rendered in portrait with visible paper-doll layers and item list; no framework overlay; no console errors/warnings.

Browser route

- Browser plugin bootstrap succeeded through the in-app Browser runtime and was used for rendered QA; no external Playwright/Chrome fallback was needed.