
TCollection
fgCurrentCollection
fgGarbageCollection
fgEmptyingGarbage
fgGarbageStack
kIsOwner
fName
fSize
kInitCapacity
kInitHashTableCapaci
fgIsA
@~TCollection
operator=
PrintCollectionHeader
GetCollectionEntryName
PrintCollectionEntry
Add
AddVector
AddAll
AssertClass
Browse
Capacity
Clear
Clone
Compare
Contains
Contains
Delete
Draw
Dump
FindObject
operator()
FindObject
GetEntries
GetName
GetObjectRef
GetSize
GrowBy
Hash
IsArgNull
IsEmpty
IsFolder
IsOwner
IsSortable
MakeIterator
MakeReverseIterator
Paint
Print
Print
Print
Print
RecursiveRemove
Remove
RemoveAll
RemoveAll
SetCurrentCollection
SetName
SetOwner
Write
Write
GetCurrentCollection
StartGarbageCollectio
GarbageCollect
EmptyGarbageCollect
begin
end
Class
Class_Name
IsA
ShowMembers
TSeqCollection
fSorted
fgIsA
@~TSeqCollection
Changed
Add
AddFirst
AddLast
AddAt
AddAfter
AddBefore
RemoveFirst
RemoveLast
RemoveAt
RemoveAfter
RemoveBefore
At
Before
After
First
Last
LastIndex
GetLast
IndexOf
IsSorted
UnSort
Merge
ObjCompare
QSort
QSort
QSort
Class
Class_Name
IsA
ShowMembers
TList
fFirst
fLast
fCache
fAscending
fgIsA
@~TList
LinkAt
FindLink
DoSort
LnkCompare
NewLink
NewOptLink
DeleteLink
TList
operator=
TList
TList
Clear
Delete
FindObject
FindObject
MakeIterator
Add
Add
AddFirst
AddFirst
AddLast
AddLast
AddAt
AddAfter
AddAfter
AddBefore
AddBefore
Remove
Remove
RemoveLast
RecursiveRemove
At
After
Before
First
FirstLink
GetObjectRef
Last
LastLink
Sort
IsAscending
Class
Class_Name
IsA
ShowMembers
TQCommand
fRedo
fUndo
fRedoArgs
fUndoArgs
fNRargs
fNUargs
fState
fStatus
fNewDelete
fName
fTitle
fObject
fgIsA
@~TQCommand
Init
PrintCollectionHeader
operator=
TQCommand
TQCommand
TQCommand
Redo
Undo
SetArgs
SetUndoArgs
SetRedoArgs
CanMerge
Merge
Merge
CanCompress
Compress
IsEqual
IsSetter
CanRedo
CanUndo
GetRedoName
GetUndoName
GetRedo
GetUndo
GetRedoArgs
GetUndoArgs
GetNRargs
GetNUargs
GetObject
GetStatus
IsMacro
IsUndoing
IsRedoing
IsExecuting
SetName
SetTitle
ls
Add
Add
Delete
GetName
GetTitle
GetCommand
Class
Class_Name
IsA
ShowMembers
TQObject
fListOfSignals
fListOfConnections
fSignalsBlocked
fgAllSignalsBlocke
fgIsA
@~TQObject
GetSender
GetSenderClassName
ConnectToClass
ConnectToClass
CheckConnectArgs
TQObject
operator=
TQObject
GetListOfClassSignals
GetListOfSignals
GetListOfConnections
AreSignalsBlocked
BlockSignals
CollectClassSignalLists
EmitVA
EmitVA
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Emit
Connect
Disconnect
HighPriority
LowPriority
HasConnection
NumberOfSignals
NumberOfConnecti
Connected
Disconnected
Destroyed
ChangedBy
Message
Connect
Connect
Disconnect
Disconnect
AreAllSignalsBlock
BlockAllSignals
LoadRQ_OBJECT
Class
Class_Name
IsA