TObject

fUniqueID	kIsReferenced	kZombie
fBits	kHasUUID	kBitMask
fgDtorOnly	kCannotPick	kSingleKey
fgObjectStat	kNoContextMenu	kOverwrite
kCanDelete	kInvalidObject	kWriteDelete
kMustCleanup	kIsOnHeap	fgIsA
kObjInCanvas	kNotDeleted	

@~TObject	GetObjectInfo	operator new@[@]
MakeZombie	GetTitle	operator delete
DoError	HandleTimer	operator delete@[@]
TObject	Hash	operator delete
TObject	InheritsFrom	operator delete@[@]
operator=	InheritsFrom	SetBit
AppendPad	Inspect	SetBit
Browse	IsFolder	ResetBit
ClassName	IsEqual	TestBit
Clear	IsSortable	TestBits
Clone	IsOnHeap	InvertBit
Compare	IsZombie	Info
Copy	Notify	Warning
Delete	ls	Error
DistancetoPrimitive	Paint	SysError
Draw	Pop	Fatal
DrawClass	Print	AbstractMethod
DrawClone	Read	MayNotUse
Dump	RecursiveRemove	Obsolete
Execute	SaveAs	GetDtorOnly
Execute	SavePrimitive	SetDtorOnly
ExecuteEvent	SetDrawOption	GetObjectStat
FindObject	SetUniqueID	SetObjectStat
FindObject	UseCurrentStyle	Class
GetDrawOption	Write	Class_Name
GetUniqueID	Write	IsA
GetName	operator new	ShowMembers
GetIconName	operator new@[@]	
GetOption	operator new	

TSlave

kMaster	fProtocol	
kSlave	fSocket	
kInvalid	fProof	
kActive	fInput	
kInactive	fBytesRead	
kOutputRequested	fRealTime	
fgTXSlaveHook	fCpuTime	
fName	fSlaveType	
fImage	fStatus	
fProofWorkDir	fParallel	
fWorkDir	fMsd	
fUser	fSessionTag	
fGroup	fROOTVers	
fPort	fArchComp	
fOrdinal	fgIsA	
fPerfIdx		

@~TSlave	GetProtocol	
TSlave	GetSocket	
TSlave	GetProof	
OldAuthSetup	GetBytesRead	
Init	GetRealTime	
operator=	GetCpuTime	
Create	GetSlaveType	
TSlave	GetStatus	
FlushSocket	GetParallel	
Init	GetMsd	
Interrupt	GetSessionTag	
Ping	GetInputHandler	
SendCoordinator	SetInputHandler	
SendGroupPriority	GetArchCompiler	
SetAlias	GetROOTVersion	
SetSocket	IsValid	
SetStatus	Print	
StopProcess	SetupServ	
Close	SetInterruptHandler	
Compare	SetArchCompiler	
IsSortable	SetROOTVersion	
GetName	SetSessionTag	
GetImage	SetTXSlaveHook	
GetProofWorkDir	Touch	
GetWorkDir	Class	
GetUser	Class_Name	
GetGroup	IsA	
GetPort	ShowMembers	
GetOrdinal		
GetPerfIdx		