

//MAKE: 3.04 Hand-in: *The Sky at Night*

___/10 INIT: including:

- ☐ create an empty object
- ☐ define objects using two different methods
- ☐ use object properties to create different animation behaviours
- ☐ pass an object to a function as a parameter/argument
- ☐ use an object with multiple properties inside an animation

___/10 PROCESS: including:

- ☐ create a function that accepts an object as an argument/parameter
- ☐ set a delay using setTimeout() or setInterval
- ☐ use an anonymous function inside setTimeout() or setInterval
- ☐ use string addition
- ☐ processes all eight planets

//MAKE: 3.04 Hand-in: *The Sky at Night*

___/10 INIT: including:

- ☐ create an empty object
- ☐ define objects using two different methods
- ☐ use object properties to create different animation behaviours
- ☐ pass an object to a function as a parameter/argument
- ☐ use an object with multiple properties inside an animation

___/10 PROCESS: including:

- ☐ create a function that accepts an object as an argument/parameter
- ☐ set a delay using setTimeout() or setInterval
- ☐ use an anonymous function inside setTimeout() or setInterval
- ☐ use string addition
- ☐ processes all eight planets

//MAKE: 3.04 Hand-in: *The Sky at Night*

___/10 INIT: including:

- ☐ create an empty object
- ☐ define objects using two different methods
- ☐ use object properties to create different animation behaviours
- ☐ pass an object to a function as a parameter/argument
- ☐ use an object with multiple properties inside an animation

___/10 PROCESS: including:

- ☐ create a function that accepts an object as an argument/parameter
- ☐ set a delay using setTimeout() or setInterval
- ☐ use an anonymous function inside setTimeout() or setInterval
- ☐ use string addition
- ☐ processes all eight planets

Name:

___/10 OUTPUT: including:

- ☐ change the src of an element
- ☐ change the width of an element
- ☐ position an object using % instead of px
- ☐ animate a change in the width of an element
- ☐ animate a fade in or fade out of an element

___/10 STYLE: including:

- ☐ honour all previous //STYLE sections
- ☐ use descriptive variable names
- ☐ break up functions into separate ones for input, processing, and output
- ☐ uses descriptive comments to identify and describe each function
- ☐ add spaces between mathematical operators

Name:

___/10 OUTPUT: including:

- ☐ change the src of an element
- ☐ change the width of an element
- ☐ position an object using % instead of px
- ☐ animate a change in the width of an element
- ☐ animate a fade in or fade out of an element

___/10 STYLE: including:

- ☐ honour all previous //STYLE sections
- ☐ use descriptive variable names
- ☐ break up functions into separate ones for input, processing, and output
- ☐ uses descriptive comments to identify and describe each function
- ☐ add spaces between mathematical operators

Name:

___/10 OUTPUT: including:

- ☐ change the src of an element
- ☐ change the width of an element
- ☐ position an object using % instead of px
- ☐ animate a change in the width of an element
- ☐ animate a fade in or fade out of an element

___/10 STYLE: including:

- ☐ honour all previous //STYLE sections
- ☐ use descriptive variable names
- ☐ break up functions into separate ones for input, processing, and output
- ☐ uses descriptive comments to identify and describe each function
- ☐ add spaces between mathematical operators