

Smart Marking Setup Guide

From an empty Railway account to students reading their feedback on a phone — every screen is the real app.

VERSION 6 · OCTOBER 2026 ABOUT 20 MINUTES NO CODING NEEDED

STEP 01 Before you start


You need three things: a **Railway account** (railway.com — the Hobby plan is enough for a school department), an **API key for one AI provider** that can read images, and about twenty minutes. Free keys that work: Google Gemini's free tier (aistudio.google.com/apikey) and OpenRouter's `:free` models. Paid options: TokenRouter, OpenRouter, OpenAI, Anthropic, Moonshot (Kimi) and Qwen.

Everything — scripts, marks, classes, your key — lives inside your own Railway project. Nothing is sent anywhere except the model calls you configure.

STEP 02 Deploy on Railway

Open railway.com/deploy/smart-marking-1 and click **Deploy Smart Marking**. Railway creates two services — `web` (the app) and `Postgres` (the database) — plus a small disk for page images. The first build takes two to three minutes.

Nothing to copy from the dashboard: there is no password to read and no key to paste in Railway. To open the app, click the `web` service → **Settings** → **Networking** and follow the public domain (it looks like `web-production-xxxx.up.railway.app`). The first person to open it sets everything up on the website — do it straight after deploying.



The template page on Railway. One click creates the app, the database and the storage.

STEP 03 First visit: set the password, then connect a model

Opening a brand-new deployment shows a two-step wizard. **Step 1** asks you to create the teacher password — the one every teacher at your school will use. Do it as soon as the deploy finishes: until a password exists, anyone who has the address could set it.

Step 2 is the Settings page: pick a provider, paste its key, load the models, test the connection and save (the next section walks through it). After that, everyone signs in with the password; change it any time under **Settings** → **Teacher password**. Forgot it? Set a `TEACHER_PASSWORD` variable on the `web` service in Railway — it overrides the website password until you remove it.

Smart Marking

STEP 1 OF 2

Create the teacher password

This is the password every teacher at your school will use to sign in. Nothing to copy from Railway.

⚠ Do this now — until a password is set, anyone who has this address could set it.

Password

At least 8 characters. You can change it later under Settings.

Type it again

Set password and continue

Next: connect a model (paste an API key).



One deployment, one password, one key — then your class can hand in.

Step 1 of the wizard: create the teacher password. No dashboard visit needed.

AI model

Which model marks your scripts, and the key it uses.

⚠ Step 2 of 2 — pick a provider, paste its key, click **Load models from provider**, choose a model that reads pages, **Test connection**, then **Save**.

Step 2 lands on Settings with the checklist for connecting a model.

Smart Marking

Sign in

Teachers only. Enter the password your school set when it deployed Smart Marking.

Password

Sign in

Smart Marking · self-hosted on Railway



Handwritten scripts marked against your rubric. You check the doubtful ones, then release.

Every later visit: the sign-in page. Teachers only — students never sign in.

STEP 04 Connect a model

Go to **Settings**. Pick a provider, paste its key, then click **Load models from provider** to see exactly which models your key can use. Choose a model marked *reads pages*, click **Test connection**, and **Save**.

Keys are kept per provider (a ✓ on the tile means a key is saved), so you can switch between providers without re-entering them. **Requests per minute** protects free keys with low rate limits — set it to 8 for TokenRouter's free model, 10 for Gemini's free tier.

My models. OpenRouter and TokenRouter host hundreds of models beyond the curated list. Under those two providers a *My models* list lets you add any model id (with a label and whether it reads pages); it then appears in every model picker, here and in the assignment editor. Each id returned by *Load models from provider* gets a **Add** button.

Smart Marking

ClassesSubmissionsAssignmentsReviewLearningSettingsSign out

AI model

Which model marks your scripts, and the key it uses.

Provider

TokenRouter ✓	OpenRouter ✓	OpenAI	Anthropic	Moonshot (Kimi)	Qwen (Alibaba Model Studio)	Google Gemini
---------------	--------------	--------	-----------	-----------------	-----------------------------	---------------

Free options: Auto Router (openrouter/auto) may pick a text-only model. If you use it, set a vision model under "Different model for reading pages". OpenRouter's :free models cost nothing (~50 requests/day until you've bought \$10 of credits, then 1,000/day) — load models and look for the :free suffix.

Model

Auto Router (picks a model per request) · text on▼

Load models from provider

API key

Where to get a OpenRouter key

Remove OpenRouter key

Different model for reading pages (optional)

leave blank to use the same model

Use a cheap vision model to transcribe, and a stronger one to mark.

Requests per minute

60

0 = no limit. A script needs about 4 requests.

Ask me when confidence is below

0

Settings: provider, model, key. Test connection makes one small text call and one image call.

My models

Model ids you add stay in the Model list for OpenRouter.

None yet.

Model id	Label
exact id, e.g. google/gemini-3.8-flash	optional — what the Model list shows

☒ Reads pages

Add model

My models: your own OpenRouter or TokenRouter model ids, available everywhere a model is picked.

STEP 05

Create an assignment

Go to **Assignments** → **+ New assignment**. Choose the type: *Maths / Science* — *mark scheme* for structured answers, *Essay* — *rubric* for open responses, or *Quick mark* for a short criteria list with no paper.

Give it a title, drop the **question paper** (PDF or photos) and click **Read questions** — the app transcribes every question and part into a table you can correct. Then drop the **mark scheme** and click **Read mark scheme**: each row shows the expected answer and its mark allocation (M1, A1, B1...). Add any notes the marker should know ("ECF applies", "accept any correct method"), check the tables, and **Save**.

Saved assignments go into a bank you can reuse across classes and years.

Subjects. Maths, English and Science as before, plus **MT** (Mother Tongue — pick Chinese, Malay or Tamil; the script is read in that language and the student's feedback is written in it, while everything you see stays in English) and **Computing**, whose students can hand in program files as well as photos.

Smart Marking

ClassesSubmissionsAssignmentsReviewLearningSettingsSign out

[← Assignments](#)

Quadratic equations — Worksheet 3

Choose the type, add the paper and the mark scheme, then save. Drafts are kept as you go.

2 questions · 3 marks

Type

Maths / Science — mark scheme

Essay — rubric

Quick mark

Mark scheme: marks per question part (M1, A1...). Rubric: bands per criterion for an essay. Quick mark: a short criteria list, no paper.

Title

Quadratic equations — Worksheet 3

Subject

Maths

English

Science

Question paper

Upload the paper and we read the questions and parts; check the table and correct anything.

Drop the question paper here

PDF, JPG, PNG or HEIC — replaces the current pages

Choose files

1 page uploaded

Read questions

LABEL	ID	QUESTION	MARKS
1(a)	1a	Solve $2x + 3 = 11$.	2
1(b)	1b	Hence find x^2 .	1
			3

+ Add question

Mark scheme

One row per question part, with its allocations (M1, A1, B1...). Every question needs a row.

Drop the mark scheme here

PDF, JPG, PNG or HEIC — replaces the current pages

Choose files

1 page uploaded

Read mark scheme

QUESTION & PART	EXPECTED ANSWER	ALLOCATION	MARKS	NOTES
1a	$2x = 8; x = 4$	M11A11	2	Accept any correct method
1(b)	16	B11	1	Accept any correct method
			3	

+ Add row

Notes

Anything the marker should know.

Notes (optional)

Accept any correct method. ECF applies.

Delete student pages after marking

Follow default (on)

Student pages are deleted as soon as a script is done; the marking record keeps the transcription and every mark. Change the default under Settings.

Save

Ready to save.

The assignment editor after Read questions and Read mark scheme. Every cell is editable.

Smart Marking

ClassesSubmissionsAssignmentsReviewLearningSettingsSign out

Assignments

Papers, mark schemes and rubrics you have saved. Pick one under Mark a script instead of typing it again.

+ New assignment

Import JSON

Export JSON

TITLE	SUBJECT	SCHEME	CRITERIA	MARKS	TIMES USED	UPDATED			
Quadratic equations — Worksheet 3 Accept any correct method. ECF applies.	Maths	Mark scheme Paper: 1 page	1	1	0	Thu, 17 Sept, 9:34 am	Rename	Duplicate	Delete
Revision Paper	Science	Mark scheme Paper: 13 pages	40	70	0	Thu, 17 Sept, 7:46 am	Rename	Duplicate	Delete

The assignment bank.

Subject

Maths	English	Science	MT	Computing
-------	---------	---------	----	-----------

Students can hand in files (.py, .sb3, .xlsx) and photos

A Computing assignment: students may hand in .py, .sb3 and .xlsx files.

Subject

Maths	English	Science	MT	Computing
-------	---------	---------	----	-----------

Chinese

An MT assignment names its language.

STEP 06 Choose the model per assignment

Every assignment follows Settings by default (*Auto — follow Settings*): change the model in Settings and every assignment changes with it. For one assignment that deserves something different — a hard paper for a stronger model, a quick quiz for a cheap one — open it, go to **Model** and pick *Choose a model*. Only providers with a saved key can be selected; choose the model, optionally a different one for reading pages, and **Save**. The assignment bank shows the choice as a small caption.

Removing a provider's key while assignments still use it asks you to confirm first — those assignments would fail to mark until you point them at another model.

A default per subject. Under **Settings → By subject** you can give each subject its own default — a model that reads Chinese, Malay or Tamil handwriting well for MT, one that is strong at code for Computing — and new assignments in that subject follow it. The order is always: the assignment's own choice, then its subject's default, then Settings.

Model

Which model marks this assignment. Auto follows Settings, so changing Settings changes it too.

Auto — follow Settings

Choose a model

Provider

TokenRouter

OpenRouter

OpenAI

Anthropic

Moonshot (Kimi)

Qwen (Alibaba Model Studio)

Google Gemini

Model

Different model for reading pages (optional)

GLM 5.3 Flash · reads pages

leave blank to use the same model

Use a cheap vision model to transcribe, and a stronger one to mark.

The Model section of an assignment: Auto, or a provider and model of your own.

By subject

New assignments follow their subject's model; each assignment can still pin its own.

SUBJECT	MODEL
MATHS	Auto Choose
ENGLISH	Auto Choose
SCIENCE	Auto Choose
MT PICK A MODEL THAT READS CHINESE, MALAY OR TAMIL HANDWRITING WELL	Auto Choose
COMPUTING PICK A MODEL THAT IS STRONG AT CODE	Auto Choose


Settings → By subject: one default model per subject, Auto by default.

STEP 07 Create a class and load the classlist


Go to **Classes** → **New class** and name it the way your school does ("4E2 Mathematics"). Every class gets a 4-character code — this one is `4KEF` — that students will type.

On the **Students** tab, upload a CSV with two columns, `name` and `reg_no` (register number). The preview flags duplicate or missing numbers before anything is saved; click **Confirm classlist** when it looks right.

Then click **Copy link** and paste it into Google Classroom (or wherever your students look). The link opens the app with the class code already filled in.



Creating a class.



CSV preview — issues are shown per row before you confirm.

Smart Marking

ClassesSubmissionsAssignmentsReviewLearningSettingsSign out

[← Classes](#)

4E2 Mathematics

Class code 4KEF · 4 students · 0 open

Copy link

Students

Assignments

Settings


Replace classlist

#	NAME	SUBMISSIONS	LAST SEEN
1	Tan Wei Ling	0	—
2	Muhammad Danish Bin Rosli	0	—
3	Priya Nair	0	—
4	Lim Jun Hao	0	—


The classlist, the class code and the Copy link button.

STEP 08 Set the assignment for the class

On the class's **Assignments** tab click **Set assignment**, pick one from the bank, add a due date and click **Set for this class**. It starts as a *Draft*, invisible to students. Click **Open** when you want students to hand in.



Setting an assignment from the bank.



Opened — students can now see it.

STEP 09 Students hand in from their phones

A student opens the class link, types their register number and confirms their name. No account, no password: anyone with the class code and a number can see that student's work — the same trade-off as a paper script left on a desk.

Hand in takes photos with the camera or from the gallery. Pages can be re-ordered or deleted before handing in; photos are shrunk on the phone before upload, so it works on a weak signal. Up to 20 pages per script. Once handed in, the student sees a calm "Handed in" note — marking starts straight away in the background.

Enter your number

4KEF-

Continue

Your teacher shared a link and your register number is on the class list.

Is this you?

Are you Tan Wei Ling, #1 of 4E2 Mathematics?

Yes, that's me

Not me

Smart Marking

Tan Wei Ling · #1

Not me?

4E2 Mathematics

Quadratic equations — Worksheet 3


Due Wed, 30 Sept, 8:00 am

To hand in

Enter your number.

Confirm it's you.

Home: what to hand in.



Pages in order, ready to hand in.

Done.

Waiting for the teacher.

STEP 10 Computing: hand in files, not just photos

For a Computing assignment the hand-in page has a third button, **Add files**: Python (`.py`), Scratch (`.sb3`) and Excel (`.xlsx`) files, or a `.zip` of them, alone or together with photos of anything written on paper — up to 20 items and 12 files per hand-in, 2 MB per file. Teachers can drop the same files for a student from the class page.

The app *reads* the work; it never runs it. Python is shown with line numbers and a syntax check, Scratch projects as their blocks in words (*when green flag clicked · repeat (10) · move (10) steps*), and spreadsheets cell by cell with the formula and its value. The marker cites the file and line for every mark, and the submission page keeps that text even after the files are deleted.

Smart Marking

ClassesSubmissionsAssignmentsReviewLearningSettingsSign out

Submissions

#1 Tan Wei Ling

Python: sum of a list (Computing) · Computing · Read the program; do not run it. Award M1 for accumulating in a loop or sum(), A1 for returning the total, B1 for printing 6. · uploaded Mon, 21 Sept, 1:46 pm · 1 file · marked Mon, 21 Sept, 1:47 pm by openrouter - openrouter/aut

Download marking record

TOTAL
3/3
Done

Pages

Handed in as files

Nothing was photographed for this script — the files are listed beside the marks.

Files

ok.py Python · 95 B

Deleted after marking

Hide text

```
syntax: ok
1 | def total(xs):
2 |     s = 0
3 |     for x in xs:
4 |         s += x
5 |     return s
6 |
7 | print(total([1, 2, 3]))
```

Marks by question part

QUESTION & PART	SCHEME ANSWER	STUDENT'S ANSWER	JUSTIFICATION	AWARDED
1	def total(xs) accumulates the elements (loop or sum()) and returns the sum of the numbers in the list xs, then print total([1, 2, 3]).	[ok.py L1-5] def total(xs): s = 0 for x in xs: s += x return s [ok.py L7] print(total([1, 2, 3]))	M1 for the loop accumulation in L2-4, A1 for returning s in L5, B1 for the call and print of total([1, 2, 3]) in L7.	M1 ✓ A1 ✓ B1 ✓ 3/3

Feedback report

You did excellent work on Question 1, earning full marks. Your solution correctly used a loop to add up all elements in the list, returned the total, and printed the result of total([1, 2, 3]). Keep using this clear structure in future function-writing tasks.

WHAT YOU DID WELL

- You initialised the total with s = 0 before the loop, which is the correct starting point for accumulation.
- You used a for loop to visit every element in xs and add it to s, showing a solid grasp of iteration.
- You returned the accumulated result with return s and included a suitable call/print to demonstrate the function.

QUESTION BY QUESTION

1 You got all 3 marks here. The loop correctly sums the items, return s returns the final total, and your test call print(total([1, 2, 3])) shows the expected output 6. This is a complete and correct response. *Try next: To build on this, try rewriting the same function using another technique, such as a while loop, and test it with empty lists or negative numbers to make sure your logic still works.*

WORK ON NEXT

- Practise writing loops that accumulate a value, explaining each step: initialise, update, return.
- Test every function you write with at least three cases: normal input, empty input, and edge values like negatives.
- Try converting for-loop solutions to while-loop solutions to deepen your understanding of iteration.
- Practise adding a print/call line that shows the function output, as required by the mark scheme.
- Review mark-scheme labels like M1/A1/B1 so you can see exactly what earns each mark.

NEXT STEPS

- Re-write the total function from memory in one minute.
- Run total([], total([-1, 2]), and total([0, 0, 0]) and confirm your results.
- Before submitting, check: Does my code initialise, update, return, and demonstrate a call?
- Complete one extra loop-practice problem, such as finding the maximum number in a list or counting even numbers.

A marked Python file: the rendered text, the marks with their citations, and the feedback.

Smart

Muhammad Danish Bin

Not

Marking

Rosli · #2

me?

Python: sum of a list (Computing)

No due date

Take photo

Choose from gallery

Add files

Your .py, .sb3, .xlsx or .zip files, and a photo of anything you wrote on paper — up to 20 in all. Photos are shrunk on your phone before they're sent.

1

PY

ok.py · 95 B

↑

↓

🗑️

Hand in 1 file

Add files sits next to the camera buttons.

STEP 11 Bulk upload a whole class

Instead of uploading student by student, put the whole class's work in one `.zip` where each file or folder starts with the register number — `07_amirah.py`, `07/...`, `7 - amirah/` — and click **Bulk upload** on the class assignment page. The preview shows who was matched, which files were skipped and what could not be matched, before anything is saved.

Students who have already handed in are skipped unless you tick **Replace existing hand-ins**. Photos in a bulk zip are not shrunk in the browser, so keep the zip under 50 MB unpacked or split the class in two.

Bulk upload



Drop the class's zip here

One .zip of the whole class's work. Each student's files are matched by their register number — 07_a.py and 7.jpg both go to #7.

Choose a zip

Matched

- #2 Muhammad Danish Bin Rosli — 02_danish/total.py (skipped: 02_danish/notes.txt)
- #3 Priya Nair — 03_priya.py
- #4 Lim Jun Hao — 04_lim/marks.xlsx, 04_lim/total.py

Not matched

- README.md

Cancel

Upload

The bulk-upload preview: matched students, skipped files, unmatched entries.

STEP 12 Marking, and the parts that need you

The assignment page shows the roster: who has handed in, what is being marked, and what is ready. You can also **Upload pages** for a student yourself (scanned booklets) and **Remove hand-in** so a student can redo it.

Each script is read by one model, marked against the scheme by a second pass, and checked by an independent reviewer. Anything illegible, not covered by the scheme, or where marker and reviewer disagree goes to **Review** with the reason. There you tick the allocations the student earned (or pick the band for an essay) and give a one-line reason — that reason feeds the nightly learning step, so the marker gets closer to your judgement over time.

Click a student's name to see the per-part marks, the transcription and the justification for each mark.

An error costs marks once. If the same slip would lose marks in two places, the reviewer flags it and the app keeps the deduction where it first happened, restoring the later one — or sends it to Review as *double penalty* when it cannot tell which allocation to restore.

Smart Marking

ClassesSubmissionsAssignmentsReviewLearningSettingsSign out

← 4E2 Mathematics

Quadratic equations — Worksheet 3

■ Open

Due Wed, 30 Sept, 8:00 am · 4 students

Download marks CSV

Download marking records

Release feedback

3

Not handed in

0

Handed in

0

Marking

0

Needs you

1

Ready

#	NAME	PAGES	HANDED IN	STATUS	TOTAL	
1	Tan Wei Ling	1	Thu, 17 Sept, 9:35 am	■ Ready	3 / 3	Remove hand-in →
2	Muhammad Danish Bin Rosli	—	—	■ Not handed in	—	Upload pages
3	Priya Nair	—	—	■ Not handed in	—	Upload pages
4	Lim Jun Hao	—	—	■ Not handed in	—	Upload pages

The roster after marking: 1 ready, 0 needing you.

[← Submissions](#)

#1 Tan Wei Ling

Quadratic equations — Worksheet 3 · Maths · Accept any correct method. ECF applies. · uploaded Thu, 17 Sept, 9:35 am · 1 page · marked Thu, 17 Sept, 9:36 am by openrouter · openrouter/auto

[Download marking record](#)

TOTAL
3 / 3

[Done](#)

Pages

Pages deleted after marking

Student pages are deleted as soon as a script is done; the marking record keeps the transcription and every mark.

Marks by question part

QUESTION & PART	SCHEME ANSWER	STUDENT'S ANSWER	JUSTIFICATION	AWARDED
1(a) Solve $2x + 3 = 11$.	$2x = 8$; $x = 4$ [M1 1 · A1 1]	$x = 4$ Workings: $2x = 8$	The student correctly rearranged to " $2x = 8$ " and obtained " $x = 4$ ".	M1 ✓ A1 ✓ 2 / 2
1(b) Hence find x^2 .	16 [B1 1]	$x^2 = 16$	The student correctly found $x^2 = 16$.	B1 ✓ 1 / 1

Feedback report

Great work on this short algebra exercise! You correctly solved both parts by rearranging the equations to find the unknown values. Keep practising these types of problems to build even more fluency.

WHAT YOU DID WELL

- You accurately rearranged the equation in 1a to get $2x = 8$, showing a clear understanding of inverse operations.
- You correctly solved for x in 1a, finding $x = 4$.
- You confidently computed $x^2 = 16$ in 1b, applying the square correctly to your answer.

QUESTION BY QUESTION

1a Excellent! You correctly moved the 3 to the other side by subtracting it from 11, giving $2x = 8$. Then you divided by 2 to find $x = 4$. Your working is clear and accurate. *Try next: Practise similar two-step equations such as $3x + 5 = 20$ to make the process even more automatic.*

1b Well done! Since $x = 4$, you correctly calculated $x^2 = 16$. This shows you know what squaring a number means. *Try next: Try evaluating squares and cubes of negative numbers as a next challenge (for example, if $x = -4$, what is x^2 ?).*

WORK ON NEXT

- Practise solving two-step equations with positive and negative numbers.
- Check your solutions by substituting them back into the original equation.
- Explore squares and cubes of small integers, including negatives.
- Write a one-line check after each solution to catch small mistakes.

NEXT STEPS

- Complete 5 more equations like $2x + 3 = 15$ and show each step.
- Use substitution to verify that $x = 4$ solves the original equation $2x + 3 = 11$.
- Practise finding x^2 and x^3 for values like 2, 3, 5, and -2.

A marked script, part by part.

STEP 13 Watch the crew in the Marking Room

Open **Marking Room** (it is now the first page after sign-in). The sorter on the left holds scripts waiting their turn; the three desks show who is working on what: the **Reader**

finds each part on the page and transcribes it, the **Marker** awards marks against your scheme, and the **Checker** re-marks independently and flags anything the two disagree on. The tiles underneath count the set as it moves through.

Tap a name tag to read that crew member's notes for the script on its desk, with timestamps — the Marker's justification per part, or the Checker explaining why it flagged 1(b). Nothing here is ever shown to students. The room updates live; if the feed drops it refreshes every five seconds instead, and says so.

Smart Marking

Marking RoomClassesSubmissionsAssignmentsReviewLearningSettingsSign out

The Marking Room

Three crew members pass each script along the desks. Tap a name tag to read what they are thinking.

Started 0:03Feed the sorter



IN THE SORTER0

READING1

MARKING0

CHECKING0

DONE5

NEEDS YOU0

On the desks right now

#1 Tan Wei Ling

read · 0:01

The Marking Room while a script is on the desks — tap a tag to open the thought panel.

The Marking Room

Three crew members pass each script along the desks. Tap a name tag to read what they are thinking.

Started 0:15

Feed the sorter



IN THE SORTER

0

READING

0

MARKING

0

CHECKING

1

DONE

5

NEEDS YOU

0

Marker

awards



each mark
against
your
scheme

Teachers only



#1 Tan Wei Ling

08:27:22
AM

1a · M1 for the correct
rearrangement $2x = 11 - 3$; A1
for the correct solution $x = 4$.

08:27:22
AM

1b · B1 for 16, correctly using x
= 4 from part (a).

Open script

Open Review

On the desks right now

#1 Tan Wei Ling

check · 0:00

The Marker's notes for the script on its desk, teachers only.

Smart Marking
Marking Room
Classes
Submissions
Assignments
Review
Learning
Settings
Sign out

← Submissions

Mark a script

One student's pages, marked against a saved assignment or your own criteria.

Use a saved assignment

— none —

Fills the subject, context and rubric below. Manage them under [Assignments](#).

Label

Tan Wei Ling · Worksheet 3

Subject

Maths

English

Science

MT

Computing

Context (optional)


Sec 4 · Quadratic equations

Rubric — applied to every question **Save as assignment** **Upload JSON instead**

CRITERION	DESCRIPTION	MAX	
c1	Correct method	2	×
c2	Correct final answer	3	×
+ Add criterion		5	

Start marking

Give the script a label, e.g. the student's name.



Feed the sorter

Drop photos, PDFs or a class zip — photos are shrunk on your device before upload

Choose files

Hand in: drop photos, PDFs or a class zip into the sorter.

STEP 14 Release feedback

Until you release, students see "Marked — your teacher is checking". **Release feedback** is one action for the whole class and needs every "Needs you" part cleared first. After release students see their total, a short summary, what they did well, each question with a comment and a "Try next", and what to work on.

Releasing closes student hand-ins for that assignment; pages you upload for a student later are still marked and shown automatically.

Smart Marking

ClassesSubmissionsAssignmentsReviewLearningSettingsSign out

← 4E2 Mathematics

Quadratic eq

■ Open

Due Wed, 30 Sept, 8

Download marks CSV

3

Not handed in

Handed in

Marking

Needs you

Ready

Release feedback to students?

Students will see their marks and feedback. Students can no longer hand in. Pages you upload for a student later are marked and shown to them automatically.

Cancel

Release to students

#	NAME	PAGES	HANDED IN	STATUS	TOTAL	
1	Tan Wei Ling	1	Thu, 17 Sept, 9:35 am	■ Ready	3 / 3	Remove hand-in →
2	Muhammad Danish Bin Rosli	—	—	■ Not handed in	—	Upload pages
3	Priya Nair	—	—	■ Not handed in	—	Upload pages
4	Lim Jun Hao	—	—	■ Not handed in	—	Upload pages

The release confirmation.

Smart Marking

Tan Wei Ling · #1

Not me?

Back to assignments

Quadratic equations — Worksheet 3

Handed in Thu, 17 Sept, 9:35 am

3

/ 3

■■■

Great work on this short algebra exercise! You correctly solved both parts by rearranging the equations to find the unknown values. Keep practising these types of problems to build even more fluency.

What you did well

- You accurately rearranged the equation in 1a to get $2x = 8$, showing a clear understanding of inverse operations.
- You correctly solved for x in 1a, finding $x = 4$.
- You confidently computed $x^2 = 16$ in 1b,

What you did well

- You accurately rearranged the equation in 1a to get $2x = 8$, showing a clear understanding of inverse operations.
- You correctly solved for x in 1a, finding $x = 4$.
- You confidently computed $x^2 = 16$ in 1b,

Question by question

1(a)

2 / 2 ^

Excellent! You correctly moved the 3 to the other side by subtracting it from 11, giving $2x = 8$. Then you divided by 2 to find $x = 4$. Your working is clear and accurate.

Try next: Practise similar two-step equations such as $3x + 5 = 20$ to make the process even more automatic.

WHAT WE READ FROM YOUR PAGE

$x = 4$

What the student sees.

A question expanded.

STEP 15 Students reflect and correct

Once feedback is released, each student has a window (7 days unless you change it under **Settings** → **Reflection window** or on the assignment; 0 turns it off) to send **one correction per part** they lost marks on. On their phone they tap **Try a correction**, pick what went wrong, and type or photograph their corrected working.

The Marker re-marks the correction against the same scheme. You decide under **Review** → **Corrections**, where you see the first try, the crop of the original answer, the re-mark and the Marker's note — accept it, override the mark, or reject it — and press **Release corrections** when you are ready. The student's feedback then shows "After reflection" beside that part, and the marking record and marks CSV gain an after-reflection column.

Assignments released before this version got a window of 0 days, so nothing opens unexpectedly; set a window on an assignment if you want to offer it.

Smart Marking

Muhammad Danish Bin Rosli · #2

Not me?

[Back to assignments](#)

Quadratic equations – Worksheet 3 (retest)

Handed in Fri, 9 Oct, 8:11 am

2 / 3

Reflect and correct: 7 days left

Great work on Question 1a — you solved the equation $2x = 11 - 3$ clearly and correctly, earning full marks. In Question 1b, there was a mix-up between multiplying by 2 and squaring ($2x$ versus x^2), which is a very common slip and an easy thing to fix. With a bit of targeted practice on powers, you'll be picking up those marks next time.

What you did well

- You rearranged the equation correctly to get $2x = 8$, showing a solid understanding of how to isolate the unknown (M1 earned).
- You reached the correct final answer of $x = 4$ with clear, well-organised working (A1 earned).
- Your method was set out step by step, making it easy to follow your reasoning from start to finish.

Question by question

1(a)2 / 2

1(b)0 / 1

Try a correction - 1 left

Work on next

- Spend 15 minutes on a '2x vs x^2 ' drill: for $x = 1$ to 6, work out both $2x$ and x^2 and compare the values side by side.
- Learn the first ten square numbers (1, 4, 9, 16, 25, 36, 49, 64, 81, 100) so squaring whole numbers becomes instant.
- After solving any equation, substitute your answer back into the original as a quick check.
- Complete 4-5 practice questions that combine solving an equation with using the result in a follow-up step, like this paper did.

Next steps

- Rewrite Question 1b correctly: since $x = 4$, the answer is $x^2 = 16$.
- Try a short set of 'solve then substitute' questions to build on your strong equation-solving skills.
- Ask your teacher for a quick powers-and-indices refresher if anything about x^2 is still unclear.

Smart Marking

Muhammad Danish Bin Rosli · #2

Not me?

[Back to feedback](#)

1(b) · Reflect and correct

7 days left3 correction left

YOUR FIRST TRY: 0 / 1

1b) $x^2 = 4 \times 2$

$x^2 = 8$

Marker: This question asked you to square your answer, so with $x = 4$ you needed $x^2 = 4^2 = 16$. Instead, you wrote $x^2 = 4 \times 2 = 8$, which treats squaring as multiplying by two. The mark scheme (B1) requires $x^2 = 16$, so no mark could be given here. Remember: $2x$ means 'two lots of x ', while x^2 means 'x multiplied by itself'.

1 · What went wrong?

Sign slip

Wrong method

Rushed it

Misread the question

2 · Your corrected working

Type it, or photograph your corrected working.

$x = 4$ so $x^2 = 4 \times 4 = 16$

Take a photo instead

The Marker re-marks your correction against the same scheme. Your teacher checks it before you see the new mark.

Send my correction

Smart Marking

Muhammad Danish Bin Rosli · #2

Not me?

[Back to assignments](#)

Quadratic equations – Worksheet 3 (retest)

Handed in Fri, 9 Oct, 8:11 am

2 / 3

Reflect and correct: 7 days left

Great work on Question 1a — you solved the equation $2x = 11 - 3$ clearly and correctly, earning full marks. In Question 1b, there was a mix-up between multiplying by 2 and squaring ($2x$ versus x^2), which is a very common slip and an easy thing to fix. With a bit of targeted practice on powers, you'll be picking up those marks next time.

What you did well

- You rearranged the equation correctly to get $2x = 8$, showing a solid understanding of how to isolate the unknown (M1 earned).
- You reached the correct final answer of $x = 4$ with clear, well-organised working (A1 earned).
- Your method was set out step by step, making it easy to follow your reasoning from start to finish.

Question by question

1(a)2 / 2

1(b)0 / 1

After reflection: 1 / 1

Work on next

- Spend 15 minutes on a '2x vs x^2 ' drill: for $x = 1$ to 6, work out both $2x$ and x^2 and compare the values side by side.
- Learn the first ten square numbers (1, 4, 9, 16, 25, 36, 49, 64, 81, 100) so squaring whole numbers becomes instant.
- After solving any equation, substitute your answer back into the original as a quick check.
- Complete 4-5 practice questions that combine solving an equation with using the result in a follow-up step, like this paper did.

Next steps

- Rewrite Question 1b correctly: since $x = 4$, the answer is $x^2 = 16$.
- Try a short set of 'solve then substitute' questions to build on your strong equation-solving skills.
- Ask your teacher for a quick powers-and-indices refresher if anything about x^2 is still unclear.

Released feedback with the reflection window and Try a correction.

The reflect screen: first try, the Marker's comment, what went wrong, corrected working.

After release: the new mark beside the part.

Smart Marking
Marking Room
Classes
Submissions
Assignments
Review
Learning
Settings
Sign out

Parts
Corrections

Class set

4E2 Mathematics · Quadratic equations — Worksheet 3 (retest) ▾

Release corrections
0 ready to release

#2 Muhammad Danish Bin Rosli · 1b
Re-marked

Reason given: sign

First try: 0 / 1

1b) $x^2 = 4 \times 2$

$x^2 = 8$

$x = 4$ so $x^2 = 4 \times 4 = 16$

Re-marked 1 / 1

Marker: B1 earned: the answer 16 is correct, shown as $4 \times 4 = 16$.

Checker: APPROVE: The answer gives $x^2 = 16$, so the B1 allocation is earned.

Accept 1 / 1
Override mark
Override
Reject

Review → Corrections: first try, crop, re-mark and note, with Accept, Override and Reject.

Smart Marking
Marking Room
Classes
Submissions
Assignments
Review
Learning
Settings
Sign out

Parts
Corrections

Class set

4E2 Mathematics · Quadratic equations — Worksheet 3 (retest)

✓ Released 1 correction.

Release corrections 0 ready to release

#2 Muhammad Danish Bin Rosli · 1b

Reason given: sign

First try: 0 / 1

Released

1b) $x^2 = 4 \times 2$

 $x^2 = 8$

$x = 4$ so $x^2 = 4 \times 4 = 16$

Re-marked 1 / 1

Marker: B1 earned: the answer 16 is correct, shown as $4 \times 4 = 16$.

Checker: APPROVE: The answer gives $x^2 = 16$, so the B1 allocation is earned.

Released — the student now sees the new mark.

STEP 16 Insights: where the class lost marks

Once the first script is marked, the assignment's **Insights** tab shows the class as a whole: marks by part with the weakest highlighted, the allocations most often lost, a score distribution, and which students are struggling on which parts.

When the whole set has been marked, and again when you release, the app asks the model for a short narrative written for you, not for students — a summary, strengths, gaps and recommended next steps. Student names never reach the model: it sees register numbers and the app joins the names back. **Regenerate** refreshes the narrative after more scripts come in; **Download PDF** gives a one-file report for a department meeting.

Smart Marking

ClassesSubmissionsAssignmentsReviewLearningSettingsSign out

← 4E2 Mathematics

Quadratic equations — Worksheet 3

Released

Due Wed, 30 Sept, 8:00 am · 4 students

Download marks CSV

Download marking records

Roster

Insights

1 of 4 marked · mean 3 / 3

Generated Thu, 17 Sept, 8:51 pm · OpenRouter openrouter/auto

Regenerate

Download PDF

Marks by part

Mean % of the marks available, in scheme order. The weakest parts are amber.

1(a)

100%

1(b)

100%

Summary

Only 1 of 4 scripts is marked (reg 1), and that script earned 3/3: full marks on 1(a) and 1(b), with no allocation lost. The mean is therefore 3, but this is a single-script sample; it is not yet evidence of class-wide mastery.

Strengths

1(a): M1/A1 both earned — reg 1 rearranged $2x = 8$ and solved $x = 4$ without losing the coefficient.

1(b): B1 earned — reg 1 produced $x^2 = 16$, completing the worksheet's credited step.

Recommended next steps

Mark or collect the other three scripts before planning remediation (1(a), 1(b))

Only reg 1 has marks. Use the next five minutes to mark the remaining submitted scripts; otherwise the full marks on 1(a)/1(b) should not be treated as a class pattern.

Model the equality-preserving line for 1(a) (1(a))

Display reg 1's two-line method ($2x = 8$, then $x = 4$) and ask students to state which inverse operation is used at each line. This reinforces the M1 step before the A1 answer.

Check whether 1(b) should end at $x = \pm 4$ (1(b))

The marked script stops at $x^2 = 16$, which earned B1. If the intended outcome is solving the quadratic, add a follow-up prompt such as 'now give both solutions' and mark the $\pm$ roots as a separate allocation.

Set one same-structure starter for the whole class (1(a), 1(b))

Give four short items in the same form as 1(a) and 1(b) — solving $ax = b$ and finding $x^2 = c$ — as a 5-minute entry task. This tests whether the remaining students can reproduce the M1/A1/B1 steps without new teaching.

Score distribution

How many scripts scored in each band, out of 3.

0–0

0

1–1

0

2–2

0

3–3

1

The Insights tab: numbers first, then the narrative and the students to support.

STEP 17 Telegram notifications (optional)

Get a message when scripts come in and when marking finishes, plus a daily report. In Telegram, message **@BotFather**, send `/newbot` , and copy the token it gives you. In

Settings → Notifications paste the token and **Save**, then open your new bot in Telegram and press **Start** — within a few seconds the status changes to *Linked* ✓. **Test connection** sends a test message.

You get an instant message for new hand-ins (batched) and one when a class set finishes marking, each with links back to the app. The daily report arrives at the time you set — 07:00 Singapore time by default — and only on days something happened. Turn instant messages off to keep just the daily report. One chat per deployment: a department group works well — add the bot to the group and press `/start` there.

Notifications

Telegram messages when scripts come in and when marking finishes, plus a daily report.

Telegram bot token

Paste the token from @BotFather

Not linked — save the token, then open your bot in Telegram and press /start

App URL

auto-detected on Railway

Where the links in your Telegram messages point.

☒ Send instant messages (hand-ins, marking finished)

Turn this off to get the daily report only.

Daily report at

07:00 AM

⌚

Time zone

Asia/Singapore

▼

Test connection

Save

Settings → Notifications: token, link status, instant messages, daily report time and time zone.

STEP 18 Marks and records

From the assignment page, **Download marks CSV** gives one row per student with a column per question part, and **Download marking records** gives a Word document per student — mark scheme row by row, the student's answer, the awarded mark and a blank "Teacher's mark" column for moderation — plus a markbook spreadsheet.

STEP 19 Good to know

What is kept after marking. By default the app keeps the *answer portion* of each part — the region of the page the reader located it on, padded a little — and deletes the full pages once a script is done, so you can check any mark against the student's actual writing with **Show answer** on the submission page (and in Review). Choose *Keep whole pages* under Settings (or per assignment) to keep every photo, or *Delete everything* to keep only the transcription. Crops stay until you remove the hand-in.

Cost. A script needs about four model calls. On a paid provider that is typically well under one cent per script for a small model; on a free tier it is free within the daily limit.

Changing the password or the secret. Change the teacher password under **Settings → Teacher password**. If a `TEACHER_PASSWORD` variable is set on Railway it wins over the website password (that is also the reset path). Leave `SECRET_KEY` alone — it encrypts the stored API keys; changing it means re-entering them.



Teacher password The password every teacher at your school uses to sign in.

Current password

New password

New password again

Change password

Settings → Teacher password.

File limits. 12 files per submission, 2 MB per program file, 20 MB per zip and 50 MB per upload; `.xls` and macros are refused, and nothing you upload is ever executed.

Telegram and Insights are optional. Nothing is sent to Telegram until you link a bot, and Insights only use the model you already configured — no extra keys.

Updates. Redeploying the `web` service picks up the latest version from GitHub; the database and stored keys are kept.

Source, issues and the full README: github.com/twahidin/smart-marking-system.

