

# 17-3 佈署系統





# 拷貝war檔案至Tomcat(Tomee)資料夾中



配置Tomcat SpringBoot Initializer class

Overriding configure method

本機 > Windows (C:) > Tiame 2022線上錄播 > 使用Spring Boot 實現微服務 > SwaggerDemo > EricService > target >

名稱	修改日期	類型	大小
classes	2022/9/23 下午 06:48	檔案資料夾	
generated-sources	2022/9/23 下午 06:48	檔案資料夾	
maven-archiver	2022/9/23 下午 06:48	檔案資料夾	
maven-status	2022/9/23 下午 06:48	檔案資料夾	
sales-0.0.1-SNAPSHOT	2022/9/23 下午 06:48	檔案資料夾	
sales-0.0.1-SNAPSHOT.war	2022/9/23 下午 06:48	WAR 檔案	33,825 KB
sales-0.0.1-SNAPSHOT.war.original	2022/9/23 下午 06:48	ORIGINAL 檔案	27,409 KB

使用Spring Boot 實現微服務 > apache-tomee-8.0.10-webprofile > apache-tomee-webprofile-8.0.10 > webapps >

名稱	修改日期	類型	大小
docs	2022/9/23 上午 07:13	檔案資料夾	
host-manager	2022/9/23 上午 07:13	檔案資料夾	
manager	2022/9/23 上午 07:13	檔案資料夾	
myweb	2022/9/23 下午 06:36	檔案資料夾	
ROOT	2022/9/23 上午 07:13	檔案資料夾	
sales	2022/9/23 上午 07:24	檔案資料夾	
myweb.war	2022/9/23 下午 06:34	WAR 檔案	42,635 KB
sales-0.0.1-SNAPSHOT.war	2022/9/23 下午 06:48	WAR 檔案	33,825 KB

<input type="checkbox"/> 名稱	修改日期	類型	大小
docs	2022/9/23 上午 07:13	檔案資料夾	
host-manager	2022/9/23 上午 07:13	檔案資料夾	
manager	2022/9/23 上午 07:13	檔案資料夾	
myweb	2022/9/23 下午 06:36	檔案資料夾	
ROOT	2022/9/23 上午 07:13	檔案資料夾	
sales	2022/9/23 上午 07:24	檔案資料夾	
<input type="checkbox"/> myweb.war	2022/9/23 下午 06:34	WAR 檔案	
<input checked="" type="checkbox"/> sales-0.0.1-SNAPSHOT.war	2022/9/23 下午 06:48	WAR 檔案	


<input type="checkbox"/> 名稱	修改日期	類型	大小
docs	2022/9/23 上午 07:13	檔案資料夾	
host-manager	2022/9/23 上午 07:13	檔案資料夾	
manager	2022/9/23 上午 07:13	檔案資料夾	
myweb	2022/9/23 下午 06:36	檔案資料夾	
ROOT	2022/9/23 上午 07:13	檔案資料夾	
sales	2022/9/23 上午 07:24	檔案資料夾	
myweb.war	2022/9/23 下午 06:34	WAR 檔案	42,635 KB
sales.war	2022/9/23 下午 06:48	WAR 檔案	33,825 KB

```
ng Boot 實現微服務\apache-tomee-8.0.10-webprofile\apache-tomee-webprofile-8.0.10\bin>startup
```



```

C:\Program Files\Apache Software Foundation\Tomcat 9.0\bin>cd ..\webapps\sales
C:\Program Files\Apache Software Foundation\Tomcat 9.0\bin>start
[2022-09-23 19:10:42.010 INFO [main] org.apache.myfaces.ee.MyFacesContainerInitializer.onStartup Using org.apache.myfaces.ee.MyFacesContainerInitializer
[2022-09-23 19:10:42.174 INFO [main] org.apache.jasper.servlet.TldScanner.scanJars At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging for this logger for a complete list of JARs that were scanned but no TLDs were found in them. Skipping unneeded JARs during scanning can improve startup time and JSP compilation time.]
:: Spring Boot :: (v2.6.4)
[2022-09-23 19:10:43.106 INFO 25040 --- [main] c.s.sales.SpringBootTomcatApplication : Starting SpringBootTomcatApplication v0.0.1-SNAPSHOT using Java 11.0.15.1 on EricCreatorZ17 with PID 25040 (C:\TTime 2022線上錄播\使用Spring Boot 實現微服務\apache-tomee-8.0.10-webprofile\apache-tomee-webprofile-8.0.10\webapps\sales\WEB-INF\classes started by brett in C:\TTime 2022線上錄播\使用Spring Boot 實現微服務\apache-tomee-8.0.10-webprofile\apache-tomee-webprofile-8.0.10\bin)
[2022-09-23 19:10:43.114 INFO 25040 --- [main] c.s.sales.SpringBootTomcatApplication : No active profile set, falling back to default profile: "default"
[2022-09-23 19:10:44.452 INFO 25040 --- [main] w.s.c.ServletWebServerApplicationContext : Root WebApplicationContext: initialization completed in 1266 ms
[2022-09-23 19:10:44.708 INFO 25040 --- [main] o.s.boot.web.servlet.RegistrationBean : Filter apiKeyFilter was not registered (possibly already registered?)
home控制器活過來了....
[2022-09-23 19:10:46.835 INFO 25040 --- [main] c.s.sales.SpringBootTomcatApplication : Started SpringBootTomcatApplication in 4.414 seconds (JVM running for 8.967)
```





## 總結：17-3 部署系統

佈署Spring Boot專案至Tomcat(Tomee)中與執行  
，接下來我們且來看看如何佈署Spring Boot網站  
專案至Azure運行。

