

Destination λ -calculus

Thomas BAGREL

April 2, 2024

1 Term and value syntax

var, x, y Term-level variable name
 k Index for ranges

hdn, h	$::=$ $ \quad h+h'$ $ \quad h[H\pm h']$ $ \quad \max(H)$	Hole or destination name (\mathbb{N}) M M Shift by h' if $h \in H$ M Maximum of a set of holes
hdns, H	$::=$ $ \quad \{h_1, \dots, h_k\}$ $ \quad H_1 \cup H_2$ $ \quad H\pm h'$ $ \quad \text{hnames}(\Gamma)$ $ \quad \text{hnames}(C)$	Set of hole names M Union of sets M Shift all names from H by h' . M Hole names of a context (requires $\text{ctx_NoVar}(\Gamma)$) M Hole names of an evaluation context
term, t, u	$::=$ $ \quad v$ $ \quad x$ $ \quad t \succ t'$ $ \quad t ; u$ $ \quad t \succ \text{case}_m \{ \text{Inl } x_1 \mapsto u_1, \text{Inr } x_2 \mapsto u_2 \}$ $ \quad t \succ \text{case}_m (x_1, x_2) \mapsto u$ $ \quad t \succ \text{case}_m E^n x \mapsto u$ $ \quad t \succ \text{map } x \mapsto t'$ $ \quad \text{to}_\times u$ $ \quad \text{from}_\times t$ $ \quad \text{alloc}$ $ \quad t \triangleleft ()$ $ \quad t \triangleleft \text{Inl}$ $ \quad t \triangleleft \text{Inr}$ $ \quad t \triangleleft E^m$ $ \quad t \triangleleft (,)$ $ \quad t \triangleleft (\lambda x_m \mapsto u)$ $ \quad t \triangleleft \bullet t'$ $ \quad t[x := v]$	Term Value Variable Application Pattern-match on unit Pattern-match on sum Pattern-match on product Pattern-match on exponential Map over the right side of ampar t Wrap u into a trivial ampar Extract value from trivial ampar Return a fresh "identity" ampar object Fill destination with unit Fill destination with left variant Fill destination with right variant Fill destination with exponential constructor Fill destination with product constructor Fill destination with function Fill destination with root of ampar t' M
val, v	$::=$ $ \quad -h$ $ \quad +h$ $ \quad ()$ $ \quad \lambda^v x_m \mapsto u$ $ \quad \text{Inl } v$ $ \quad \text{Inr } v$ $ \quad E^m v$ $ \quad (v_1, v_2)$ $ \quad H\langle v_2, v_1 \rangle$ $ \quad v[H\pm h']$	Term value Hole Destination Unit Lambda abstraction Left variant for sum Right variant for sum Exponential Product Ampar M Shift hole names inside v by h' if they belong to H .

ectx, c	::=	$\square \succ t'$ $v \succ \square$ $\square ; u$ $\square \succ \text{case}_m \{ \text{Inl } x_1 \mapsto u_1, \text{Inr } x_2 \mapsto u_2 \}$ $\square \succ \text{case}_m (x_1, x_2) \mapsto u$ $\square \succ \text{case}_m E^m x \mapsto u$ $\square \succ \text{map } x \mapsto t'$ $\text{to}_x \square$ $\text{from}_x \square$ $\square \triangleleft ()$ $\square \triangleleft \text{Inl}$ $\square \triangleleft \text{Inr}$ $\square \triangleleft E^m$ $\square \triangleleft (,)$ $\square \triangleleft (\lambda x_m \mapsto u)$ $\square \triangleleft \bullet t'$ $v \triangleleft \bullet \square$ $\overset{\text{op}}{\mathbf{h}} \langle v_2, \square$	Evaluation context component Application Application Pattern-match on unit Pattern-match on sum Pattern-match on product Pattern-match on exponential Map over the right side of ampar Wrap into a trivial ampar Extract value from trivial ampar Fill destination with unit Fill destination with left variant Fill destination with right variant Fill destination with exponential constructor Fill destination with product constructor Fill destination with function Fill destination with root of ampar Fill destination with root of ampar Open ampar. Only new addition to term shapes
ectxs, C	::=	\square $C \circ c$ $C[\mathbf{h} :=_{\mathbf{h}} v]$	Evaluation context stack Represent the empty stack / "identity" evaluation context Push c on top of C Fill h in C with value v (that may contain holes)

2 Type system

type, \mathbf{T}, \mathbf{U}	::=	$\mathbf{1}$ $\mathbf{T}_1 \oplus \mathbf{T}_2$ $\mathbf{T}_1 \otimes \mathbf{T}_2$ $!^m \mathbf{T}$ $\mathbf{U} \ltimes \mathbf{T}$ $\mathbf{T} \xrightarrow{m} \mathbf{U}$ $[\mathbf{T}]^m$	Type Unit Sum Product Exponential Ampar type (consuming \mathbf{T} yields \mathbf{U}) Function Destination
mode, m, n	::=	pa ω $m_1 \cdot \dots \cdot m_k$	Mode (Semiring) Pair of a multiplicity and age Error case (incompatible types, multiplicities, or ages) Semiring product
mul, p	::=	1 ω $p_1 \cdot \dots \cdot p_k$	Multiplicity (first component of modality) Linear. Neutral element of the product Non-linear. Absorbing for the product Semiring product
age, a	::=	ν \uparrow ∞ $a_1 \cdot \dots \cdot a_k$	Age (second component of modality) Born now. Neutral element of the product One scope older Infinitely old / static. Absorbing for the product Semiring product
ctx, Γ, Δ, Π	::=	$\{x :_m \mathbf{T}\}$ $\{+\mathbf{h} :_m [\mathbf{T}]^n\}$ $\{-\mathbf{h} : \mathbf{T}^n\}$ $m \cdot \Gamma$ $\Gamma_1 \uplus \Gamma_2$	Typing context Multiply each binding by m Sum contexts Γ_1 and Γ_2 . Duplicate keys with incompatible values will be tagged

	$-\Gamma$	M	Transforms dest bindings into a hole bindings (requires $\text{ctx_DestOnly } \Gamma$ and $\text{ctx_LinOnly } \Gamma$)
	$\Gamma[\mathbf{H}\pm\mathbf{h}']$	M	Shift hole/dest names by \mathbf{h}' if they belong to \mathbf{H}

$\Gamma \Vdash v : \mathbf{T}$

(Typing of values (raw))

$\frac{\text{TYR-VAL-H}}{\{-\mathbf{h} : \mathbf{T}^{\mathbf{I}\nu}\} \Vdash -\mathbf{h} : \mathbf{T}}$	$\frac{\text{TYR-VAL-D} \quad \text{ctx_CompatibleDH } \Gamma \quad \mathbf{h} \quad \mathbf{I}\nu \llbracket \mathbf{T} \rrbracket^n}{\Gamma \Vdash +\mathbf{h} : \llbracket \mathbf{T} \rrbracket^n}$	$\frac{\text{TYR-VAL-U}}{\{\} \Vdash () : \mathbf{1}}$	$\frac{\text{TYR-VAL-F} \quad \text{ctx_DestOnly } \Delta \quad \Delta \uplus \{\mathbf{x} : \mathbf{T}\} \vdash u : \mathbf{U}}{\Delta \Vdash \lambda^{\mathbf{x}} \mathbf{x}_m \mapsto u : \mathbf{T}_m \rightarrow \mathbf{U}}$
$\frac{\text{TYR-VAL-L} \quad \Gamma \Vdash v_1 : \mathbf{T}_1}{\Gamma \Vdash \text{Inl } v_1 : \mathbf{T}_1 \oplus \mathbf{T}_2}$	$\frac{\text{TYR-VAL-R} \quad \Gamma \Vdash v_2 : \mathbf{T}_2}{\Gamma \Vdash \text{Inr } v_2 : \mathbf{T}_1 \oplus \mathbf{T}_2}$	$\frac{\text{TYR-VAL-P} \quad \Gamma_1 \Vdash v_1 : \mathbf{T}_1 \quad \Gamma_2 \Vdash v_2 : \mathbf{T}_2}{\Gamma_1 \uplus \Gamma_2 \Vdash (v_1, v_2) : \mathbf{T}_1 \otimes \mathbf{T}_2}$	$\frac{\text{TYR-VAL-E} \quad \Gamma \Vdash v' : \mathbf{T}}{n \cdot \Gamma \Vdash \mathbf{E}^n v' : \mathbf{T}^n}$
$\frac{\text{TYR-VAL-A} \quad \begin{array}{l} \text{ctx_DestOnly } \Delta_1 \\ \text{ctx_DestOnly } \Delta_2 \\ \text{ctx_DestOnly } \Delta_3 \\ \text{ctx_LinOnly } \Delta_3 \\ \text{ctx_FinAgeOnly } \Delta_3 \\ \text{ctx_ValidOnly } \Delta_3 \\ \text{ctx_Disjoint } \Delta_1 \Delta_2 \\ \text{ctx_Disjoint } \Delta_1 \Delta_3 \\ \text{ctx_Disjoint } \Delta_2 \Delta_3 \\ \mathbf{I}\uparrow \cdot \Delta_1 \uplus \Delta_3 \Vdash v_1 : \mathbf{T} \\ \Delta_2 \uplus (-\Delta_3) \Vdash v_2 : \mathbf{U} \end{array}}{\Delta_1 \uplus \Delta_2 \Vdash \text{hnames}(-\Delta_3) \langle v_2, v_1 \rangle : \mathbf{U} \ltimes \mathbf{T}}$			

$\Pi \vdash t : \mathbf{T}$

(Typing of terms)

$\frac{\text{TY-TERM-VAL} \quad \text{ctx_DestOnly } \Delta \quad \Delta \Vdash v : \mathbf{T}}{\Delta \vdash v : \mathbf{T}}$	$\frac{\text{TY-TERM-VAR} \quad \text{ctx_CompatibleVar } \Pi \times \textcolor{blue}{I\nu} \llbracket \mathbf{T} \rrbracket}{\Pi \vdash \mathbf{x} : \mathbf{T}}$	$\frac{\text{TY-TERM-APP} \quad \Pi_1 \vdash t : \mathbf{T} \quad \Pi_2 \vdash t' : \mathbf{T}_{\textcolor{teal}{m}} \rightarrow \mathbf{U}}{\textcolor{teal}{m} \cdot \Pi_1 \uplus \Pi_2 \vdash t \succ t' : \mathbf{U}}$		
$\frac{\text{TY-TERM-PATU} \quad \Pi_1 \vdash t : \mathbf{1} \quad \Pi_2 \vdash u : \mathbf{U}}{\Pi_1 \uplus \Pi_2 \vdash t ; u : \mathbf{U}}$	$\frac{\text{TY-TERM-PATS} \quad \begin{array}{l} \text{ctx_Disjoint } \Pi_2 \quad \{\mathbf{x}_1 : \textcolor{teal}{m} \mathbf{T}_1\} \\ \text{ctx_Disjoint } \Pi_2 \quad \{\mathbf{x}_2 : \textcolor{teal}{m} \mathbf{T}_2\} \\ \Pi_1 \vdash t : \mathbf{T}_1 \oplus \mathbf{T}_2 \\ \Pi_2 \uplus \{\mathbf{x}_1 : \textcolor{teal}{m} \mathbf{T}_1\} \vdash u_1 : \mathbf{U} \\ \Pi_2 \uplus \{\mathbf{x}_2 : \textcolor{teal}{m} \mathbf{T}_2\} \vdash u_2 : \mathbf{U} \end{array}}{\textcolor{teal}{m} \cdot \Pi_1 \uplus \Pi_2 \vdash t \succ \text{case}_{\textcolor{teal}{m}} \{ \text{Inl } \mathbf{x}_1 \mapsto u_1, \text{Inr } \mathbf{x}_2 \mapsto u_2 \} : \mathbf{U}}$			
$\frac{\text{TY-TERM-PATP} \quad \begin{array}{l} \text{ctx_Disjoint } \Pi_2 \quad \{\mathbf{x}_1 : \textcolor{teal}{m} \mathbf{T}_1\} \\ \text{ctx_Disjoint } \Pi_2 \quad \{\mathbf{x}_2 : \textcolor{teal}{m} \mathbf{T}_2\} \\ \text{ctx_Disjoint } \{\mathbf{x}_1 : \textcolor{teal}{m} \mathbf{T}_1\} \quad \{\mathbf{x}_2 : \textcolor{teal}{m} \mathbf{T}_2\} \\ \Pi_1 \vdash t : \mathbf{T}_1 \otimes \mathbf{T}_2 \\ \Pi_2 \uplus \{\mathbf{x}_1 : \textcolor{teal}{m} \mathbf{T}_1\} \uplus \{\mathbf{x}_2 : \textcolor{teal}{m} \mathbf{T}_2\} \vdash u : \mathbf{U} \end{array}}{\textcolor{teal}{m} \cdot \Pi_1 \uplus \Pi_2 \vdash t \succ \text{case}_{\textcolor{teal}{m}} (\mathbf{x}_1, \mathbf{x}_2) \mapsto u : \mathbf{U}}$	$\frac{\text{TY-TERM-PATE} \quad \begin{array}{l} \text{ctx_Disjoint } \Pi_2 \quad \{\mathbf{x} : \textcolor{teal}{m} \cdot \textcolor{teal}{n} \mathbf{T}\} \\ \Pi_1 \vdash t : \textcolor{teal}{I}^{\textcolor{teal}{n}} \mathbf{T} \\ \Pi_2 \uplus \{\mathbf{x} : \textcolor{teal}{m} \cdot \textcolor{teal}{n} \mathbf{T}\} \vdash u : \mathbf{U} \end{array}}{\textcolor{teal}{m} \cdot \Pi_1 \uplus \Pi_2 \vdash t \succ \text{case}_{\textcolor{teal}{m}} \mathbf{E}^{\textcolor{teal}{n}} \mathbf{x} \mapsto u : \mathbf{U}}$	$\frac{\text{TY-TERM-MAP} \quad \begin{array}{l} \text{ctx_Disjoint } \Pi_2 \quad \{\mathbf{x} : \textcolor{teal}{I\nu} \mathbf{T}\} \\ \Pi_1 \vdash t : \mathbf{U} \ltimes \mathbf{T} \\ \textcolor{teal}{I}\uparrow \cdot \Pi_2 \uplus \{\mathbf{x} : \textcolor{teal}{I\nu} \mathbf{T}\} \vdash t' : \mathbf{T}' \end{array}}{\Pi_1 \uplus \Pi_2 \vdash t \succ \text{map } \mathbf{x} \mapsto t' : \mathbf{U} \ltimes \mathbf{T}'}$		
$\frac{\text{TY-TERM-TOA} \quad \Pi \vdash u : \mathbf{U}}{\Pi \vdash \text{to}_{\ltimes} u : \mathbf{U} \ltimes \mathbf{1}}$	$\frac{\text{TY-TERM-FROMA} \quad \Pi \vdash t : \mathbf{U} \ltimes \mathbf{1}}{\Pi \vdash \text{from}_{\ltimes} t : \mathbf{U}}$	$\frac{\text{TY-TERM-ALLOC} \quad \{\} \vdash \text{alloc} : \mathbf{U} \ltimes \llbracket \mathbf{U} \rrbracket^{\textcolor{teal}{I\nu}}}{\{\} \vdash \text{alloc} : \mathbf{U} \ltimes \llbracket \mathbf{U} \rrbracket^{\textcolor{teal}{I\nu}}}$	$\frac{\text{TY-TERM-FILLU} \quad \Pi \vdash t : \llbracket \mathbf{1} \rrbracket^{\textcolor{teal}{n}}}{\Pi \vdash t \triangleleft () : \mathbf{1}}$	$\frac{\text{TY-TERM-FILLL} \quad \Pi \vdash t : \llbracket \mathbf{T}_1 \oplus \mathbf{T}_2 \rrbracket^{\textcolor{teal}{n}}}{\Pi \vdash t \triangleleft \text{Inl} : \llbracket \mathbf{T}_1 \rrbracket^{\textcolor{teal}{n}}}$
$\frac{\text{TY-TERM-FILLR} \quad \Pi \vdash t : \llbracket \mathbf{T}_1 \oplus \mathbf{T}_2 \rrbracket^{\textcolor{teal}{n}}}{\Pi \vdash t \triangleleft \text{Inr} : \llbracket \mathbf{T}_2 \rrbracket^{\textcolor{teal}{n}}}$	$\frac{\text{TY-TERM-FILLP} \quad \Pi \vdash t : \llbracket \mathbf{T}_1 \otimes \mathbf{T}_2 \rrbracket^{\textcolor{teal}{n}}}{\Pi \vdash t \triangleleft (,) : \llbracket \mathbf{T}_1 \rrbracket^{\textcolor{teal}{n}} \otimes \llbracket \mathbf{T}_2 \rrbracket^{\textcolor{teal}{n}}}$	$\frac{\text{TY-TERM-FILLE} \quad \Pi \vdash t : \llbracket \textcolor{teal}{I}^{\textcolor{teal}{n'}} \mathbf{T} \rrbracket^{\textcolor{teal}{n}}}{\Pi \vdash t \triangleleft \mathbf{E}^{\textcolor{teal}{n'}} : \llbracket \mathbf{T} \rrbracket^{\textcolor{teal}{n'} \cdot \textcolor{teal}{n}}}$	$\frac{\text{TY-TERM-FILLF} \quad \begin{array}{l} \text{ctx_Disjoint } \Pi_2 \quad \{\mathbf{x} : \textcolor{teal}{m} \mathbf{T}\} \\ \Pi_1 \vdash t : \llbracket \mathbf{T}_{\textcolor{teal}{m}} \rightarrow \mathbf{U} \rrbracket^{\textcolor{teal}{n}} \\ \Pi_2 \uplus \{\mathbf{x} : \textcolor{teal}{m} \mathbf{T}\} \vdash u : \mathbf{U} \end{array}}{\Pi_1 \uplus (\textcolor{teal}{I}\uparrow \cdot \textcolor{teal}{n}) \cdot \Pi_2 \vdash t \triangleleft (\lambda \mathbf{x}_{\textcolor{teal}{m}} \mapsto u) : \mathbf{1}}$	
$\frac{\text{TY-TERM-FILLC} \quad \Pi_1 \vdash t : \llbracket \mathbf{U} \rrbracket^{\textcolor{teal}{n}} \quad \Pi_2 \vdash t' : \mathbf{U} \ltimes \mathbf{T}}{\Pi_1 \uplus (\textcolor{teal}{I}\uparrow \cdot \textcolor{teal}{n}) \cdot \Pi_2 \vdash t \triangleleft \bullet t' : \mathbf{T}}$				

$$\Delta \vdash C : \mathbf{T} \rightarrow \mathbf{U}_0$$

(Typing of evaluation contexts)

$$\begin{array}{c}
\text{TY-ECTXS-APPFOC1} \\
\text{ctx_Disjoint } \Delta_1 \Delta_2 \\
\text{ctx_DestOnly } \Delta_1 \\
\text{ctx_DestOnly } \Delta_2 \\
\text{mode_IsValid } m \\
\text{ctx_ValidOnly } \Delta_2 \\
\frac{m \cdot \Delta_1 \uplus \Delta_2 \vdash C : \mathbf{U} \rightarrow \mathbf{U}_0}{\Delta_1 \vdash C \circ (\Box \succ t') : \mathbf{T} \rightarrow \mathbf{U}_0} \\
\text{TY-ECTXS-ID} \\
\frac{\{\} \vdash \Box : \mathbf{U}_0 \rightarrow \mathbf{U}_0}{\Delta_1 \vdash C \circ (\Box \succ t') : \mathbf{T} \rightarrow \mathbf{U}_0}
\end{array}
\quad
\begin{array}{c}
\text{TY-ECTXS-APPFOC2} \\
\text{ctx_Disjoint } \Delta_1 \Delta_2 \\
\text{ctx_DestOnly } \Delta_1 \\
\text{ctx_DestOnly } \Delta_2 \\
\text{ctx_ValidOnly } m \cdot \Delta_1 \\
\frac{m \cdot \Delta_1 \uplus \Delta_2 \vdash C : \mathbf{U} \rightarrow \mathbf{U}_0}{\Delta_2 \vdash C \circ (v \succ \Box) : (\mathbf{T} \rightarrow \mathbf{U}) \rightarrow \mathbf{U}_0} \\
\Delta_1 \vdash v : \mathbf{T}
\end{array}
\quad
\begin{array}{c}
\text{TY-ECTXS-PATUFOC} \\
\text{ctx_Disjoint } \Delta_1 \Delta_2 \\
\text{ctx_DestOnly } \Delta_1 \\
\text{ctx_DestOnly } \Delta_2 \\
\text{ctx_ValidOnly } \Delta_2 \\
\frac{\Delta_1 \uplus \Delta_2 \vdash C : \mathbf{U} \rightarrow \mathbf{U}_0}{\Delta_1 \vdash C \circ (\Box ; u) : \mathbf{1} \rightarrow \mathbf{U}_0} \\
\Delta_2 \vdash u : \mathbf{U}
\end{array}$$

$$\begin{array}{c}
\text{TY-ECTXS-PATSFOC} \\
\text{ctx_Disjoint } \Delta_1 \Delta_2 \\
\text{ctx_DestOnly } \Delta_1 \\
\text{ctx_DestOnly } \Delta_2 \\
\text{mode_IsValid } m \\
\text{ctx_ValidOnly } \Delta_2 \\
\frac{m \cdot \Delta_1 \uplus \Delta_2 \vdash C : \mathbf{U} \rightarrow \mathbf{U}_0}{\Delta_1 \vdash C \circ (\Box \succ \text{case}_m \{ \text{Inl } x_1 \mapsto u_1, \text{Inr } x_2 \mapsto u_2 \}) : (\mathbf{T}_1 \oplus \mathbf{T}_2) \rightarrow \mathbf{U}_0} \\
\Delta_2 \uplus \{x_1 : m \mathbf{T}_1\} \vdash u_1 : \mathbf{U} \\
\Delta_2 \uplus \{x_2 : m \mathbf{T}_2\} \vdash u_2 : \mathbf{U}
\end{array}
\quad
\begin{array}{c}
\text{TY-ECTXS-PATPFOC} \\
\text{ctx_Disjoint } \Delta_1 \Delta_2 \\
\text{ctx_DestOnly } \Delta_1 \\
\text{ctx_DestOnly } \Delta_2 \\
\text{ctx_Disjoint } \{x_1 : m \mathbf{T}_1\} \{x_2 : m \mathbf{T}_2\} \\
\text{mode_IsValid } m \\
\text{ctx_ValidOnly } \Delta_2 \\
\frac{m \cdot \Delta_1 \uplus \Delta_2 \vdash C : \mathbf{U} \rightarrow \mathbf{U}_0}{\Delta_1 \vdash C \circ (\Box \succ \text{case}_m (x_1, x_2) \mapsto u) : (\mathbf{T}_1 \otimes \mathbf{T}_2) \rightarrow \mathbf{U}_0} \\
\Delta_2 \uplus \{x_1 : m \mathbf{T}_1\} \uplus \{x_2 : m \mathbf{T}_2\} \vdash u : \mathbf{U}
\end{array}$$

$$\begin{array}{c}
\text{TY-ECTXS-PATEFOC} \\
\text{ctx_Disjoint } \Delta_1 \Delta_2 \\
\text{ctx_DestOnly } \Delta_1 \\
\text{ctx_DestOnly } \Delta_2 \\
\text{mode_IsValid } m \\
\text{ctx_ValidOnly } \Delta_2 \\
\frac{m \cdot \Delta_1 \uplus \Delta_2 \vdash C : \mathbf{U} \rightarrow \mathbf{U}_0}{\Delta_1 \vdash C \circ (\Box \succ \text{case}_m E^{m'} x \mapsto u) : (!^{m'} \mathbf{T}) \rightarrow \mathbf{U}_0} \\
\Delta_2 \uplus \{x : m \cdot m' \mathbf{T}\} \vdash u : \mathbf{U}
\end{array}
\quad
\begin{array}{c}
\text{TY-ECTXS-MAPFOC} \\
\text{ctx_Disjoint } \Delta_1 \Delta_2 \\
\text{ctx_DestOnly } \Delta_1 \\
\text{ctx_DestOnly } \Delta_2 \\
\text{ctx_ValidOnly } \Delta_2 \\
\frac{\Delta_1 \uplus \Delta_2 \vdash C : \mathbf{U} \times \mathbf{T}' \rightarrow \mathbf{U}_0}{\Delta_1 \vdash C \circ (\Box \succ \text{map } x \mapsto t') : (\mathbf{U} \times \mathbf{T}) \rightarrow \mathbf{U}_0} \\
I \uparrow \cdot \Delta_2 \uplus \{x : !^{m'} \mathbf{T}\} \vdash t' : \mathbf{T}'
\end{array}
\quad
\begin{array}{c}
\text{TY-ECTXS-TOAFOC} \\
\Delta \vdash C : (\mathbf{U} \times \mathbf{1}) \rightarrow \mathbf{U}_0 \\
\Delta \vdash C \circ (\text{to}_\times \Box) : \mathbf{U} \rightarrow \mathbf{U}_0
\end{array}$$

$$\begin{array}{c}
\text{TY-ECTXS-FROMAFOC} \\
\Delta \vdash C : \mathbf{U} \rightarrow \mathbf{U}_0 \\
\Delta \vdash C \circ (\text{from}_\times \Box) : (\mathbf{U} \times \mathbf{1}) \rightarrow \mathbf{U}_0
\end{array}
\quad
\begin{array}{c}
\text{TY-ECTXS-FILLUFOC} \\
\Delta \vdash C : \mathbf{1} \rightarrow \mathbf{U}_0 \\
\Delta \vdash C \circ (\Box \triangleleft ()) : [\mathbf{1}]^n \rightarrow \mathbf{U}_0
\end{array}
\quad
\begin{array}{c}
\text{TY-ECTXS-FILLLFOC} \\
\Delta \vdash C : [\mathbf{T}_1]^n \rightarrow \mathbf{U}_0 \\
\Delta \vdash C \circ (\Box \triangleleft \text{Inl}) : [\mathbf{T}_1 \oplus \mathbf{T}_2]^n \rightarrow \mathbf{U}_0
\end{array}$$

$$\begin{array}{c}
\text{TY-ECTXS-FILLRFOC} \\
\Delta \vdash C : [\mathbf{T}_2]^n \rightarrow \mathbf{U}_0 \\
\Delta \vdash C \circ (\Box \triangleleft \text{Inr}) : [\mathbf{T}_1 \oplus \mathbf{T}_2]^n \rightarrow \mathbf{U}_0
\end{array}
\quad
\begin{array}{c}
\text{TY-ECTXS-FILLPFOC} \\
\Delta \vdash C : ([\mathbf{T}_1]^n \otimes [\mathbf{T}_2]^n) \rightarrow \mathbf{U}_0 \\
\Delta \vdash C \circ (\Box \triangleleft (,)) : [\mathbf{T}_1 \otimes \mathbf{T}_2]^n \rightarrow \mathbf{U}_0
\end{array}
\quad
\begin{array}{c}
\text{TY-ECTXS-FILLEFOC} \\
\Delta \vdash C : [\mathbf{T}]^{m \cdot n} \rightarrow \mathbf{U}_0 \\
\Delta \vdash C \circ (\Box \triangleleft E^m) : (!^m \mathbf{T})^n \rightarrow \mathbf{U}_0
\end{array}$$

$$\begin{array}{c}
\text{TY-ECTXS-FILLFFOC} \\
\text{ctx_Disjoint } \Delta_1 \Delta_2 \\
\text{ctx_DestOnly } \Delta_1 \\
\text{ctx_DestOnly } \Delta_2 \\
\text{ctx_ValidOnly } (I \uparrow \cdot n) \cdot \Delta_2 \\
\frac{\Delta_1 \uplus (I \uparrow \cdot n) \cdot \Delta_2 \vdash C : \mathbf{1} \rightarrow \mathbf{U}_0}{\Delta_1 \vdash C \circ (\Box \triangleleft (\lambda x_m \mapsto u)) : [\mathbf{T} \rightarrow \mathbf{U}]^n \rightarrow \mathbf{U}_0} \\
\Delta_2 \uplus \{x : m \mathbf{T}\} \vdash u : \mathbf{U}
\end{array}
\quad
\begin{array}{c}
\text{TY-ECTXS-FILLCFOC1} \\
\text{ctx_Disjoint } \Delta_1 \Delta_2 \\
\text{ctx_DestOnly } \Delta_1 \\
\text{ctx_DestOnly } \Delta_2 \\
\text{ctx_ValidOnly } (I \uparrow \cdot n) \cdot \Delta_2 \\
\frac{\Delta_1 \uplus (I \uparrow \cdot n) \cdot \Delta_2 \vdash C : \mathbf{T} \rightarrow \mathbf{U}_0}{\Delta_1 \vdash C \circ (\Box \triangleleft t') : [\mathbf{U}]^n \rightarrow \mathbf{U}_0} \\
\Delta_2 \vdash t' : \mathbf{U} \times \mathbf{T}
\end{array}
\quad
\begin{array}{c}
\text{TY-ECTXS-FILLCFOC2} \\
\text{ctx_Disjoint } \Delta_1 \Delta_2 \\
\text{ctx_DestOnly } \Delta_1 \\
\text{ctx_DestOnly } \Delta_2 \\
\text{ctx_ValidOnly } \Delta_1 \\
\text{mode_IsValid } (I \uparrow \cdot n) \\
\frac{\Delta_1 \uplus (I \uparrow \cdot n) \cdot \Delta_2 \vdash C : \mathbf{T} \rightarrow \mathbf{U}_0}{\Delta_2 \vdash C \circ (v \triangleleft \Box) : \mathbf{U} \times \mathbf{T} \rightarrow \mathbf{U}_0} \\
\Delta_1 \vdash v : [\mathbf{U}]^n
\end{array}$$

$$\begin{array}{c}
\text{TY-ECTXS-AOPENFOC} \\
\text{ctx_Disjoint } \Delta_1 \Delta_2 \\
\text{ctx_Disjoint } \Delta_1 \Delta_3 \\
\text{hdns_Disjoint } \text{hnames}(C) \text{ hnames}(-\Delta_3) \\
\text{ctx_DestOnly } \Delta_1 \\
\text{ctx_DestOnly } \Delta_2 \\
\text{ctx_DestOnly } \Delta_3 \\
\text{ctx_LinOnly } \Delta_3 \\
\text{ctx_FinAgeOnly } \Delta_3 \\
\text{ctx_ValidOnly } \Delta_3 \\
\frac{\Delta_1 \uplus \Delta_2 \vdash C : (\mathbf{U} \times \mathbf{T}') \rightarrow \mathbf{U}_0}{\Delta_1 \uplus \Delta_2 \uplus -\Delta_3 \Vdash v_2 : \mathbf{U}} \\
I \uparrow \cdot \Delta_1 \uplus \Delta_3 \vdash C \circ (\text{hnames}(-\Delta_3) \langle v_2, \Box \rangle) : \mathbf{T}' \rightarrow \mathbf{U}_0
\end{array}$$

$$\boxed{\vdash C[t] : \mathbf{T}}$$

(Typing of extended terms (pair of evaluation context and term))

$$\begin{array}{c} \text{TY-ETERM-CLOSEDETERM} \\ \text{ctx_ValidOnly } \Delta \\ \text{ctx_DestOnly } \Delta \\ \hline \Delta \dashv C : \mathbf{T} \multimap \mathbf{U}_0 \quad \Delta \vdash t : \mathbf{T} \\ \hline \vdash C[t] : \mathbf{U}_0 \end{array}$$

3 Small-step semantics

$C[t] \longrightarrow C'[t']$			(Small-step evaluation of terms using evaluation contexts)
SEM-ETERM-APPFOC1 $\frac{\text{term_NotVal } t}{C[t \succ t'] \longrightarrow (C \circ (\Box \succ t'))[t]}$	SEM-ETERM-APPUNFOC1 $\frac{}{(C \circ (\Box \succ t'))[v] \longrightarrow C[v \succ t']}$	SEM-ETERM-APPFOC2 $\frac{\text{term_NotVal } t'}{C[v \succ t'] \longrightarrow (C \circ (v \succ \Box))[t']}$	
SEM-ETERM-APPUNFOC2 $\frac{}{(C \circ (v \succ \Box))[v'] \longrightarrow C[v \succ v']}$	SEM-ETERM-APPRED $\frac{}{C[v \succ (\lambda^v x_m \mapsto u)] \longrightarrow C[u[x := v]]}$	SEM-ETERM-PATUFOC $\frac{\text{term_NotVal } t}{C[t ; u] \longrightarrow (C \circ (\Box ; u))[t]}$	
SEM-ETERM-PATUUNFOC $\frac{}{(C \circ (\Box ; u))[v] \longrightarrow C[v ; u]}$	SEM-ETERM-PATURED $\frac{}{C[(\Box ; u)] \longrightarrow C[u]}$		
SEM-ETERM-PATSFOC $\frac{\text{term_NotVal } t}{C[t \succ \text{case}_m \{ \text{Inl } x_1 \mapsto u_1, \text{Inr } x_2 \mapsto u_2 \}] \longrightarrow (C \circ (\Box \succ \text{case}_m \{ \text{Inl } x_1 \mapsto u_1, \text{Inr } x_2 \mapsto u_2 \}))[t]}$			
SEM-ETERM-PATSUNFOC $\frac{}{(C \circ (\Box \succ \text{case}_m \{ \text{Inl } x_1 \mapsto u_1, \text{Inr } x_2 \mapsto u_2 \}))[v] \longrightarrow C[v \succ \text{case}_m \{ \text{Inl } x_1 \mapsto u_1, \text{Inr } x_2 \mapsto u_2 \}]}$			
SEM-ETERM-PATLRED $\frac{}{C[(\text{Inl } v_1) \succ \text{case}_m \{ \text{Inl } x_1 \mapsto u_1, \text{Inr } x_2 \mapsto u_2 \}] \longrightarrow C[u_1[x_1 := v_1]]}$			
SEM-ETERM-PATRRED $\frac{}{C[(\text{Inr } v_2) \succ \text{case}_m \{ \text{Inl } x_1 \mapsto u_1, \text{Inr } x_2 \mapsto u_2 \}] \longrightarrow C[u_2[x_2 := v_2]]}$			
SEM-ETERM-PATPFOC $\frac{\text{term_NotVal } t}{C[t \succ \text{case}_m (x_1, x_2) \mapsto u] \longrightarrow (C \circ (\Box \succ \text{case}_m (x_1, x_2) \mapsto u))[t]}$			
SEM-ETERM-PATPUNFOC $\frac{}{(C \circ (\Box \succ \text{case}_m (x_1, x_2) \mapsto u))[v] \longrightarrow C[v \succ \text{case}_m (x_1, x_2) \mapsto u]}$			
SEM-ETERM-PATPREd $\frac{}{C[(v_1, v_2) \succ \text{case}_m (x_1, x_2) \mapsto u] \longrightarrow C[u[x_1 := v_1][x_2 := v_2]]}$	SEM-ETERM-PATEFOC $\frac{\text{term_NotVal } t}{C[t \succ \text{case}_m E^n x \mapsto u] \longrightarrow (C \circ (\Box \succ \text{case}_m E^n x \mapsto u))[t]}$		
SEM-ETERM-PATEUNFOC $\frac{}{(C \circ (\Box \succ \text{case}_m E^n x \mapsto u))[v] \longrightarrow C[v \succ \text{case}_m E^n x \mapsto u]}$	SEM-ETERM-PATERED $\frac{}{C[E^n v' \succ \text{case}_m E^n x \mapsto u] \longrightarrow C[u[x := v']]}]$		
SEM-ETERM-MAPFOC $\frac{\text{term_NotVal } t}{C[t \succ \text{map } x \mapsto t'] \longrightarrow (C \circ (\Box \succ \text{map } x \mapsto t'))[t]}$	SEM-ETERM-MAPUNFOC $\frac{}{(C \circ (\Box \succ \text{map } x \mapsto t'))[v] \longrightarrow C[v \succ \text{map } x \mapsto t']}$		
SEM-ETERM-MAPREDAOPENFOC $\frac{h' = \max(hnames(C))}{C[\langle v_2, v_1 \rangle \succ \text{map } x \mapsto t'] \longrightarrow (C \circ (\overset{\text{op}}{H \pm h} \langle v_2 [H \pm h'], \Box \rangle))[t'[x := v_1 [H \pm h']]]}$	SEM-ETERM-AOPENUNFOC $\frac{}{(C \circ \overset{\text{op}}{H} \langle v_2, \Box \rangle)[v_1] \longrightarrow C[\langle v_2, v_1 \rangle]}$		
SEM-ETERM-ALLOCRED $\frac{}{C[\text{alloc}] \longrightarrow C[\{1\} \langle -1, +1 \rangle]}$	SEM-ETERM-TOAFOC $\frac{\text{term_NotVal } u}{C[\text{to}_\times u] \longrightarrow (C \circ (\text{to}_\times \Box))[u]}$	SEM-ETERM-TOAUNFOC $\frac{}{(C \circ (\text{to}_\times \Box))[v_2] \longrightarrow C[\text{to}_\times v_2]}$	
SEM-ETERM-TOARED $\frac{}{C[\text{to}_\times v_2] \longrightarrow C[\{1\} \langle v_2, () \rangle]}$	SEM-ETERM-FROMAFOC $\frac{\text{term_NotVal } t}{C[\text{from}_\times t] \longrightarrow (C \circ (\text{from}_\times \Box))[t]}$	SEM-ETERM-FROMAUNFOC $\frac{}{(C \circ (\text{from}_\times \Box))[v] \longrightarrow C[\text{from}_\times v]}$	
SEM-ETERM-FROMARED $\frac{}{C[\text{from}_\times \{1\} \langle v_2, () \rangle] \longrightarrow C[v_2]}$	SEM-ETERM-FILLUFOC $\frac{\text{term_NotVal } t}{C[t \triangleleft ()] \longrightarrow (C \circ (\Box \triangleleft ())) [t]}$	SEM-ETERM-FILLUUNFOC $\frac{}{(C \circ (\Box \triangleleft ())) [v] \longrightarrow C[v \triangleleft ()]}$	

SEM-ETERM-FILLURED	SEM-ETERM-FILLFOC term_NotVal t	SEM-ETERM-FILLUNFOC
$\overline{C[+h \triangleleft ()] \rightarrow C[h := \{\} ()][()]}$	$\overline{C[t \triangleleft \text{Inl}] \rightarrow (C \circ (\Box \triangleleft \text{Inl}))[t]}$	$\overline{(C \circ (\Box \triangleleft \text{Inl}))[v] \rightarrow C[v \triangleleft \text{Inl}]}$
SEM-ETERM-FILLURED $h' = \max(\text{hnames}(C) \cup \{h\})$	SEM-ETERM-FILLRFOC term_NotVal t	
$\overline{C[+h \triangleleft \text{Inl}] \rightarrow C[h := \{h'+1\} \text{Inl} - (h'+1)][+(h'+1)]}$	$\overline{C[t \triangleleft \text{Inr}] \rightarrow (C \circ (\Box \triangleleft \text{Inr}))[t]}$	
SEM-ETERM-FILLRUNFOC	SEM-ETERM-FILLRRED $h' = \max(\text{hnames}(C) \cup \{h\})$	
$\overline{(C \circ (\Box \triangleleft \text{Inr}))[v] \rightarrow C[v \triangleleft \text{Inr}]}$	$\overline{C[+h \triangleleft \text{Inr}] \rightarrow C[h := \{h'+1\} \text{Inr} - (h'+1)][+(h'+1)]}$	
SEM-ETERM-FILLEFOC term_NotVal t	SEM-ETERM-FILLEUNFOC	
$\overline{C[t \triangleleft E^m] \rightarrow (C \circ (\Box \triangleleft E^m))[t]}$	$\overline{(C \circ (\Box \triangleleft E^m))[v] \rightarrow C[v \triangleleft E^m]}$	
SEM-ETERM-FILLERED $h' = \max(\text{hnames}(C) \cup \{h\})$	SEM-ETERM-FILLPFOC term_NotVal t	SEM-ETERM-FILLPUNFOC
$\overline{C[+h \triangleleft E^m] \rightarrow C[h := \{h'+1\} E^m - (h'+1)][+(h'+1)]}$	$\overline{C[t \triangleleft (,)] \rightarrow (C \circ (\Box \triangleleft (,)))[t]}$	$\overline{(C \circ (\Box \triangleleft (,)))[v] \rightarrow C[v \triangleleft (,)]}$
SEM-ETERM-FILLPRED $h' = \max(\text{hnames}(C) \cup \{h\})$		
$\overline{C[+h \triangleleft (,)] \rightarrow C[h := \{h'+1, h'+2\} (- (h'+1), - (h'+2))][+(h'+1), +(h'+2)]}$		
SEM-ETERM-FILLFFOC term_NotVal t	SEM-ETERM-FILLFUNFOC	
$\overline{C[t \triangleleft (\lambda x_m \mapsto u)] \rightarrow (C \circ (\Box \triangleleft (\lambda x_m \mapsto u)))[t]}$	$\overline{(C \circ (\Box \triangleleft (\lambda x_m \mapsto u)))[v] \rightarrow C[v \triangleleft (\lambda x_m \mapsto u)]}$	
SEM-ETERM-FILLFRED	SEM-ETERM-FILLCFOC1 term_NotVal t	SEM-ETERM-FILLCUNFOC1
$\overline{C[+h \triangleleft (\lambda x_m \mapsto u)] \rightarrow C[h := \{\} \lambda^v x_m \mapsto u][()]}]$	$\overline{C[t \triangleleft \bullet t'] \rightarrow (C \circ (\Box \triangleleft \bullet t'))[t]}$	$\overline{(C \circ (\Box \triangleleft \bullet t'))[v] \rightarrow C[v \triangleleft \bullet t']}$
SEM-ETERM-FILLCFOC2 term_NotVal t'	SEM-ETERM-FILLCUNFOC2	SEM-ETERM-FILLCRED $h' = \max(\text{hnames}(C) \cup \{h\})$
$\overline{C[v \triangleleft \bullet t'] \rightarrow (C \circ (v \triangleleft \bullet \Box))[t']}$	$\overline{(C \circ (v \triangleleft \bullet \Box))[v'] \rightarrow C[v \triangleleft \bullet v']}$	$\overline{C[+h \triangleleft \bullet_H \langle v_2, v_1 \rangle] \rightarrow C[h :=_{(H \pm h')} v_2 [H \pm h']][v_1 [H \pm h']}]}$