

Chapter 1: Reliable replication

Repeated search phrase: leader replication and explicit ownership.


A deterministic text layer keeps selection and search reproducible.

Deterministic bookshelf fixture.

The reader preserves the page and the authored source context.

Failure handling belongs in the model rather than hidden infrastructure.

A negative result is still a completed practical application.



COLUMN_LEFT

COLUMN_RIGHT

FORMULA_SUM $\sigma(i=1..n) x_i$

VISUAL_FIRST_STORED_SECOND

VISUAL_SECOND_STORED_FIRST

Chapter 2: Reliable replication

Repeated search phrase: leader replication and explicit ownership.


A deterministic text layer keeps selection and search reproducible.

Deterministic bookshelf fixture.

The reader preserves the page and the authored source context.

Failure handling belongs in the model rather than hidden infrastructure.

A negative result is still a completed practical application.



Chapter 3: Reliable replication

Repeated search phrase: leader replication and explicit ownership.


A deterministic text layer keeps selection and search reproducible.

Deterministic bookshelf fixture.

The reader preserves the page and the authored source context.

Failure handling belongs in the model rather than hidden infrastructure.

A negative result is still a completed practical application.



Chapter 4: Reliable replication

Repeated search phrase: leader replication and explicit ownership.


A deterministic text layer keeps selection and search reproducible.

Deterministic bookshelf fixture.

The reader preserves the page and the authored source context.

Failure handling belongs in the model rather than hidden infrastructure.

A negative result is still a completed practical application.



Chapter 5: Reliable replication

Repeated search phrase: leader replication and explicit ownership.

A deterministic text layer keeps selection and search reproducible.

Cross-page source begins here and

The reader preserves the page and the authored source context.

Failure handling belongs in the model rather than hidden infrastructure.

A negative result is still a completed practical application.



Chapter 6: Reliable replication

Repeated search phrase: leader replication and explicit ownership.

A deterministic text layer keeps selection and search reproducible.
continues here without losing its source address.

The reader preserves the page and the authored source context.

Failure handling belongs in the model rather than hidden infrastructure.

A negative result is still a completed practical application.



Chapter 7: Reliable replication

Repeated search phrase: leader replication and explicit ownership.

A deterministic text layer keeps selection and search reproducible.

Deterministic bookshelf fixture.

The reader preserves the page and the authored source context.

Failure handling belongs in the model rather than hidden infrastructure.

A negative result is still a completed practical application.



Chapter 8: Reliable replication

Repeated search phrase: leader replication and explicit ownership.


A deterministic text layer keeps selection and search reproducible.

Deterministic bookshelf fixture.

The reader preserves the page and the authored source context.

Failure handling belongs in the model rather than hidden infrastructure.

A negative result is still a completed practical application.



Chapter 9: Reliable replication

Repeated search phrase: leader replication and explicit ownership.


A deterministic text layer keeps selection and search reproducible.

Deterministic bookshelf fixture.

The reader preserves the page and the authored source context.

Failure handling belongs in the model rather than hidden infrastructure.

A negative result is still a completed practical application.



Chapter 10: Reliable replication

Repeated search phrase: leader replication and explicit ownership.

A deterministic text layer keeps selection and search reproducible.

Deterministic bookshelf fixture.

The reader preserves the page and the authored source context.

Failure handling belongs in the model rather than hidden infrastructure.

A negative result is still a completed practical application.

