

Co-ordinate circle Example


Created by Mr. Francis Hung on 20110904 Last updated: 2021-08-30

Reference Chung Tai Educational Press

New Trend Senior Secondary Mathematics

Essential Drills S.5 Chapter 9 Q23

In the figure, circle C_1 touches L_1 at R .



(a) Find the coordinates of R .

(b) It is given that C_2 is another circle touching the x -axis, the y -axis and L_1 . Find the equation of C_2 .

(a) Let k be the radius of C_1 , if the centre of the circle lies in the fourth quadrant, then the coordinates of the centre of C_1 are $(k, -k)$.

The equation of C_1 is

$$(x - k)^2 + [y - (-k)]^2 = k^2$$

$$x^2 + y^2 - 2kx + 2ky + k^2 = 0 \dots\dots (1)$$

The equation of L_1 is: $\frac{x}{4} + \frac{y}{-3} = 1$

$$\Rightarrow y = \frac{3}{4}x - 3 \dots\dots (2)$$

Substitute (2) into (1),

$$x^2 + \left(\frac{3}{4}x - 3\right)^2 - 2kx + 2k\left(\frac{3}{4}x - 3\right) + k^2 = 0$$

$$x^2 + \frac{9}{16}x^2 - \frac{9}{2}x + 9 - 2kx + \frac{3}{2}kx - 6k + k^2 = 0$$

$$\therefore \frac{25}{16}x^2 - \frac{k+9}{2}x + k^2 - 6k + 9 = 0 \dots\dots(3)$$

$\therefore C_1$ touches L_1 at one point.

$$\left(-\frac{k+9}{2}\right)^2 - 4 \times \frac{25}{16}(k^2 - 6k + 9) = 0$$

$$\frac{(k+9)^2}{4} - \frac{25}{4}(k^2 - 6k + 9) = 0$$

$$k^2 + 18k + 81 - 25k^2 + 150k - 225 = 0$$

$$24k^2 - 168k + 144 = 0$$

$$k^2 - 7k + 6 = 0$$

$$(k - 1)(k - 6) = 0$$

$$\therefore k = 1 \text{ or } k = 6 \text{ (rejected)}$$

Substitute $k = 1$ into (3),

$$\frac{25}{16}x^2 - 5x + 4 = 0$$

$$25x^2 - 80x + 64 = 0$$

$$(5x - 8)^2 = 0$$

$$x = \frac{8}{5}$$

Substitute $x = \frac{8}{5}$ into (2),

$$y = \frac{3}{4}\left(\frac{8}{5}\right) - 3 = -\frac{9}{5} \therefore \text{The coordinates of } R \text{ are } \left(\frac{8}{5}, -\frac{9}{5}\right).$$

(b) When $k = 6$, (1) is the equation of C_2 .

\therefore The equation of C_2 is

$$x^2 + y^2 - 2(6)x + 2(6)y + 6^2 = 0$$

$$x^2 + y^2 - 12x + 12y + 36 = 0$$

If the centre of the circle lies in the first quadrant, centre = (k, k) .

$$(x - k)^2 + (y - k)^2 = k^2$$

$$C_2: x^2 + y^2 - 2kx - 2ky + k^2 = 0 \dots\dots (4)$$

$$\text{Sub. (2) into (4): } x^2 + \left(\frac{3}{4}x - 3\right)^2 - 2kx - 2k\left(\frac{3}{4}x - 3\right) + k^2 = 0$$

$$16x^2 + (9x^2 - 72x + 144) - 32kx - 8k(3x - 12) + 16k^2 = 0$$

$$25x^2 - (72 + 56k)x + (16k^2 + 96k + 144) = 0$$

For tangency, $\Delta = 0$

$$(72 + 56k)^2 - 4(25)(16k^2 + 96k + 144) = 0$$

$$(9 + 7k)^2 - 25(k^2 + 6k + 9) = 0$$

$$81 + 126k + 49k^2 - 25k^2 - 150k - 225 = 0$$

$$24k^2 - 24k - 144 = 0$$

$$k^2 - k - 6 = 0 \Rightarrow (k + 2)(k - 3) = 0$$

$$k = -2 \text{ or } k = 3$$

When $k = -2$, $C_2: x^2 + y^2 + 4x + 4y + 4 = 0$ (rejected, centre not in 1st quad.)

When $k = 3$, $C_2: x^2 + y^2 - 6x - 6y + 9 = 0$

If the centre of the circle lies in the third quadrant, centre = $(-k, -k)$.

$$(x + k)^2 + (y + k)^2 = k^2$$

$$C_2: x^2 + y^2 + 2kx + 2ky + k^2 = 0 \dots\dots (5)$$

$$\text{Sub. (2) into (5): } x^2 + \left(\frac{3}{4}x - 3\right)^2 + 2kx + 2k\left(\frac{3}{4}x - 3\right) + k^2 = 0$$

$$16x^2 + (9x^2 - 72x + 144) + 32kx + 8k(3x - 12) + 16k^2 = 0$$

$$25x^2 - (72 - 56k)x + (16k^2 - 96k + 144) = 0$$

For tangency, $\Delta = 0$

$$(72 - 56k)^2 - 4(25)(16k^2 - 96k + 144) = 0$$

$$(9 - 7k)^2 - 25(k^2 - 6k + 9) = 0$$

$$81 - 126k + 49k^2 - 25k^2 + 150k - 225 = 0$$

$$24k^2 + 24k - 144 = 0$$

$$k^2 + k - 6 = 0 \Rightarrow (k + 3)(k - 2) = 0$$

$$k = -3 \text{ or } k = 2$$

When $k = -3$, $C_2: x^2 + y^2 - 6x - 6y + 9 = 0$ (rejected, centre not in 3rd quad.)

When $k = 2$, $C_2: x^2 + y^2 + 4x + 4y + 4 = 0$

If the centre of the circle lies in the second quadrant, centre = $(-k, k)$.

$$(x + k)^2 + (y - k)^2 = k^2$$

$$C_2: x^2 + y^2 + 2kx - 2ky + k^2 = 0 \dots\dots (6)$$

$$\text{Sub. (2) into (6): } x^2 + \left(\frac{3}{4}x - 3\right)^2 + 2kx - 2k\left(\frac{3}{4}x - 3\right) + k^2 = 0$$

$$16x^2 + (9x^2 - 72x + 144) + 32kx - 8k(3x - 12) + 16k^2 = 0$$

$$25x^2 - (72 - 8k)x + (16k^2 + 96k + 144) = 0$$

For tangency, $\Delta = 0$

$$(72 - 8k)^2 - 4(25)(16k^2 + 96k + 144) = 0$$

$$(9 - k)^2 - 25(k^2 + 6k + 9) = 0$$

$$81 - 18k + k^2 - 25k^2 - 150k - 225 = 0$$

$$24k^2 + 168k + 144 = 0$$

$$k^2 + 7k + 6 = 0 \Rightarrow (k + 6)(k + 1) = 0$$

$$k = -6 \text{ or } k = -1$$

When $k = -6$, centre = $(6, -6)$, not in 2nd quad, rejected.

When $k = -1$, centre = $(1, -1)$, not in 2nd quad, rejected.

A sketch of four possible circles touching the x-axis, the y-axis and L_1 is drawn below:

