

## LAPLACE TRANSFORM

### I.FIND THE LAPLACE TRANSFORM OF FOLLOWING FUNCTIONS:

1.  $f(t) = (t-1)^4, t > 4; f(t) = 0, 0 < t < 4$
2.  $f(t) = t, 0 < t < 1/2; f(t) = t-1, 1/2 < t < 1; f(t) = 0, t > 1$  [Ans:  $\frac{1}{s^2} - \frac{e^{-s}}{s^2} - \frac{e^{-s/2}}{s}$ ]
3.  $f(t) = 0, 0 < t < \pi; f(t) = \sin^2(t - \pi), t > \pi$  [Ans:  $\frac{e^{-\pi s}}{2s} - \frac{s \cdot e^{-\pi s}}{s^2 + 4}$ ]
4.  $\cos t \cdot \cos 2t \cdot \cos 3t$  [Ans:  $\frac{1}{4} \left( \frac{1}{s} + \frac{s}{s^2 + 2^2} + \frac{s}{s^2 + 4^2} + \frac{s}{s^2 + 6^2} \right)$ ]
5.  $(\sqrt{t} - 1)^2$  [Ans:  $\frac{1}{s^2} - \frac{\sqrt{\pi}}{s^{3/2}} + \frac{1}{s}$ ]
6.  $\frac{\cos \sqrt{t}}{\sqrt{t}}$  [Ans:  $\sqrt{\frac{\pi}{s}} \cdot e^{-1/4s}$ ]
7. If  $L[\sin \sqrt{t}] = \frac{\sqrt{\pi}}{2s\sqrt{s}} \cdot e^{-1/4s}$ , find  $L[\sin 2\sqrt{t}]$  [Ans:  $\frac{\sqrt{\pi}}{s\sqrt{s}} \cdot e^{-1/s}$ ]
8.  $\sinh(t/2) \cdot \sin(\sqrt{3}t/2)$  [Ans:  $\frac{\sqrt{3}}{2} \cdot \frac{s}{(s^4 + s^2 + 1)}$ ]
9.  $e^{4t} \sin^3 t$  [Ans:  $\frac{6}{(s^2 - 8s + 17)(s^2 - 8s + 25)}$ ]
10.  $\frac{\cos 2t \cdot \sin t}{e^t}$  [Ans:  $\frac{s^2 + 2s - 2}{(s^2 + 2s + 10)(s^2 + 2s + 2)}$ ]
11.  $e^{-4t} \sinh t \cdot \sin t$  [Ans:  $\frac{2(s+4)}{(s^2 + 6s + 10)(s^2 + 10s + 26)}$ ]
12.  $e^{2t} (1+t)^2$  [Ans:  $\frac{1}{(s-2)} + \frac{2}{(s-2)^2} + \frac{2}{(s-2)^3}$ ]
13. If  $L[f(t)] = \frac{s}{s^2 + s + 4}$ , find  $L[e^{-3t} f(2t)]$  [Ans:  $\frac{s+3}{s^2 + 8s + 10}$ ]
14.  $(1 + te^{-t})^3$  [Ans:  $\frac{1}{s} - \frac{3}{(s+1)^2} + \frac{6}{(s+2)^3} + \frac{6}{(s+3)^3}$ ]

15.  $t \sin^3 t$  [Ans:  $24 \cdot \frac{s(s+5)}{(s^2+1)^2(s^2+9)^2}$ ]
16.  $t^5 \cosh t$  [Ans:  $60 \left( \frac{1}{(s-1)^6} + \frac{1}{(s+1)^6} \right)$ ]
17.  $t \sqrt{1+\sin t}$  [Ans:  $4 \frac{(4s^2+4s-1)}{(4s^2+1)^2}$ ]
18.  $t \left( \frac{\sin t}{e^t} \right)^2$  [Ans:  $\frac{1}{2} \left( -\frac{1}{(s+2)^2} + \frac{s^2+4s}{(s^2+4s+8)} \right)$ ]
19. If  $L[f(t)] = \frac{s+3}{s^2+s+1}$ , find  $L[t f(2t)]$  [Ans:  $\frac{s^2+12s+8}{(s^2+2s+4)^2}$ ]
20.  $t e^{-2t} \sinh 4t$  [Ans:  $\frac{8(s+2)}{(s^2+4s-12)^2}$ ]
21.  $t \cos(\omega t - \alpha)$  [Ans:  $\frac{(s^2 - \omega^2) \cos \alpha - 2\omega s \sin \alpha}{(\omega^2 + s^2)^2}$ ]
22.  $(t \sinh 2t)^2$  [Ans:  $\frac{1}{2} \left( \frac{1}{(s-4)^3} + \frac{1}{(s+4)^3} \right)$ ]
23.  $(t + \sin 2t)^2$  [Ans:  $\frac{2}{s^3} + \frac{8s}{(s^2+4)^2} + \frac{1}{2s} - \frac{s}{2(s^2+4^2)}$ ]
24.  $\frac{1}{t}(1 - \cos t)$  [Ans:  $\frac{1}{2} \log \left( \frac{s^2+1}{s^2} \right)$ ]
25.  $\frac{1}{t} e^{-t} \sin t$  [Ans:  $\cot^{-1}(s+1)$ ]
26.  $\frac{\sin^2 2t}{t}$  [Ans:  $\frac{1}{4} \log \left( \frac{s^2+16}{s^2} \right)$ ]
27.  $\frac{1 - \cos t}{t^2}$  [Ans:  $\frac{\pi}{2} - \frac{s}{2} \log \left( \frac{s^2+1}{s^2} \right) - \tan^{-1} s$ ]
28. Find the Laplace transform of  $\frac{\sin at}{t}$ . Does Laplace transform of  $\frac{\cos at}{t}$  exist?  
[Ans:  $\cot^{-1} \frac{s}{a}$ , does not exist]
29.  $\frac{\cosh 2t \sin 2t}{t}$  [Ans:  $\pi + \tan^{-1} \left( \frac{s-2}{2} \right) + \tan^{-1} \left( \frac{s+2}{2} \right)$ ]
30.  $\frac{e^{-at} - \cos at}{t}$  [Ans:  $\log \left( \frac{\sqrt{s^2+a^2}}{s+a} \right)$ ]
31.  $\int_0^t u e^{-3u} \cos^2 u \, du$
32. (i)  $t^3 \delta(t-3)$  (ii)  $t^3 H(t-3)$

33. Given that  $f(t) = t + 1, 0 \leq t \leq 2$ , &  $f(t) = 3, t > 2$  find  $L[f(t)]$ ,  $L[f'(t)]$  &  $L[f''(t)]$

$$[\text{Ans: } \frac{1}{s} + \frac{1}{s^2}(1 - e^{-2s}), \frac{1}{s}(1 - e^{-2s}), s^2 \left[ \frac{1}{s} + \frac{1}{s^2}(1 - e^{-2s}) \right] - s - 1]$$

34. Find the Laplace transform of  $\frac{d}{dt} \left( \frac{\sin 3t}{t} \right)$  [Ans:  $s \cot^{-1}(s/3) - 3$ ]

35.  $\text{erf} \sqrt{t}$  [Ans:  $\frac{1}{s\sqrt{s+1}}$ ]

36.  $\text{erf} 2\sqrt{t}$  [Ans:  $\frac{2}{s\sqrt{s+4}}$ ]

37.  $e^{3t} t \text{erf} \sqrt{t}$  [Ans:  $\frac{3s-7}{2(s-3)^2(s-2)^{3/2}}$ ]

38.  $\int_0^t \int_0^t \int_0^t t \sin t (dt)^3$  [Ans:  $\frac{2}{s^2(s^2+1)^2}$ ]

39.  $\int_0^t u e^{-3u} \cos^2 2u du$  [Ans:  $\frac{1}{2s(s+3)^2} + \frac{s^2+6s-7}{2s(s^2+6s+25)^2}$ ]

40.  $\int_0^t \frac{1 - e^{-au}}{u} du$  [Ans:  $\frac{1}{s} \log \left( \frac{s-a}{s} \right)$ ]

41.  $t^{-1} \int_0^t e^{-u} \sin u du$  [Ans:  $\frac{1}{4} \log \left( \frac{s^2+2s+2}{s^2} \right) - \frac{1}{2} \cot^{-1}(s+1)$ ]

42.  $e^{-4t} \int_0^t u \sin 3u du$  [Ans:  $\frac{6}{(s^2+8s+25)^2}$ ]

43.  $\cosh t \int_0^t e^u \cosh u du$  [Ans:  $\frac{1}{2} \left[ \frac{s-2}{(s-1)^2(s-3)} + \frac{s}{(s+1)^2(s-1)} \right]$ ]

44.  $\int_0^t u e^{-3u} \sin^2 u du$  [Ans:  $\frac{1}{2s} \left[ \frac{1}{(s+3)^2} + \frac{s^2+6s+5}{(s^2+6s+13)^2} \right]$ ]

45.  $\frac{1}{t}(\cos at - \cos bt)$  [Ans:  $\frac{1}{2} \log \left( \frac{s^2+b^2}{s^2+a^2} \right)$ ]

46. Find  $L\{\cosh 2t \cdot \text{erf} 3\sqrt{t}\}$  if  $L\{\text{erf} \sqrt{t}\} = \frac{1}{s\sqrt{s+1}}$  [Ans:

$$\frac{1}{2} \left[ \frac{3}{(s+2)\sqrt{s+7}} + \frac{3}{(s-2)\sqrt{s+11}} \right]$$

47. If  $L\left(2\sqrt{\frac{t}{\pi}}\right) = \frac{1}{s^{3/2}}$ , show that  $L\left(\frac{1}{\sqrt{\pi t}}\right) = \frac{1}{\sqrt{s}}$

48. A function  $f(t)$  obeys the equation  $f(t) + 2 \int_0^t f(t) dt = \cosh 2t$  find the Laplace transform of  $f(t)$  [Ans:  $\frac{s^2}{(s^2 - 4)(s + 2)}$ ]

## II. EVALUATE THE FOLLOWING INTEGRALS USING LAPLACE TRANSFORM:

49.  $\int_0^{\infty} e^{-2t} \sin^3 t dt$  [Ans: 6/65]

50. If  $\int_0^{\infty} e^{-2t} \sin(t + \alpha) \cos(t - \alpha) dt = 3/8$  then find  $\alpha$ . [Ans:  $\pi/4$ ]

51.  $\int_0^{\infty} e^{-3t} t \sin t dt$  [Ans: 3/50]

52. If  $L[J_0(t)] = \frac{1}{\sqrt{s^2 + 1}}$ , prove that  $\int_0^{\infty} e^{-3t} t J_0(4t) dt = 3/125$

53.  $\int_0^{\infty} \frac{t^2 \sin 3t}{e^{2t}} dt$  [Ans: 18/2197]

54.  $\int_0^{\infty} \frac{\cos at - \cos bt}{t} dt$  [Ans:  $\log \frac{b}{a}$ ]

55.  $\int_0^{\infty} e^{-st} \frac{\sin^2(at/2)}{t} dt$  [Ans:  $\frac{1}{2} \log \left( \frac{s^2 + a^2}{s^2} \right)$ ]

56. Prove that  $\int_0^{\infty} e^{-st} \frac{\sin t \sinh t}{t} dt = \frac{1}{2} \tan^{-1} \left( \frac{2a}{1 + s^2 - a^2} \right)$

57.  $\int_0^{\infty} \frac{e^{-t} - \cos t}{t e^{4t}} dt$  [Ans:  $\log \frac{\sqrt{17}}{5}$ ]

58. Prove that  $\int_0^{\infty} \frac{\sin 2t + \sin 3t}{t e^t} dt = \frac{3\pi}{4}$

59.  $\int_0^{\infty} e^{-2t} \sinh t \frac{\sin t}{t} dt$  [Ans:  $\frac{1}{2} \tan^{-1} \frac{1}{2}$ ]

60.  $\int_0^{\infty} e^{-t} \left( \int_0^t u^2 \sinh u \cosh u du \right) dt$  [Ans:  $-\frac{2}{125}$ ]

61.  $\int_0^{\infty} e^{-4t} \left( \cosh t \int_0^t e^u \cosh u du \right) dt$  [Ans: 31/225]

62. Prove that  $\int_0^{\infty} e^{-st} \frac{\sin bt + \sin at}{t} dt = \pi - \tan^{-1} \left( \frac{s(a+b)}{ab - s^2} \right)$

$$63. \int_0^{\infty} e^{-t} \sin^5 t \, dt \quad [\text{Ans: } \frac{3}{8}]$$

$$64. \int_0^{\infty} \frac{\cos 4t - \cos 3t}{t} dt \quad [\text{Ans: } \log \frac{3}{4}]$$

$$65. \int_0^{\infty} e^{-t} t^3 \sin t \, dt \quad [\text{Ans: } 0]$$

$$66. \int_{t=0}^{\infty} \int_{u=0}^t \frac{e^{-t} \sin u}{u} du \, dt \quad [\text{Ans: } \frac{\pi}{4s}]$$

## INVERSE LAPLACE TRANSFORM

Find the inverse laplace transform of following functions:

$$67. (a) \frac{4s+12}{s^2+8s+12} \quad [\text{Ans: } e^{-4t}(4 \cosh 2t - \sinh 2t)]$$

$$67. (b) \frac{s}{s^2+2s+2} \quad [\text{Ans: } e^{-t}(\cos t - \sin t)]$$

$$68. (a) \frac{s}{(2s+1)^2} \quad [\text{Ans: } e^{-1/2}(t-4)/16]$$

$$68. (b) \frac{s+1}{s^2-4} \quad [\text{Ans: } \frac{1}{4}(3e^{2t} + e^{-2t})]$$

$$69. \frac{s^2+2s-4}{(s^2+2s+5)(s^2+2s+2)} \quad [\text{Ans: } \frac{3}{2}e^{-t} \sin 2t - 2e^t \sin t]$$

$$70. \frac{s^2}{(s^2+a^2)(s^2+b^2)} \quad [\text{Ans: } \frac{1}{a^2-b^2}(a \sin at - b \sin bt)]$$

$$71. \frac{s}{(s^2+a^2)(s^2+b^2)} \quad [\text{Ans: } \frac{1}{b^2-a^2}(\cos at - \cos bt)]$$

$$72. \frac{5s^2+8s-1}{(s+3)(s^2+1)} \quad [\text{Ans: } 2e^{-3t} + 3 \cos t - \sin t]$$

$$73. \frac{2s}{s^4+4} \quad [\text{Ans: } \sin t \sinh t]$$

$$74. \frac{1}{s^3+1} \quad [\text{Ans: } \frac{1}{3}e^{-t} - \frac{e^{t/2}}{3} \cos\left(\frac{\sqrt{3}}{2}t\right) + \frac{e^{t/2}}{\sqrt{3}} \sin\left(\frac{\sqrt{3}}{2}t\right)]$$

$$75. \frac{1}{s^3(s-1)} \quad [\text{Ans: } 1-t+\frac{t^2}{2}-e^{-t}]$$

$$76. \frac{s}{(s+1)^2(s^2+1)} \quad [\text{Ans: } \frac{1}{2}[\sin t - te^{-t}]]$$

$$77. \frac{5s^2-15s-11}{(s+1)(s-2)^2} \quad [\text{Ans: } e^{-t} + 4e^{2t} - 7te^{2t}]$$

$$78. \frac{s+2}{s^2+6s+25}$$

$$79. \frac{s}{(s^2 + 1)(s^2 + 4)(s^2 + 9)}$$

$$[\text{Ans: } \frac{1}{24} \cos t - \frac{1}{15} \cos 2t + \frac{1}{40} \cos 3t]$$

$$80. \frac{s^2}{(s+1)^3}$$

$$[\text{Ans: } e^{-t}(1 - 2t + t^2)]$$

$$81. \frac{3s-2}{s^{5/2}} - \frac{7}{3s+2}$$

$$82. \log\left(\frac{s+a}{s+b}\right)$$

$$[\text{Ans: } -\frac{1}{t}(e^{-at} - e^{-bt})]$$

$$83. 2 \tanh^{-1} s$$

$$[\text{Ans: } \frac{2}{t} \sinh t]$$

$$84. \tan^{-1}\left(\frac{2}{s^2}\right)$$

$$[\text{Ans: } 2 \sin t \sinh t]$$

$$85. \tan^{-1}\left(\frac{s+a}{b}\right)$$

$$[\text{Ans: } -\frac{1}{t} e^{-at} \sin bt]$$

$$86. \log \sqrt{\frac{s^2+1}{s^2}}$$

$$[\text{Ans: } \frac{1}{t}(1 - \cos t)]$$

$$87. \cot^{-1}(s+1)$$

$$[\text{Ans: } \frac{1}{t} e^{-t} \sin t]$$

$$88. \log[s^2 + 4]$$

$$[\text{Ans: } -\frac{2}{t} \cos 2t]$$

**FIND THE INVERSE OF THE FOLLOWING USING CONVOLUTION THEOREM:**

$$89. \frac{s^2}{(s^2 + a^2)^2}$$

$$[\text{Ans: } \frac{1}{2a}[\sin at + at \cos at]]$$

$$90. \frac{s^2 + 2s + 3}{(s^2 + 2s + 5)(s^2 + 2s + 2)}$$

$$[\text{Ans: } \frac{e^{-t}}{3}(\sin 2t + \sin t)]$$

$$91. \frac{(s+2)^2}{(s^2 + 4s + 8)^2}$$

$$[\text{Ans: } \frac{e^{-2t}}{4}(2t \cos 2t + \sin 2t)]$$

$$92. \frac{1}{(s+3)(s^2 + 2s + 2)}$$

$$[\text{Ans: } \frac{1}{5}[e^{-t}(2 \sin t - \cos t) + e^{-3t}]]$$

$$93. \frac{1}{(s-2)^4(s+3)}$$

$$[\text{Ans: } \frac{e^{-3t}}{625} - e^{2t}\left[\frac{1}{625} - \frac{t}{125} + \frac{t^2}{50} - \frac{t^3}{30}\right]]$$

$$94. \frac{1}{s} \log\left(1 + \frac{1}{s^2}\right)$$

$$[\text{Ans: } \int_0^t -\frac{2}{u}(\cos u - 1) du]$$

$$95. \frac{s^2 + s}{(s^2 + 1)(s^2 + 2s + 2)}$$

$$[\text{Ans: } \frac{1}{10}[e^{-t}(2 \sin t - 6 \cos t) + (2 \sin t + 6 \cos t)]]$$

$$96. \frac{s}{s^4 + 8s^2 + 16}$$

$$[\text{Ans: } \frac{1}{4} t \sin 2t]$$

$$97. \text{ Find } \int_0^\infty \sin(tx^2) dx \text{ and hence find } \int_0^\infty \sin x^2 dx \quad [\text{Ans: } \frac{1}{2} \sqrt{\frac{\pi}{2}}]$$

$$98. \text{ Find } \int_0^\infty \cos(tx^2) dx \text{ and hence find } \int_0^\infty \cos x^2 dx$$

$$99. \text{ Find } \int_0^\infty \cos(tx^2) dx \text{ and hence find } \int_0^\infty \cos x^2 dx$$

100. Find  $\int_0^\infty e^{-tx^2} dx$

101. Using Convolution theorem prove that  $L^{-1}\left[\frac{1}{s} \log\left(\frac{s+1}{s+2}\right)\right] = \int_0^t \frac{e^{-2u} - e^{-u}}{u} du$

102. Using Convolution theorem prove that

$$L^{-1}\left[\frac{1}{s} \log\left(a + \frac{b}{s^2}\right)\right] = \int_0^t \frac{2}{u} \left[1 - \cos\left(\frac{b}{a}u\right)\right] du$$

**Find the laplace transform of periodic function:**

103.  $f(t) = K \frac{t}{T}$  for  $0 < t < T$  and  $f(t) = f(t+T)$  [Ans:  $K \left[ \frac{1}{Ts^2} - \frac{e^{-st}}{s(1-e^{-st})} \right]$ ]

104.  $f(t) = 1$ , for  $0 \leq t < a$  and  $f(t) = -1$ ,  $a < t < 2a$  and  $f(t)$  is periodic with period  $2a$ .  
[Ans:  $\frac{1}{s} \tanh\left(\frac{as}{2}\right)$ ]

105.  $f(t) = |\sin pt|$ ,  $t \geq 0$  [Ans:  $\frac{p}{s^2 + p^2} \cdot \coth\left(\frac{\pi s}{2p}\right)$ ]

106.  $f(t) = t$ , for  $0 < t < 1$  and  $f(t) = 0$ ,  $1 < t < 2$  and  $f(t+2) = f(t)$  for  $t > 0$   
[Ans:  $\frac{1}{s^2(1-e^{-2s})} (1 - e^{-s} - se^{-s})$ ]

107.  $f(t) = \frac{t}{a}$ ,  $0 < t \leq a$ ;  $f(t) = \frac{1}{a}(2a-t)$ ,  $a < t < 2a$  and  $f(t) = f(t+2a)$   
[Ans:  $\frac{1}{as^2} \tanh\left(\frac{as}{2}\right)$ ]

**HEAVISIDE'S UNIT-STEP FUNCTION FIND THE LAPLACE TRANSFORM OF FOLLOWING FUNCTIONS:**

108.  $t^2 H(t-3)$  [Ans:  $e^{-3s} \left[ \frac{9}{s} + \frac{6}{s^2} + \frac{2}{s^3} \right]$ ]

109.  $\sin t \cdot H\left(t - \frac{\pi}{2}\right) - H\left(t - \frac{3\pi}{2}\right)$  [Ans:  $e^{-\pi/2} \cdot \frac{s}{s^2+1} - e^{-3\pi/2} \cdot \frac{1}{s}$ ]

110.  $(1+2t-3t^2+4t^3)H(t-2)$  [Ans:  $e^{-2s} \left[ \frac{25}{s} + \frac{38}{s^2} + \frac{42}{s^3} + \frac{24}{s^4} \right]$ ]

111. Express following function as Heaviside Unit Step function and find its Laplace transform

$$f(t) = \begin{cases} \cos t, & 0 < t < \frac{\pi}{2} \\ \sin t, & t > \frac{\pi}{2} \end{cases}$$

112. Express following function as Heaviside Unit Step function and find its Laplace

transform  $f(t) = \begin{cases} t^2, & 0 < t < 4 \\ 4t, & t \geq 4 \end{cases}$

113. Using Laplace transform evaluate

$$\int_0^\infty e^{-t} (1+2t-3t^2+4t^3) H(t-2) dt \quad [\text{Ans: } \frac{e^{-2}}{129}]$$

**FIND THE INVERSE LAPLACE TRANSFORM OF THE FOLLOWING:**

$$114. \frac{e^{-as}}{(s+b)^{5/2}}$$

$$[\text{Ans: } \frac{4}{3\sqrt{\pi}} \cdot e^{b(t-a)} \cdot (t-a)^{3/2} \cdot H(t-a)]$$

$$115. \frac{(s+1)e^{-s}}{s^2+s+1}$$

$$[\text{Ans: } e^{-t/2} \left[ \cos(\sqrt{3}(t-1)/2) + \frac{1}{\sqrt{3}} \sin(\sqrt{3}(t-1)/2) \right] \cdot H(t-1)]$$

$$116. \frac{e^{-\pi s}}{s^2-2s+2}$$

$$[\text{Ans: } e^{(t-\pi)} \cdot \sin(t-\pi) \cdot H(t-\pi)]$$

$$117. e^{-s} \left( \frac{1-\sqrt{s}}{s^2} \right)^2$$

$$[\text{Ans: } \left[ \frac{(t-1)^3}{6} - \frac{16}{15\sqrt{\pi}} (t-1)^{5/2} + \frac{(t-1)^2}{2} \right] \cdot H(t-1)]$$

**USING LAPLACE TRANSFORM SOLVE THE FOLLOWING DIFFERENTIAL EQUATIONS WITH THE GIVEN CONDITION:**

$$118. (D^2 - 4)y = 3e^t, \quad y(0) = 0, y'(0) = 3$$

$$[\text{Ans: } y = -e^t + \frac{3}{2}e^{2t} - \frac{1}{2}e^{-2t}]$$

$$119. (D^2 + D)y = t^2 + 2t, \quad y(0) = 4, y'(0) = -2$$

$$[\text{Ans: } y = 2 + 2e^{-t} + \frac{t^3}{3}]$$

$$120. (D^2 + 2D + 1)y = 3te^{-t}, \quad y(0) = 4, y'(0) = -2$$

$$[\text{Ans: } y = e^{-t} \left( 4 + 6t + \frac{t^3}{2} \right)]$$

$$121. (D^2 - 2D - 8)y = 4, \quad y(0) = 0, y'(0) = 1$$

$$[\text{Ans: } y = -\frac{1}{2} + \frac{1}{6}e^{-2t} + \frac{1}{3}e^{4t}]$$

$$122. \frac{d^2 y}{dt^2} + 4y = H(t-2) \text{ with conditions } y(0) = 0, y'(0) = 1$$

$$[\text{Ans: } y = \frac{1}{2} \sin 2t + \frac{1}{4}H(t-2) - \frac{1}{4} \cos 2(t-2) H(t-2)]$$

$$123. \frac{dy}{dt} + 2y + \int_0^t y dt = \sin t, \text{ given that } y(0) = 1$$

$$[\text{Ans: } y = e^{-t} - \frac{3}{2}te^{-t} + \frac{1}{2}\sin t]$$

$$124. \frac{d^2 y}{dt^2} + 9y = 18t \text{ with conditions } y(0) = 0, y(\pi/2) = 0$$

$$[\text{Ans: } y = 2t + \pi \sin 3t]$$

$$125. \frac{d^2 y}{dx^2} + 2\frac{dy}{dx} - 3y = 0, \text{ where } y(0) = 0, y'(0) = 4$$

$$[\text{Ans: } e^x - e^{-3x}]$$

$$126. \frac{d^2 y}{dt^2} + 4y = f(t) \text{ with conditions } y(0) = 0, y'(0) = 1 \text{ and } f(t) = 1, \text{ when } 0 < t < 1$$

$$= 0, \text{ when } t > 1$$

$$[\text{Ans: } y = \frac{1}{2} \sin 2t + \frac{1}{4}(1 - \cos 2t) - \frac{1}{4}\{1 - \cos(t-1)\} H(t-1)]$$