


Feature Activation Process







Integrated Security Cameras ENVIRONMENT Feature Boundary Diagram FNV3 Rain / Snow /Dirt Profile 8 Non-EMI Wind 5 Ambient Light Ambient / contamination Threatening Electromagnetic Conditions Temperature Temperature 2024 P702 MCA Application (Cameras, Radars, objects Interference 6 Intruder (Person / Vehicle) 360 Camerá Views PD Coax ncludes (ideo, lower, and 2C contro -(FPD Coax)---360 SURROUND LEFT ECG 360 SURROUND FRONT 360 SURROUND REAR —(FPD Coax)— SYNC 4.0 ADAS / DAT 2.2+ –(ETHERNET)--(ETHERNET)-MDV App **VPSM** –(CAN)– i Camera Service | Sentinel Buffer /. **(15)** BCM Processing **WAKE UP** WAKE UP **WAKE UP** CSM All Ajar **BATTERY** Ultrasonic Sensor(s) Status (17) Inclination Sensor(s) Input **CUSTOMER** 34 (11) **CVFMA Ford Pass** Tower **Ford Pass** Cell (Sentinel App) ——HMI—— SSP Tower (Sentinel App) Notifications Output Request Video Retrieve Video (Video Streaming CUSTOMER Vehicle Phone Display (Video Streaming Foundation **Profile** Foundation Services) Services) Consent APCA & CCS Cloud Video Signal (Video Streaming Camera Cell Foundation Streams Tower **LEGEND** Tower (25) Services) CAMERA LINK Push Rest API Notification ETHERNET Canopy Cloud < Power (Video Streaming Foundation Wireless Services) Physical –(CAN – FD1)— Tower (ETHERNET)

