

NGW LAB Reviewer Smoke-Test Checklist

Printable workflow validation template for Review Ops, Failure Triage, Case Replay, Workbench handoff, and Distillation Review

Use: One full reviewer pass, about 20 minutes. **Goal:** confirm the reviewer can move through the live LAB workflow without dead ends, broken states, or misleading data presentation.

0. Precondition Setup Pass

Step 0A — Confirm access

- Dev mode works or a valid JWT is active.
- User can access LAB routes without 401/403.
- Backend and frontend are both running.

Step 0B — Pick target rows for the test

Needed row type	Goal	Found?	Identifier
1 overconfident triage row with analysis_id	Test Triage -> Replay	[]	_____
1 underconfident triage row with analysis_id	Test second triage path	[]	_____
1 replay row with image still available	Test image preview + handoff	[]	_____
1 pre-3A or incomplete replay row	Test missing-data honesty	[]	_____
1 distillation review row in pending_review	Test review save/update	[]	_____

If a row type is unavailable, note it and skip the dependent step later.

Step 0C — Confirm baseline data conditions

- At least 1 analysis run exists in analysis_results.
- At least 1 triage row has Replay enabled.
- At least 1 replay row can load image preview, if available.
- At least 1 distillation review row exists.
- Reviewer understands some counts and truth-like fields are proxies or synthetic.

Step 0D — Record environment

REVIEWER:	_____	DATE:	_____
ENVIRONMENT: [] Dev mode [] Authenticated (email: _____)			
APP URL:	_____	BACKEND URL:	_____

1. Smoke-Test Goal

Confirm that a reviewer can move through the full internal LAB workflow — from queue overview to triage to replay to Workbench to distillation review decision — without getting lost, encountering broken states, or being misled by data presentation.

2. Preconditions

Requirement	How to check
Dev mode or valid JWT with email in NGW_DEV_EMAILS	Can access any /lab/ route without 401/403
At least 1 analysis run after 2026-04-02 (post-3A)	Row exists in analysis_results table
At least 1 triage row with analysis_id present	Overconfident or Underconfident tab has Replay enabled
At least 1 replay row with image file still on disk	Image preview loads, not unavailable
At least 1 pre-3A or missing-image row if possible	Tests honest empty/unavailable states
At least 1 distillation review row in pending_review	LAB -> System -> Control Center -> Distillation shows pending rows
Backend running, frontend built and served	App loads at expected URL

If any precondition is missing, note it and skip dependent steps.

3. Step-by-Step Smoke Test

A. Review Ops Dashboard

Step 1 — Navigate to LAB -> Intel -> Learning Ops -> Review Ops tab. Verify title, subtitle, and 6 queue cards render.

Step 2 — Inspect card counts. Each card should show a number or —; non-zero counts are colored; zero counts are dim; fetch failures are explicit.

Step 3 — Click View panel on any non-zero card. Navigation should land on the correct target panel with no crash or blank screen.

Step 4 — Check the Priority Table. Non-zero queues should appear first and sort descending by count; each Go button routes correctly.

Step 5 — Click Refresh. Counts should reload without full page refresh or layout duplication.

B. Failure Triage Panel

Step 6 — Navigate to Learning Ops -> Triage. Confirm Overconfident Misses and Underconfident Hits tabs render with count badges or honest zero states.

Step 7 — On Overconfident Misses, confirm threshold label reads `vlm_confidence >= 0.65` and rows are interpretable; empty state must be honest if no rows.

Step 8 — Switch to Underconfident Hits. Confirm threshold label reads `vlm_confidence < 0.45` and footer note clarifies CV-resolved is not human ground truth.

Step 9 — Click Queue for Review on any row. Button should show loading then queued state. This creates a draft gold-set entry only - never approval.

Step 10 — Click Dismiss on any row. Row should disappear from the current list; reviewer understands this is frontend-only in v1.

Step 11 — Click Replay on a row with enabled Replay. Panel should switch to Case Replay. Disabled Replay must explain why.

C. Case Replay

Step 12 — In Case Replay, verify Back button, analysis_id, timestamp, version, and image path are visible.

Step 13 — Check image preview. If available, preview renders. If unavailable, honest unavailable state appears and no broken image UI is shown.

Step 14 — Verify Prediction Summary, Pattern Candidates, VLM section, Signal Quality, Feedback & Corrections, and Data Quality Footer either render or show honest empty states.

Step 15 — For a pre-3A row, verify the warning notice appears and no fake replay completeness is shown.

Step 16 — Click Back. The panel should return to Triage and preserve the previous triage state.

D. Workbench Handoff

Step 17 — Open a replay row with image preview.

Step 18 — Click Open in Workbench. Workbench should open with the image preloaded or fetched and ready for re-analysis.

Step 19 — If handoff is unavailable, the reason must be explained honestly with no silent failure.

E. Distillation Review Workflow

Step 20 — Navigate to LAB -> System -> Control Center -> Distillation. Review list should load with source facts and status information.

Step 21 — Open a pending_review row. Detail panel should show frozen source facts and editable review controls.

Step 22 — Change status to approved_candidate. Status should update visually while source facts remain unchanged.

Step 23 — Enter rationale text.

Step 24 — Click Save Decision. Loading state and success message should appear; row status updates; source facts remain frozen.

Step 25 — Change status to rejected and save again. Save succeeds and row updates correctly.

Step 26 — Try invalid or incomplete save if possible. Validation should block it and no silent failure should occur.

F. End-to-End Flow

Step 27 — Complete the full path: Review Ops -> Triage -> Replay -> Open in Workbench -> Distillation review -> Save a human review decision. Entire flow should complete without dead ends or implied automatic model changes.

4. Pass / Fail Criteria

#	Criterion	Pass	Fail
1	Review Ops renders 6 cards with counts or honest counts	Counts or — with clear hint	Blank panel, infinite spinner, NaN
2	Triage tabs load rows matching criteria	Rows or honest empty state	Wrong thresholds, empty despite matching data
3	Queue for Review creates draft, not approval	Draft behavior only	Any implication of auto-approval
4	Replay opens and shows metadata	Header + summary visible	Crash, blank panel, wrong case
5	Image preview loads or unavailable state is honest	Photo or honest unavailable state	Broken image or nothing shown
6	Pre-3A rows show limitation honestly	Warning + partial data	Fake completeness
7	Open in Workbench preloads image	Image arrives in Workbench	Button does nothing / broken state
8	Distillation review save works	Status persists, success visible	Silent failure or row not updated
9	Source facts remain frozen	Same before/after save	Source facts mutate
10	Full flow completes	No dead ends	Navigation trap / broken step

5. Known Limitations to Watch For

Limitation	Expected behavior	Do not file as bug
Pre-3A analyses have no replay blob	Warning shown, partial data only	Missing replay payload on old rows
Some rows have no image on disk	Honest unavailable state	No preview for missing file
Dismiss is frontend-only	Row returns after refresh	Reappearing row after reload
resolved_value is CV-resolved, not human	Explicit note shown	CV disagreement with human belief
session_signals.outcome is synthetic	Should not be overstated	Calibration weirdness by itself
Token in image URL	Internal/dev acceptable	Token visible in dev tools
Review Ops counts include proxies	Honest labels shown	Proxy count differing from ideal ops truth
Lazy tab mounting	Brief loading is normal	First-load spinner

6. What to Log During the Test

Category	What to note
[BROKEN NAV]	Wrong destination, dead end, no way back
[MISLEADING LABEL]	Text implies truth, approval, or automation incorrectly
[MISSING IMAGE]	Image preview fails; note analysis_id
[STALE COUNT]	Review Ops count does not match visible downstream state
[SAVE FAILURE]	Save fails, errors, or silently drops
[DATA HONESTY]	Synthetic, proxy, or CV-resolved field presented too strongly
[WORKFLOW FRICTION]	Confusing step, too many clicks, unclear next action
[EMPTY STATE]	Empty state unclear or unhelpful
[DROPDOWN MISMATCH]	Status/reason controls inconsistent with allowed values

Category	What to note
[LAYOUT ISSUE]	Overlap, unreadable text, viewport issue

7. Final Judgment Template

REVIEWER: _____ **DATE:** _____ **ENVIRONMENT:** ☐ Dev mode ☐ Authenticated
(email: _____)

STEPS COMPLETED: ____ / 27

STEPS SKIPPED: ____ (reason: _____)

PASS / FAIL SUMMARY

Review Ops Dashboard: ☐ PASS ☐ FAIL ☐ PARTIAL

Failure Triage: ☐ PASS ☐ FAIL ☐ PARTIAL

Case Replay: ☐ PASS ☐ FAIL ☐ PARTIAL

Image Preview: ☐ PASS ☐ FAIL ☐ PARTIAL ☐ N/A

Workbench Handoff: ☐ PASS ☐ FAIL ☐ PARTIAL ☐ N/A

Distillation Review: ☐ PASS ☐ FAIL ☐ PARTIAL

End-to-End Flow: ☐ PASS ☐ FAIL ☐ PARTIAL

ISSUES LOGGED: ____

CRITICAL ISSUES: ____

OVERALL JUDGMENT

☐ WORKFLOW_OPERATIONALLY_USABLE

☐ WORKFLOW_USABLE_WITH_KNOWN_ISSUES

☐ WORKFLOW_NOT_USABLE - blocking issues: _____

NOTES:

