

CTA inventory

Every button style shipping in the host shell, what each one is for, and which differences are a decision rather than a drift. Measured from `HostShellV2.jsx` and `styles.css` — specimens below render the real tokens, read live from the running app.

424

buttons with a class

68

distinct signatures

7

real families

1

phantom class

2

findings re-verified

WHAT THE AUDIT FOUND

DEFECT · CONFIRMED BY GREP

VERIFIED 08-01

`cta stay` — three buttons wearing a class that does not exist

Three buttons ship `className="cta stay"`. There is **no** `.stay` rule anywhere in the **stylesheet** — zero selectors match it. They render as a plain primary `.cta`, so whatever "stay" was meant to signal is invisible. This is the same failure the stylesheet already documents from the 2026-07-11 typography audit, when `cta big` was used for the three biggest moments in the app with no matching rule. That one was caught and fixed. This one wasn't.

```
$ grep -n 'cta stay' HostShellV2.jsx
```

```
4343: <button className="cta stay" onClick={() => {
4402: <button className="cta stay" onClick={...dietaryNoted...}>That's ev
5983: <button className="cta stay" style={{ flex:'0 0 auto', width:'a
```

```
$ grep -rn '\.stay' --include="*.css" .
```

(no matches)

note — `grep -c 'stay' styles.css` returns 42, but every hit is

the substring **stays/stay** in
lodging classes and comments. No selector.

Extra signal: line 5983 already overrides its own class with five inline styles — `width:auto`, `whiteSpace:nowrap`, `minHeight:0`, custom padding and font-size. A button fighting its class that hard is a button whose class was never doing work.

CONFIRMED — AND UNDERSTATED

UPGRADED 08-01

.confrow is only styled inside the elegant hero — *and so is its parent*

The original finding was that all nine `.confrow` rules are scoped under `.hero.elegant`. That holds. What it missed is that `.conf-fixes`, the wrapper these buttons live in, is **scoped the same way** — so this is not one class that could go bare, it is a **matched component pair** that exists only inside one hero.

```
$ grep -n 'conf-fixes\|confrow' styles.css
526: .hero.elegant .conf-fixes{ display:flex; flex-direction:column; ...
528: .hero.elegant .confrow{ display:flex; align-items:center; ... }
529-534, 3116-3117, 3146 - all .hero.elegant-scoped

$ grep -cE '^s*\.'confrow' styles.css
0 ← no unscoped base rule exists
```

Count correction: the class is on **4 elements**, not 3 — three `<button>` (4229, 6256, 6265) plus a `<div className="confrow confrow-open">` at 6267. A fifth hit at 4199 is a comment. The original counted buttons only.

Still open, and it needs a live drive: whether those four currently render bare. The hero `className` is composed at runtime from `elegantMode` (83 references), so static grep cannot answer it — and the hero has multiple render branches, which is exactly the case where reading code instead of driving the surface has been wrong before. *If any of the four render unstyled today, this jumps ahead of the `stay` fix.*

NOT A DEFECT · CHECKED

.frow, **.line** and **.fstat** are fine

All three first looked like compound-only classes with no base rule. They are not: `.frow` has 15 rules including a bare selector, `.line` 7, `.fstat` 2. Recorded because the near-miss is the point — a regex that treats `.frow.dragging` as a base rule will report a clean sheet on a broken one, and the same shortcut is what would hide a real `.stay`.

WHAT TO DO ABOUT IT

1 Delete the `stay` token — do not define it

TODAY · ZERO VISUAL RISK

Both paths close the defect, but they differ in risk. **Defining** `.cta.stay` changes the appearance of three live buttons and needs a design decision. **Deleting** the token changes nothing visually and removes the phantom.

If "stay" meant *this button does not navigate*, that concept already exists in doctrine — and `.cta` already carries no chevron, so the class was adding no signal. Re-introduce the tier deliberately later if it earns one; do not ratify it by accident.

2 Drive the four `.confrow` sites, then rename to declare the scope

AFTER A LIVE CHECK · ORDER DEPENDS ON WHAT IT SHOWS

Do not promote them to a global rule — the scoping looks intentional. Make the *name* tell the truth instead: `.hero-confrow` / `.hero-conf-fixes`. Then the next person reaching for "a confirm row" gets an obvious miss rather than a browser-default button.

Drive first. If any of the four already render bare, this is a live defect and it outranks item 1.

3 Gate it — this is the second occurrence, not the first

THE ONE THAT ACTUALLY MATTERS

`cta big` shipped with no matching rule in July, was caught and fixed. `cta stay` shipped the same way after. **Twice is systemic**. A hand audit found this one; a hand audit will miss the third.

The fix is small: extract every `className` token from the JSX, assert each has at least one matching selector in `styles.css`, fail the build otherwise. It would have caught both, and it converts a recurring manual sweep into something that cannot rot — the same shape as the gates already protecting CTA naming and checklist inference.

Two implementation notes drawn from this pass: the checker must treat `.frow.dragging` as *not* a base rule for `.frow`, or it reports clean sheets on broken ones; and it must resolve composed `classNames`, since `hero elegant` never appears as a literal string in the JSX.

THE SET WE KEEP

Eight families survive the cleanup. Nothing new is being added — one phantom is deleted and one class is renamed to say where it lives. This is the whole vocabulary; if a new button does not fit a row below, that is a design question, not a licence to invent a ninth.

Start the plan

`.cta.big`

The one irreversible moment on a screen.

Add a rain backup	.cta 42
	The primary act of a card or sheet. One per view.
Do it for me	.cta.soft 7
	A real alternative to the primary — present, not competing.
Not now	.cta.ghost 3
	Declining, deferring, backing out.
Copy the shopping list	.mini 235
	Every in-row and in-list action. The default — promote to <code>.cta</code> only when the action is the point of the screen.
Move it indoors	.chip 59
	A choice among options. Toggleable, never irreversible.
Calls to make 5 open	.pill.p-ok / .p-warn / .p-risk / .p-steel 14 · 4 tiers
	Readiness state you can tap into. The only place semantic colour is allowed — and <code>.p-steel</code> must carry "unknown".
Your money >	.later-row · .fold-btn · .navrow · .path-row 49
	Full-width navigation. Chevron only when the tap actually routes.
Move it indoors →	.hero-confrow RENAMED 4 · hero-only
	A tappable fix inside the elegant hero's decision list — the row is the answer. Renamed so the scope is in the name.

Deleted · `.cta.stay` — 3 sites, 0 rules, 0 pixels of change

Renamed · `.confrow` → `.hero-confrow` (and `.conf-fixes` → `.hero-conf-fixes`)

Unchanged · 8 families

EVERY STYLE, ONCE

Nine styles ship. Each appears below exactly once, with the job it is for. Counts re-measured 2026-08-01 — see the note at the foot of this section, because two methods disagree.

	.cta.big 2 uses
--	------------------------

Start the plan

For: the single irreversible moment on a screen — start, assemble, open the plan. If a screen has two of these, one is not irreversible.

size 17px / 700
pad 14px 26px
radius 14px
fill steel gradient

Add a rain backup

.cta

42 uses

For: the primary act of a card or sheet. One per view — if two compete, one of them is a **.mini**.

size 15px / 700
height min 46px (tap floor)
radius 14px
fill steel gradient

Do it for me

.cta.soft

7 uses

For: a real alternative to the primary — same shape and weight, tinted fill so it is present without competing. Use when both paths are legitimate.

fill steel tint
hover none — only the primary may lift
radius 14px

Not now

.cta.ghost

3 uses

For: declining, deferring or backing out. Outlined rather than filled, so refusing never looks like the recommended path.

fill transparent
border 1px carbon line
size 14px / 650

tune

.mini

235 uses

For: every in-row, in-list, secondary action. **This is the actual workhorse of the app** — not **.cta**. Reach for

Copy the shopping list

it by default and promote to `.cta` only when the action is the point of the screen.

size 13.5px / 700
pad 7px 12px
radius 8px — the only 8px in the CTA set
variants 227 bare · 6 `mini rowlink` · 2 `mini runagain`

Tent on standby

Move it indoors

`.chip`

59 uses

For: a *choice among options*, never an action. Selection is carried by `aria-pressed`, which fills it steel — so a chip must be genuinely toggleable. Never use one to trigger something irreversible.

size 14px / 650
radius 999px
rest card fill, 1px line
on steel fill, ink text
▲ `chips` (18 uses) is a *container*, not this

Guests 18 in

Calls to make 5 open

Rain plan needs you

Budget not set

`.pill + .p-ok / .p-warn / .p-risk / .p-steel` 14 uses · 4 tiers

For: readiness signals you can tap into. The colour is the message, so this is the one place semantic colour is allowed — and it must map to real state, never to emphasis.

`.p-steel` is the fourth tier and means *unknown / not set*. **Never green for unknown, never red for no-data** — it is the tier that keeps the other three honest.

size 13px / 750
radius 999px
fill semantic @ 16% alpha

The spread & shopping



`.later-row · .fold-btn · .navrow · .path-row` 18 + 8 + 6 + 3

For: full-width navigation to another surface. Borderless, hairline-separated, chevron *only* when the tap actually routes — an in-place expand earns none.

Your money >

```
size row type, ink-soft
rule 1px line-soft, top
hit full width, ~44px
split 31 later-row · 8 fold-btn · 7 navrow · 3 path-
row
```

Move it indoors →

.confrow

SCOPED

4 uses · hero-only

For: a tappable fix inside the elegant hero's decision list — one tap writes the change and returns a receipt. The row *is* the answer, so it carries no separate button.

Only exists inside `.hero.elegant`, and so does its wrapper `.conf-fixes`. Zero unscoped rules for either. Used anywhere else it renders as a browser-default button.

```
fill card, no border
radius --r-md
glyph → only when it routes
todo rename .hero-confrow
```

~~That's everyone — noted~~

~~.cta.stay~~

3 uses · deleting

For: *nothing*. No `.stay` rule exists in any stylesheet, so all three render as a plain `.cta`. Whatever it was meant to signal has never once been visible.

Replaced by: plain `.cta` — which is what it already looks like. Deleting the token is a zero-pixel change. If the intent was *this button does not navigate*, that is already carried by the absence of a chevron.

```
sites 4343 · 4402 · 5983
css rules 0
```

Note on the counts. Re-measured 2026-08-01 by literal `className` match. Several differ from the original pass — `.mini` 202→**235**, `.later-row` 18→**31**, `.chip` 55→**59** — and the two methods have not been reconciled. Treat these as **measured, not settled**. Two traps found while counting, both worth keeping: a prefix match on `className="chip` also catches `chips`, an unrelated *container* class (18 uses), which is how 59 becomes a wrong 77; and a single-line `<button...className>` regex undercounts this file badly, because most button tags span several lines — which is why no total is asserted here.

The set is not incoherent because it has nine styles. It is incoherent because **six different weights, three radii and two fills are doing no semantic work** — and because the primary button is the most dated object in the app. Below: what is actually wrong, measured, then the proposal.

THE WORST OFFENDER

The gradient

`linear-gradient(180deg,#4E6877 0%,#3F5B6A 100%)` — a vertical light-to-dark fill on the primary action. **Not one leader read this session uses a gradient on a primary CTA.** Airbnb's *Reserve* is flat. Booking.com's *Reserve* is flat. HotelTonight's *CONTINUE* is flat. Luma, Partiful, Linear, Blink — flat, all of them. A 180° gradient is the single clearest tell that a button was styled in 2013, and it directly contradicts UX_01's own rule that surfaces are differentiated by *colour step, not decoration*.

INVERTED

The status chip is bolder than the primary action

`.pill` is **750**. `.cta` is **700**. A thing that *reports* outweighs the thing that *acts*. Across the set there are six weights — 650, 700, 750 — for seven styles, and none of the differences carries meaning.

BACKWARDS ON THE AXIS THAT MATTERS

The 46px tap floor is on the rare button, not the common one

`.cta` — 42 uses — has `min-height:46px`. `.mini` — **235 uses, the button a host actually taps all day** — has no minimum at all, at 13.5px with 7px padding. The floor is protecting the button that needed it least.

COLLISION

Two pairs that look identical and mean opposite things

`.cta.soft` and `.mini` are **the same fill** (`steel-tint`) at different sizes — one is "the second path", the other is "a row action", and nothing distinguishes them. Separately, `.chip` and `.pill` are **both 999px** — one means *you choose*, the other means *the system reports*. Same shape, opposite direction of authority.

MISSING, AND EVERY LEADER HAS IT


No full-width committing primary, and no consequence in the label

Airbnb, Booking.com, HotelTonight and Luma all pin a **full-width** primary to the bottom of the deciding screen. HotelTonight goes further and puts the number in it — `CONTINUE | $264`.


Ours is an inline pill with a sentence on it ("*Add a rain backup*") where leaders use a short verb. The commit moment is the one place a button should stop being modest.

The proposal, rendered

NOW




PROPOSED




Primary. Flat `--steel`, no gradient. Radius 14 → **10**. Full-width. 15 → **16px**, weight held at 700, height 46 → **48**. It now reads as a commit, not a chiclet.

NOW — INLINE, MODEST



PROPOSED — THE CONSEQUENCE IS IN IT




The commit moment. HotelTonight's move. The button states what it is about to do *and* the number it is doing it with, so the confirmation is not a separate line the host has to correlate. Reserve this for the irreversible one — it replaces `.cta.big`.


NOW — SOFT VS MINI, IDENTICAL FILL



PROPOSED — ONE IS OUTLINED



Kill `.cta.soft`. Seven uses, same fill as `.mini`, sitting between primary and ghost with no job of its own. Three tiers of "not the primary" is two too many. Fold it into `.ghost` — outlined, full height. `.mini` keeps the tint, gains a **44px floor**, and moves 13.5 → **14px** at weight 600.



Separate them by fill, not shape. A chip you have not chosen is *outline only* — it is an empty slot awaiting a decision. A pill is *always* tinted, never outlined, because it is never empty: it is always reporting something. Pill weight 750 → **600**, so nothing outranks the primary.

TOKEN	NOW	PROPOSED	WHY
primary fill	180° gradient	flat —steel	No leader uses a gradient primary. Contradicts UX_01.
action radius	14 / 8	10 · one value	Radius encoding "scale" is a rationalisation. Size encodes scale.
value radius	999	999 · unchanged	Round = "this is a value". Correct already.
weights	650 · 700 · 750	600 · 700	700 for the primary only. 600 everything else.
tap floor	.cta 46, .mini none	.cta 48, .mini 44	Protect the button that is tapped 235 times, not 42.
.cta.soft	7 uses	deleted	Duplicate of .mini's fill with no distinct job.
.cta.big	2 uses	deleted	Replaced by the full-width primary with its consequence in the label.
chip rest state	card fill + line	outline only	An unchosen option should look empty.

Net: nine styles become six. `.cta` · `.mini` · `.ghost` · `.chip` · `.pill` · row family — plus `.hero-confrow` scoped to its hero. `.cta.stay`, `.cta.soft` and `.cta.big` all go.

What this costs, honestly. `.cta` is 42 sites and `.mini` is 235 – the radius and weight changes are a stylesheet edit, but **going full-width changes layout at every one of those 42**, and several sit in rows that assume an inline button. That is not a token change, it is a layout pass. **Do not ship this as one commit.** Sequence: flat fill + weights + radius first (pure CSS, no reflow), then the `.mini` tap floor, then full-width primary surface by surface. **Deleting `.cta.big` and `.cta.soft` needs a host ruling** – they are only redundant if you accept the full-width primary, and that is a taste call, not a measurement.

SIX TREATMENTS FOR THE PRIMARY

Each one is a move a leader is actually shipping, rebuilt in our tokens. They are not alternatives to each other — **three are for the ordinary primary and three are for the commit moment**, and the split is the point.

Add a rain backup

1 · Flat

Booking · Luma

The baseline. One colour, no decoration. Boring on purpose — the label does the work.

Add a rain backup

2 · Sheen

on-system

A 1px light-catch across the top edge. Replaces the gradient with the *same* physics already shipping on tiles and sheets via `--sheen` — current, and ours already.

Do it for me


3 · Outlined peer

Partiful

For when two paths are genuinely equal. A 1.5px steel edge instead of a tinted fill — reads as a peer, not a demotion. Replaces `.cta.soft`.

The commit moment

Reserved for the irreversible act. Every one of these adds **friction or information proportional to consequence** — which is the actual pattern behind all of them.




Confirm the count

42 guests

4 • Consequence inside

HotelTonight

`CONTINUE` | `$264` is their move. The button states the act *and* the number it acts on, so nothing has to be correlated across the screen.



\$1,394


3 nights · free cancellation

Commit

5 • Context bar

Airbnb

The button shrinks; the facts around it grow. Airbnb's sticky bar — price, span and the escape hatch sit left, a short verb sits right.




>

Slide to send to 42 guests

6 • Slide to commit

Blink Drive

A gesture, not a tap. Blink uses it for clock-in and HotelTonight traces a logo to book. **Only for the truly one-way** — sending, paying, publishing.



✓ Marked — 42 guests, Bayside notified

Finish and send

7 • Declare, then commit

Blink Drive

`Mark As Complete` → optional note → `Finish Trip`. The first tap states what is about to happen and the second commits it. The read-back between them is where the host catches a mistake — and it is free provenance, because the declaration is already a record.

COLOUR – FIVE STEELS, ALL MEASURED

Staying inside the accent family, because UX_02 gives steel one job and adding a second interactive hue would cost that meaning. These are hue and depth nudges, not a new colour.

Contrast is computed against white text, not estimated.

Confirm #4E68775.88:1 CurrentAA	Confirm #3F5B6A7.20:1 DeepAAA	Confirm #4562736.47:1 CoolAA
Confirm #5271865.17:1 LiftedAA	Confirm #3A52618.20:1 GraphiteAAA	

Reading the numbers. All five clear AA for white text, so this is a taste call rather than an accessibility one – but the trade runs in a direction worth naming. **Darker steels score better on the button and worse against the page:** Graphite hits 8.20:1 for its label while dropping to 2.23:1 against the carbon field behind it, so the button itself starts to disappear. **Lifted** is the inverse – 3.53:1 against carbon, the most visible *object* on the page, and the weakest label at 5.17:1. **Current steel sits almost exactly in the middle**, which is an argument for leaving the hue alone and spending the change on **flat-versus-gradient** instead – that is where the dated look actually lives, not in the hue.

CHOOSING ONE

IF THE BUTTON...	USE	NOT
starts the whole thing, once	.cta.big	.cta
is the point of this card or sheet	.cta	.mini
is a real alternative to the primary	.cta.soft	a second .cta
declines, defers or backs out	.cta.ghost	.mini

IF THE BUTTON...	USE	NOT
acts on one row or list item	<code>.mini</code>	<code>.cta</code>
picks between options	<code>.chip</code>	<code>.mini</code>
reports state you can tap into	<code>.pill.p-*</code>	<code>.chip</code>
navigates to another surface	<code>.later-row</code> / <code>.navrow</code>	<code>.cta</code>

INTENTIONAL, OR DRIFT?

DIFFERENCE	VERDICT	WHY
<code>.mini</code> radius 8px vs <code>.cta</code> 14px	Intentional	Radius encodes scale. A row action should not look like a page action.
<code>.chip</code> / <code>.pill</code> radius 999px	Intentional	Fully round = "this is a value", not "this does something".
<code>.cta</code> min-height 46px, <code>.mini</code> none	Intentional	Fixed by the S1 audit: the tallest target should be the primary action.
<code>.cta.soft</code> has no hover lift	Intentional	Only the primary is allowed to move on hover.
One radius across the <code>.cta</code> family	Intentional	Result of the radius audit — was 11px, unified to <code>--r-row</code> .
<code>.cta.stay</code>	Drift — grep-confirmed	No rule exists in any stylesheet. Delete the token; do not define it.
<code>.confrow</code> + <code>.conf-fixes</code> scoped to <code>.hero.elegant</code>	Confirmed, wider than filed	Both classes are hero-only, with zero unscoped base rules. Rename to say so.
68 signatures for 7 families	Watch → gate it	Mostly legitimate state modifiers, but it is where

DIFFERENCE

VERDICT

WHY

the next phantom hides.

RULES WORTH KEEPING

- One `.cta` per view. A second primary means neither is primary.
- Default to `.mini`. It is already 48% of the app's buttons, and promoting is easier than demoting.
- Colour only on `.pill`, and only for real state. Semantic colour used for emphasis is how "green" stops meaning anything.
- A chevron means it routes. An in-place settle earns none.
- A variant class must have a rule. Add the CSS in the same change as the `className`, or the button silently becomes its base.
- If a class is scoped to one parent, put the parent in its name.

Measured 2026-08-01 from `hostv2/src/HostShellV2.jsx` (424 classed buttons) and `hostv2/src/styles.css`. Token values read from the running shell at `localhost:5199`. Specimens are the real CSS, not a redraw. Verification pass 2026-08-01 — both defects re-checked by grep against `demo/hostv2/src/` at HEAD; `.confrow` upgraded and its count corrected. Whether the four `.confrow` sites render bare today is **not** established and needs a live drive; nothing here asserts it either way.