

Odoo Integration

Connects **Odoo** with the Newo AI agent so callers and chat visitors can look up their account, check upcoming appointments, book or reschedule meetings, ask about orders, request a return, get a price quote, and open or check service requests — all without a human on the line.

Time to first success: ~15 minutes if you already have an Odoo instance and an admin user. ~30 minutes if you still need to create the Odoo account and pick a plan that allows external API access.

Before You Start

Make sure you have:

- an active **Odoo** account on the **Custom** pricing plan (for odoo.com SaaS) or any self-hosted Odoo (Community or Enterprise); the One App Free and Standard SaaS plans block the external API.
- **admin access** to the Odoo console — you'll need it to open the user list and generate an API key.
- a dedicated or existing Odoo **API user** with the rights to create calendar events, sales orders, and CRM leads. Every appointment, lead, and note created from the agent will be attributed to this user.
- access to the **Newo Builder** for your project, with permission to edit project settings and click **Publish All**.

What the AI can do

- **Identify the caller from their phone number.** The agent pulls the customer's profile from Odoo before doing anything else, so it can tailor every reply.
- **Check available time slots.** The agent reads the calendar and reads back open slots without checking the team's screen.
- **Book a meeting.** The agent confirms the slot, the purpose, and creates the calendar event in Odoo.
- **Reschedule a meeting.** The agent finds the existing meeting and moves it to a new time the customer accepts.
- **Cancel a meeting.** The agent finds the existing meeting and cancels it after explicit confirmation.
- **Check existing appointments.** The agent reads back upcoming appointments for the caller's profile.
- **Track an order, add a note, or process a return.** The agent looks up the customer's orders and acts on the one the customer points to.
- **Prepare a quote.** The agent captures product needs and generates a price quote from the catalog.
- **Open or check a service request.** The agent creates a CRM lead, reads back its status, updates it, or cancels it on request.

Features at a glance

Feature	Included
Caller identification by phone	✓
Availability lookup	✓
Booking creation	✓
Reschedule existing booking	✓
Cancel existing booking	✓

Order status / notes / returns	✓
Price quoting	✓
Service requests (CRM leads)	✓
Multi-database routing inside one Odoo instance	✗ (one database per Newo project)
Real-time order tracking events (webhooks)	✗ (the agent reads on demand)

Setup

A step-by-step walkthrough is below. Newo screenshots are referenced where applicable; place them under `documentation/integrations/odoo/screenshots/` .

1. Prepare your Odoo account

1a. Make sure your Odoo plan allows the external API

External API access on **odoo.com SaaS** requires the **Custom** pricing plan. The 15-day free trial includes API access; after the trial expires you must be on the Custom plan to keep the integration working. Self-hosted Odoo (Community or Enterprise) has no plan restriction.

1b. Note your instance URL and database name

- The **instance URL** is the address you log in to, e.g. `https://mycompany.odoo.com` .
- The **database name** is the subdomain on odoo.com SaaS (e.g. `mycompany`), or the name you typed when creating a self-hosted database.

How to verify: open your Odoo URL in a browser; you should land on the database picker or directly in the dashboard.

1c. Pick (or create) the user the agent will act as


The agent acts as a real Odoo user — every appointment, lead, and note created from the agent will be attributed to that user. Either pick an existing admin user or create a dedicated **API user** with the rights to create calendar events, sales orders, and CRM leads.

2. Get your Odoo credentials


The integration uses an Odoo **API key** (not a password). API keys are long-lived and can be revoked individually without changing the user's password.

Generate an API Key (only supported method)


1. Log in to your Odoo instance and open the **Settings** app from the apps grid.




2. On the **General Settings** page, in the **Users** section, click **Manage Users**.




3. From the user list, click the user the agent will act as.




4. Open the **Security** tab and click **Add API Key**.




5. Confirm your password in the **Access Control** dialog and click **Confirm Password**.



6. In the **New API Key** dialog, enter a description (e.g. `Newo`) and pick a duration. Click **Generate key**.



7. Copy the key from the **API Key Ready** dialog and click **Done!**. **Odoo shows the key only once** — store it securely before closing this dialog.



Important: if you lose the API key, generate a new one. Odoo cannot show an existing key again.

Note on duration. Odoo lets you set an expiry on the API key (1 month, 3 months, 1 year, or no expiry). Pick a duration that matches your security policy — when the key expires, the integration stops working until you generate a new one and paste it into Newo Builder.

3. Configure in Newo

1. Open the project in **Newo Builder** and find the **Odoo Settings** group of settings.

2. Paste your Odoo URL into **Base URL** (the full `https://mycompany.odoo.com` , no trailing slash).
3. Paste the API user's email into **Username**.
4. Paste the key from step 2 into **API Key**.
5. Click **Publish All**.

4. Hit Publish All

After **Publish All**, the integration takes care of the rest:

- Verifies your credentials by authenticating against your Odoo instance.
- Resolves the internal user ID and database name from your credentials.
- Registers the trigger phrases the agent will listen for.
- Publishes the canvas scenarios and intents (existing customizations are preserved).

How to verify:

-  The 8 intents listed in the *Scenarios* section appear in your canvas library.
-  The 8 scenarios listed in the *Scenarios* section appear in your canvas library.
-  A test chat that asks "can I book a meeting?" gets the agent to reply with the *"Let me pull up your account..."* trigger phrase.

If any of those checks fails, jump to *Common errors and recovery* below.

How to test that everything works

Before going live, run through this checklist on a demo contact in your Odoo account.

Test caller identification

1. Make sure a contact exists in Odoo with a phone number you can reproduce in a test session.
2. Start a test chat or call session.
3. Provide the same phone number.
4. The agent should reply with *"Let me pull up your account..."* and address the caller by name in the next reply.

Test availability and booking

1. Ask: *"Can I book a meeting for next week?"*.
2. Provide the phone number from the previous test when asked.
3. Pick a meeting purpose and rough time window.
4. The agent says *"Let me check what we have available for you..."* and reads back open slots from the API user's calendar.
5. Pick one slot.
6. The agent says *"I am booking your appointment now..."* and confirms.
7. Open Odoo → **Calendar** — a new event appears for the test contact at the chosen time, on the API user's calendar.

Test appointment lookup

1. Ask: *"Can you check my upcoming appointments?"*.
2. Provide the phone number from the previous test.
3. The agent says *"Let me check your appointment details..."* and reads back the meeting created in the previous test.

Test reschedule

1. Ask: *"Can you move that meeting to a different time?"*.

2. The agent says *"Let me check what we have available for you..."* and offers new slots.
3. Pick a new slot.
4. The agent says *"I am rescheduling your appointment now..."* and confirms.
5. Open Odoo → **Calendar** — the event time is now the new slot.

Test cancellation

1. Ask: *"Cancel my upcoming meeting"*.
2. Confirm explicitly when the agent reads back the meeting and asks "cancel that one?".
3. The agent says *"I am cancelling your booking now..."*.
4. Open Odoo → **Calendar** — the event is gone or marked as cancelled.

Test order inquiry and return (if you use Odoo Sales)

1. Make sure the test contact has at least one delivered order in Odoo.
2. Ask: *"I'd like to return one of my orders"*.
3. Provide the phone number.
4. The agent says *"Let me pull up your orders..."*, reads back the list, and asks which one.
5. Describe the order in everyday language ("the most recent one").
6. After explicit Yes confirmation, give a return reason.
7. The agent says *"Let me process that return for you..."* and confirms.
8. Open Odoo → **Sales** — a return is recorded against the order.

Test service request creation (if you use Odoo CRM)

1. Ask: *"I need help with something — can you log a request?"*.
2. Provide the phone number and a short request description.
3. The agent says *"Let me create a service request for you..."* and confirms.
4. Open Odoo → **CRM** — a new lead appears for the test contact with the request description.

Scenarios

The integration ships with 8 editable scenarios on the canvas. Operators can tweak them in Newo Builder; the agent picks up the changes on the next **Publish All**.

What gets added on Publish All

The first **Publish All** adds the following intents and scenarios to your project library:

Intent	Scenario
Schedule a Meeting	Schedule a Meeting via Odoo
Cancel a Meeting	Cancel a Meeting via Odoo
Reschedule a Meeting	Reschedule a Meeting via Odoo
Check Appointments	Check Existing Appointments
Order Inquiry	Order Inquiry & Returns
Quote Request	Quote Request
Service Request	Create a Service Request
Check Request Status	Check Service Request Status

These are a **reference implementation**. You can edit any of them in the canvas UI — change wording, add steps, translate, adjust the tone — and the agent will use your edited version on the next **Publish All**.

Updates do not overwrite your edits. Once you edit a scenario or intent in the canvas, future updates of this integration will **NOT** touch your edited copy. The trade-off: you also won't automatically receive the latest shipped defaults. If you want to pull in newer defaults later, delete your edited copy from the canvas and run **Publish All** — the original is restored from the integration's library, and you can re-apply your tweaks on top of the newer baseline.

Why trigger phrases matter

Each scenario contains an exact sentence the agent must say at a specific step — that sentence is the trigger phrase the integration listens for to fire the corresponding feature. If you rewrite a scenario, **keep every trigger phrase intact** — otherwise the feature stops working.

Scenario 1 — Schedule a Meeting via Odoo

Runs when a caller asks to book a meeting or appointment.

1. Ask for the customer's phone number to look up their account.
2. **Trigger phrase for client lookup:** *"Let me pull up your account..."*.
3. Wait for the **Caller profile panel** to populate; if the account is not found, ask for a different phone number or hand off.
4. Ask the customer for the desired meeting purpose and time window.
5. **Trigger phrase for availability:** *"Let me check what we have available for you..."*.
6. Read back the open slots; let the customer pick one.
7. **Trigger phrase for booking:** *"I am booking your appointment now..."*.
8. Confirm the booking outcome.

Triggered by intent: *Schedule a Meeting.*

Trigger phrases (do not edit):

- *"Let me pull up your account..."* — fires caller identification.
- *"Let me check what we have available for you..."* — fires the availability lookup.
- *"I am booking your appointment now..."* — fires the booking creation.

What the agent reads to know the result:

- **Caller profile panel** — the customer's existing Odoo profile (name, phone, email); populated when the phone number is recognised.

Safe customization (edit in the canvas UI):

-  Reword greetings and confirmations around the trigger phrases.
-  Add data-collection steps (e.g. ask for meeting topic).
-  Change the tone or language.
-  Reword, translate, or shorten any trigger phrase listed above.
-  Remove the steps where the agent says a trigger phrase.

Scenario 2 — Cancel a Meeting via Odoo

Runs when a caller asks to cancel an existing meeting.

1. Ask for the customer's phone number to look up their account.
2. **Trigger phrase for client lookup:** *"Let me pull up your account..."*.

3. **Trigger phrase for appointment lookup:** *"Let me check your appointment details..."*.
4. Read back the upcoming meeting and ask explicitly to confirm the cancellation.
5. **Trigger phrase for cancellation:** *"I am cancelling your booking now..."*.
6. Confirm the outcome to the customer.

Triggered by intent: *Cancel a Meeting.*

Trigger phrases (do not edit):

- *"Let me pull up your account..."* — fires caller identification.
- *"Let me check your appointment details..."* — fires the existing appointment lookup.
- *"I am cancelling your booking now..."* — fires the cancellation.

What the agent reads to know the result:

- **Caller profile panel** — the customer's existing Odoo profile.

Safe customization (edit in the canvas UI):

-  Reword the confirmation prompt.
-  Insert a "are you sure?" extra step.
-  Reword any trigger phrase listed above.
-  Skip the explicit cancellation confirmation step.

Scenario 3 — Reschedule a Meeting via Odoo

Runs when a caller asks to move an existing meeting to a new time.

1. Ask for the customer's phone number to look up their account.
2. **Trigger phrase for client lookup:** *"Let me pull up your account..."*.
3. **Trigger phrase for appointment lookup:** *"Let me check your appointment details..."*.
4. **Trigger phrase for availability:** *"Let me check what we have available for you..."*.
5. Let the customer pick a new slot.
6. **Trigger phrase for reschedule:** *"I am rescheduling your appointment now..."*.
7. Confirm the outcome.

Triggered by intent: *Reschedule a Meeting.*

Trigger phrases (do not edit):

- *"Let me pull up your account..."* — fires caller identification.
- *"Let me check your appointment details..."* — fires the existing appointment lookup.
- *"Let me check what we have available for you..."* — fires the availability lookup.
- *"I am rescheduling your appointment now..."* — fires the reschedule.

What the agent reads to know the result:

- **Caller profile panel** — the customer's existing Odoo profile.

Safe customization (edit in the canvas UI):

-  Reword the confirmation steps.
-  Reword any trigger phrase listed above.

Scenario 4 — Check Existing Appointments

Runs when a caller asks about their upcoming appointments without intent to change them yet.

1. Ask for the customer's phone number.

2. **Trigger phrase for client lookup:** *"Let me pull up your account..."*.
3. **Trigger phrase for appointment lookup:** *"Let me check your appointment details..."*.
4. Read back the upcoming meetings.

Triggered by intent: *Check Appointments*.

Trigger phrases (do not edit):

- *"Let me pull up your account..."* — fires caller identification.
- *"Let me check your appointment details..."* — fires the appointment lookup.

What the agent reads to know the result:

- **Caller profile panel** — the customer's existing Odoo profile.

Safe customization (edit in the canvas UI):

-  Reword how the upcoming appointments are presented.
-  Reword any trigger phrase listed above.

Scenario 5 — Order Inquiry & Returns

Runs when a caller asks about an order, wants to leave a note, or wants to process a return.

1. Ask for the customer's phone number.
2. **Trigger phrase for client lookup:** *"Let me pull up your account..."*.
3. Determine what the customer needs (status / note / return).
4. **Trigger phrase for status check:** *"Let me check your order status..."*.
5. **Trigger phrase for adding a note:** *"I'll add that note to your order now..."*.
6. **Trigger phrase for orders list (returns flow):** *"Let me pull up your orders..."*.
7. Read back the order list, confirm which order the customer means.
8. **Trigger phrase for processing a return:** *"Let me process that return for you..."*.
9. Confirm the outcome.

Triggered by intent: *Order Inquiry*.

Trigger phrases (do not edit):

- *"Let me pull up your account..."* — fires caller identification.
- *"Let me check your order status..."* — fires the order status lookup.
- *"I'll add that note to your order now..."* — fires the note addition.
- *"Let me pull up your orders..."* — fires the order list lookup.
- *"Let me process that return for you..."* — fires the return.

What the agent reads to know the result:

- **Caller profile panel** — the customer's existing Odoo profile.
- **Customer orders panel** — the list of orders eligible for return, with product details and amounts.

Safe customization (edit in the canvas UI):

-  Reword how the order list is presented.
-  Add a "are you sure?" step before the return.
-  Reword any trigger phrase listed above.
-  Skip the explicit "Yes / No" confirmation before the return.

Scenario 6 — Quote Request

Runs when a caller asks for a price quote.

1. Ask for the customer's phone number.
2. **Trigger phrase for client lookup:** *"Let me pull up your account..."*.
3. Capture the products and quantities the customer needs.
4. **Trigger phrase for quote:** *"Let me prepare a quote for you..."*.
5. Read back the quote.

Triggered by intent: *Quote Request.*

Trigger phrases (do not edit):

- *"Let me pull up your account..."* — fires caller identification.
- *"Let me prepare a quote for you..."* — fires the quote generation.

What the agent reads to know the result:

- **Caller profile panel** — the customer's existing Odoo profile.

Safe customization (edit in the canvas UI):

-  Reword the product capture step.
-  Reword any trigger phrase listed above.

Scenario 7 — Create a Service Request

Runs when a caller asks for help, repair, or any task that should be captured as a CRM lead.

1. Ask for the customer's phone number.
2. **Trigger phrase for client lookup:** *"Let me pull up your account..."*.
3. Capture the request details.
4. **Trigger phrase for service request creation:** *"Let me create a service request for you..."*.
5. Confirm the outcome.

Triggered by intent: *Service Request.*

Trigger phrases (do not edit):

- *"Let me pull up your account..."* — fires caller identification.
- *"Let me create a service request for you..."* — fires the lead creation.

What the agent reads to know the result:

- **Caller profile panel** — the customer's existing Odoo profile.

Safe customization (edit in the canvas UI):

-  Reword the request capture step.
-  Reword any trigger phrase listed above.

Scenario 8 — Check Service Request Status

Runs when a caller asks for the status of a service request, wants to add information to it, or wants to cancel it.

1. Ask for the customer's phone number.
2. **Trigger phrase for client lookup:** *"Let me pull up your account..."*.
3. **Trigger phrase for status check:** *"Let me check your service requests..."*.
4. **Trigger phrase for cancelling a request:** *"Let me cancel that service request for you..."*.
5. **Trigger phrase for adding to a request:** *"Let me add that to your service request..."*.

Triggered by intent: *Check Request Status.*

Trigger phrases (do not edit):

- "Let me pull up your account..." — fires caller identification.
- "Let me check your service requests..." — fires the lead status lookup.
- "Let me cancel that service request for you..." — fires the lead cancellation.
- "Let me add that to your service request..." — fires the lead update.

What the agent reads to know the result:

- **Caller profile panel** — the customer's existing Odoo profile.

Safe customization (edit in the canvas UI):

-  Reword how each outcome is presented.
-  Reword any trigger phrase listed above.

Trigger phrases reference

Phrase (verbatim)	Fires	Scenarios
"Let me pull up your account..."	Caller identification by phone	All 8
"Let me check what we have available for you..."	Availability lookup	Schedule, Reschedule
"I am booking your appointment now..."	Booking creation	Schedule
"Let me check your appointment details..."	Existing appointment lookup	Cancel, Reschedule, Check Appointments
"I am cancelling your booking now..."	Booking cancellation	Cancel
"I am rescheduling your appointment now..."	Booking reschedule	Reschedule
"Let me check your order status..."	Order status lookup	Order Inquiry
"I'll add that note to your order now..."	Order note creation	Order Inquiry
"Let me pull up your orders..."	Orders list (returns flow)	Order Inquiry
"Let me process that return for you..."	Return processing	Order Inquiry
"Let me prepare a quote for you..."	Quote generation	Quote Request
"Let me create a service request for you..."	Service request (CRM lead) creation	Service Request
"Let me check your service requests..."	Service request status lookup	Check Request Status

"Let me cancel that service request for you..."	Service request cancellation	Check Request Status
"Let me add that to your service request..."	Service request update	Check Request Status

How to use this table. When you edit a scenario on the canvas, copy each phrase from the matching cell — character for character. If the agent stops reacting to a feature after editing, this is the first place to check.

Example dialogs

Example 1 — Booking the first available slot (happy path)

Caller: Hi, can I book a meeting for next week? **Agent:** Sure — could I have your phone number so I can pull up your account? **Caller:** Yes, +1 555 010 0123. **Agent:** Let me pull up your account... **Agent:** Got it, Sophia. What's the meeting about and roughly when works for you? **Caller:** Tuesday afternoon, project review. **Agent:** Let me check what we have available for you... **Agent:** I have Tuesday at 2 PM or 4 PM. Which one would you like? **Caller:** 2 PM. **Agent:** I am booking your appointment now... **Agent:** Booked — Tuesday at 2 PM, project review. You'll see it in your calendar shortly.

Example 2 — Cancelling with explicit confirmation (edge case)

Caller: I need to cancel my Friday meeting. **Agent:** Sure — your phone number, please? **Caller:** +1 555 010 0456. **Agent:** Let me pull up your account... **Agent:** Let me check your appointment details... **Agent:** I see one upcoming meeting — Friday at 11 AM, project review. Cancel that one? **Caller:** Yes please. **Agent:** I am cancelling your booking now... **Agent:** Cancelled — Friday at 11 AM, project review. Anything else?

Example 3 — Returning a product the customer can't fully name (edge case)

Caller: I want to return those USB drives I bought last week. **Agent:** Sure — your phone number? **Caller:** +1 555 010 0789. **Agent:** Let me pull up your account... **Agent:** Let me pull up your orders... **Agent:** I see two recent orders: order #1042, USB-C cables, \$24, and order #1051, USB-A drives 64GB x3, \$48. Which one did you mean? **Caller:** The USB drives. **Agent:** Just to confirm — you'd like to return order 1051, USB-A drives 64GB x3, \$48. Is that correct? **Caller:** Yes. **Agent:** What's the reason? **Caller:** Wrong size, I wanted USB-C. **Agent:** Let me process that return for you... **Agent:** Done — return processed for order 1051.

Customizing the agent

The scenarios shipped with this integration are a **reference implementation** — fully editable in the Newo Builder UI. Common tweaks:

- **Translate the agent into another language.** Change scenario step wording and confirmation text; never translate the trigger phrases.
- **Add a manual-confirmation step before booking, cancelling, or returning.** Insert an extra scenario step asking the customer to confirm before the trigger phrase fires.
- **Restore defaults / pull newer defaults after an integration update.** If you break a scenario, or you want to pick up the latest shipped version after an integration update, delete your edited copy

from the canvas and run **Publish All** — the original is restored from the integration's library, and you can re-apply your tweaks on top of the newer baseline.

Always preserve: every trigger phrase listed in the Scenarios section above. Reword anything else.

Reminder. Once you edit an intent or scenario, future updates of this integration will **not** overwrite your edited copy. Plan to revisit the Changelog section after each update and decide whether to merge new defaults into your version.

FAQ

Q. Does the agent need its own Odoo user? Not strictly — but a dedicated API user makes audit trails and permission management cleaner. Every record created by the agent will be attributed to whichever user owns the API key.

Q. How does the agent know which calendar to book in? It books on the calendar of the user that owns the API key. If you want bookings on a shared calendar, point the API key at a user that already has access to it.

Q. What happens to my API key when I rotate Odoo passwords? Nothing — API keys are independent of the user's password. Rotate the API key in **Account Security > API Keys** if you want to revoke it.

Q. The free trial expired. Will the integration still work? Only if you upgrade to the **Custom** plan on odoo.com SaaS, or self-host. Standard and One App Free plans block external API access.

Q. How does the agent identify a returning customer? By the phone number the caller provides. The agent calls Odoo's contact lookup, then reads back the matching profile.

Q. Can the agent operate on more than one Odoo database from one Newo project? No. One project ties to one database. Run separate Newo projects for separate Odoo instances.

Common errors and recovery

Publish All fails with "Authentication failed"

Likely cause: the **API Key** in Newo Builder does not match a valid key on the Odoo user, or the **Username** does not match the user that owns the key.

How to recover:

1. Open Odoo → **Settings > Users > [API user] > Account Security** and confirm the API key is still listed (not revoked).
2. Generate a new API key if needed and copy it.
3. Paste it into **API Key** in Newo Builder; double-check **Username** and **Base URL** for typos.
4. Click **Publish All** again.

How to verify: the Odoo settings group no longer shows an error banner, and a test chat fires the *"Let me pull up your account..."* trigger phrase.

Publish All fails with a connection error

Likely cause: the **Base URL** is wrong, the Odoo instance is unreachable from Newo, or the URL contains a trailing slash that the integration cannot strip.

How to recover:

1. Open the URL in a browser; if Odoo loads, the URL is reachable.
2. Remove any trailing `/` from **Base URL** in Newo Builder.
3. Make sure the URL uses `https://`, not `http://`, for production instances.
4. Click **Publish All** again.

How to verify: Publish All completes without error; **Username** and **API Key** are accepted.

The agent does not react when the customer says "book a meeting"

Likely cause: a trigger phrase on the canvas was edited or translated and no longer matches what the integration listens for.

How to recover:

1. Open the canvas, find the **Schedule a Meeting via Odoo** scenario.
2. Compare each trigger phrase against the *Trigger phrases (do not edit)* list under **Scenario 1** above.
3. Restore any phrase that differs (verbatim).
4. Click **Publish All**.

How to verify: repeat "can I book a meeting?" in a test chat — the agent now says *"Let me pull up your account..."*.

"Account not found" for a customer the operator knows exists

Likely cause: the phone number on the Odoo contact does not match the format the caller is using (different country prefix, different spacing, missing leading zero).

How to recover:

1. Open the contact in Odoo and check the **Phone** field.
2. Normalise it to the same format the caller uses (international format with `+` is the safest).
3. Save the contact.

How to verify: repeat the call (or test chat) — the agent now finds the customer.

The API Key was rotated — agent stopped responding

Likely cause: the previous API key was revoked or replaced in Odoo, but the new one is not in Newo Builder yet.

How to recover:

1. Generate the new API key in Odoo if it doesn't exist yet.
2. Paste it into **API Key** in Newo Builder.
3. Click **Publish All**.

How to verify: a test chat that triggers any scenario receives the expected agent reply.

Limitations

- **One Odoo database per Newo project.** Set up separate Newo projects if you need to serve more than one database from one agent.
- **No real-time order webhooks.** The agent reads order status on demand when the customer asks; it does not push proactive updates.
- **Multi-currency catalogue.** The agent reads the price in the user's currency configured in Odoo; it does not convert currencies on the fly.

- **External API access on odoo.com SaaS requires a paid plan.** Free and Standard plans block the integration.

Support handoff notes

When handing off this deployment to support or a partner team, share:

- **Authentication method in use** — API Key (the only supported method for this integration; no OAuth path).
- **Key Odoo identifiers** the agent acts against:
 - **Base URL** — the Odoo instance the agent talks to.
 - **Username** — the API user whose calendar receives bookings and whose name is on every CRM lead the agent creates.
 - **Database name** — auto-resolved during the first **Publish All**; visible in the *All settings reference table* below.
- **Feature toggles** — the integration ships everything ON by default. Check the *Features at a glance* section above for the current scope.
- **Whether canvas auto-setup ran** — confirm the 8 reference scenarios appear in the canvas library. If they do not, the operator may have disabled the canvas-setup flag before publishing (see the *All settings reference table* below for the toggle).
- **Two most common fixes** for any reported issue:
 1. Re-paste **API Key** in **Newo Builder** and click **Publish All**. Covers expired or rotated keys (the most frequent cause of agent silence).
 2. Run the *Test caller identification* step from the *How to test* section above. The failing step usually points straight at the root cause (auth / contact lookup / canvas drift).

All settings reference

Every setting the integration adds to the **Odoo Settings** group in Newo Builder. Operators typically only touch rows marked  in the *Edit* column; rows marked  are for admins only, and  rows are managed automatically by the integration.

Name	Description	Required	Default	Hidden	E
odoo_base_url	Base URL of your Odoo instance, e.g. https://mycompany.odoo.com.	Yes	(empty)	No	
odoo_username	Odoo login email of the user the agent acts as.	Yes	(empty)	No	
odoo_api_key	API key generated in the user's Account Security tab.	Yes	(empty)	Yes	
odoo_uid	Internal Odoo user ID resolved from the credentials at first publish.	Yes	(empty)	Yes	
odoo_database	Database name resolved from the URL at first publish.	Yes	(empty)	Yes	

odoo_calendar_user_id	Calendar owner ID resolved from the credentials.	Yes	(empty)	Yes	
odoo_default_duration	Default booking length in minutes when the customer doesn't specify one.	No	30	Yes	
odoo_show_for_days	How many days ahead the agent looks at when listing availability.	No	5	Yes	
odoo_override_agent_attributes	Lets the integration write the standard tool-gating attributes on first publish. Disable only when integrating Odoo alongside another booking system.	No	on	Yes	
odoo_setup_scenarios	Lets the integration publish the 8 reference scenarios on first publish. Disable when you want full control over canvas content.	No	on	Yes	

Changelog

v2.0.0 — Custom tools and 8 scenarios

- **8 scenarios shipped on Publish All.** Booking, cancellation, reschedule, appointment lookup, order inquiry, quote, service request, request status — all editable on the canvas.
- **Custom tools replace the standard NAF tools.** The agent now fires Odoo features by trigger phrase, not by structured tool call.
- **Phone-number-based caller identification.** Every scenario opens with the caller-profile lookup before any business action.