

Zendesk Integration

Connects **Zendesk Messaging** and **Zendesk Support** with the Newo AI agent so chat visitors can talk to the AI first, then move to a human agent in Zendesk Agent Workspace when needed. The same integration can also create Zendesk Support tickets when the customer needs follow-up instead of a live chat handoff.

PDF version: [Zendesk onboarding guide](#).

Prepare Zendesk Conversations API

Open Zendesk Admin Center:


Admin Center -> Apps and integrations -> APIs -> Conversations API -> API tokens

Create a Conversations API key or open an existing key. Copy these values:

Zendesk value	Newo setting
App ID	Messaging App ID
Key ID	Sunshine API Key ID
Secret	Sunshine API Key Secret

Important:

- The App ID is not a secret.
- The Key ID is not enough by itself; Newo also needs the Secret.
- Zendesk shows the Secret only when the key is created, so copy it before leaving the page.
- Store the Secret only in the hidden Newo setting.




Official reference: [Sunshine Conversations API authentication](#).


Fill Newo Zendesk Settings

Open Newo Builder, go to project settings, and find the `Module - Zendesk` group.

Use these values:

Field	Value
Zendesk Subdomain	Only the Zendesk subdomain, for example newosupport from <code>https://newosupport.zendesk.com</code>
Messaging App ID	App ID from Zendesk Conversations API
Live Agent Target	Keep <code>zd-agentWorkspace</code>
Add Zendesk Handoff Scenario	True unless you already configured the canvas manually
Enable Ticket Tools	True if the AI should create Zendesk Support tickets
Sunshine API Key ID	Key ID from Zendesk Conversations API
Sunshine API Key Secret	Secret from Zendesk Conversations API





Quick check:



Check	Expected
Zendesk Subdomain	Not empty, no https://, no .zendesk.com
Messaging App ID	Not empty
Live Agent Target	zd-agentWorkspace
Sunshine API Key ID	Not empty
Sunshine API Key Secret	Not empty
Add Zendesk Handoff Scenario	True for first setup

Optional: Enable Zendesk Support Tickets

Ticket creation uses the Zendesk Support API, which is separate from Conversations API credentials.

To enable tickets, fill two additional hidden Newo settings:

Field	Where to get it
Zendesk Agent Login Email	Zendesk Support -> top-right avatar -> View profile -> Email, or Admin Center -> People -> Team members -> open the admin/agent -> Email
Support API Token	Admin Center -> Apps and integrations -> APIs -> API tokens -> Add API token



Important:

- Use an admin or agent email that can authenticate with the Support API token.
- Zendesk Support API token auth uses `{email}/token:{api_token}`.
- If either value is wrong, ticket creation returns `401`.
- If the customer has an email or phone but no name, the AI should ask for the customer's name before creating the ticket.

Official references:

- [Zendesk Support authentication](#)
- [Zendesk Tickets API](#)

Publish and Verify Zendesk Setup

Click **Publish All** in Newo Builder.

After publishing, the Zendesk setup should:



- register the Zendesk custom tools in Newo;
- create or reuse the Newo incoming webhook connector for Zendesk;
- find or create the Zendesk Conversations integration;
- create or update the Zendesk webhook;
- add the default live-agent handoff scenario to the Newo canvas if **Add Zendesk Handoff Scenario** is **True** .

If you want to inspect the Zendesk webhook manually, open:

Admin Center -> Apps and integrations -> Integrations -> Conversations integrations

Expected webhook configuration:

Setting	Expected
Request method	POST
Request format	JSON
Include full user	Enabled
Include full source	Enabled
Required subscriptions	conversation:message, switchboard:passControl, switchboard:releaseControl



Admin center | newosupport

Apps and integrations

- Apps
- Zendesk Support apps
- Channel apps
- App builder
- Integrations
- Integrations
- Conversations integrations**
- Logs
- Actions
- Custom actions
- Action flows
- APIs
- Conversations API
- API configuration
- API tokens
- OAuth clients
- External OAuth clients
- API analytics
- Connections
- Connections
- OAuth Clients
- Targets

Webhook endpoint URL
Endpoint to pass the data. [Learn about endpoints](#)

Webhook body data
Select what to include in webhook payloads.

☐ **Include full user**
The complete user schema for events involving a specific user

☐ **Include full source**
The client and device object (when applicable)

Request method
POST

Request format
JSON

Webhook subscriptions
Select the conversation events that will trigger the webhook. [Learn about webhook events](#)

☐ Client removed	☐ Client updated
☐ Client added	☐ Conversation created
☐ Conversation referral	☐ Conversation deleted
☐ Switchboard pass control failure	☐ Conversation message
☐ Switchboard accept control	☐ Conversation read
☐ Switchboard accept control failure	☐ User merged
☐ Switchboard offer control	☐ Postbacks
☐ Switchboard offer control failure	☐ Channel delivery success
☐ Switchboard pass control	☐ User delivery success
☐ Switchboard release control	☐ Delivery failure
☐ Participant joined conversation	☐ User typing
☐ Participant left conversation	☐ User updated
☐ Passthrough messaging	

[Cancel](#) [Save](#)


How to Test

Basic Handoff Test

1. Open a fresh Newo chat session.
2. Ask for a live operator.
3. Confirm the handoff if the AI asks for confirmation.
4. Verify that a new Zendesk Messaging conversation appears in Zendesk Agent Workspace.
5. Reply from Zendesk as an agent.
6. Verify that the Zendesk reply appears back in the same Newo chat.

Expected result:

- The customer stays in the Newo chat widget.
- Zendesk receives the conversation.
- Newo stops normal AI follow-up while the human agent owns the conversation.
- Zendesk agent replies return through the Zendesk webhook.



Ticket Creation Test

Use this test only if `Enable Ticket Tools` is `True` and the Support API credentials are filled.


1. Open a fresh New chat session.
2. Ask the AI to pass an issue to support for follow-up.
3. Provide the customer's name.
4. Provide at least one contact method: email or phone.
5. Provide the issue summary.
6. Verify that a new ticket appears in Zendesk Support.

Example customer message:

Please pass this to your support team. My name is Aizat Valiev.
My email is aizat@example.com. The delivery is late.

Expected result:

- The AI gathers missing name or contact details before creating the ticket.
- Zendesk creates a Support ticket.
- The ticket requester has a name and contact method.
- The ticket comment contains the customer contact details and issue summary.



Where to Look in Zendesk

What you are checking	Zendesk location
Messaging handoff conversation	Zendesk Support -> Agent Workspace -> Conversations or Tickets
Created Support ticket	Zendesk Support -> Tickets
Conversations API credentials	Admin Center -> Apps and integrations -> APIs -> Conversations API -> API tokens
Support API token	Admin Center -> Apps and integrations -> APIs -> API tokens
Conversations webhook	Admin Center -> Apps and integrations -> Integrations -> Conversations integrations