

# Zendesk Integration

Connects **Zendesk Messaging** and **Zendesk Support** with the Newo AI agent so chat visitors can talk to the AI first, then move to a human agent in Zendesk Agent Workspace when needed. The same integration can also create Zendesk Support tickets when the customer needs follow-up instead of a live chat handoff.

## Create the Newo project

If this project already exists in **Newo Builder**, skip this subsection and continue with the integration-specific settings below.

1. In **Newo Builder**, open the projects list and click **Create Project** (or **Create New Project** from the top-right menu).



Create New Project menu in Newo Builder

2. Fill **IDN** and **Title**. The exact names do not matter; use any clear names your team will recognize.
3. In **Registry**, choose the release channel:
  - **staging** — the newest module fixes appear here first. Use it when you need the latest fix, but expect possible unfinished changes.
  - **production** — the final stable version for live projects.
4. In **Module**, select the module for this integration.




Create Project form showing IDN, Title, Registry, and Module fields 5. Leave **Module version** on **Latest version** unless support tells you to pin a specific version, then click **Create**.

## Prepare Zendesk Conversations API

Open Zendesk Admin Center first. From any Zendesk product, click the Zendesk products menu in the top bar, then select **Admin Center**. You can also open it directly:

```
https://{subdomain}.zendesk.com/admin/home
```



Admin Center reference: [Using Zendesk Admin Center](#).

Then open the Conversations API page:

```
Admin Center -> Apps and integrations -> APIs -> Conversations API
```

Create a Conversations API key or open an existing key. This page is separate from the **API tokens** page in the same APIs menu. Copy these values:

| Zendesk value | Newo setting            |
|---------------|-------------------------|
| App ID        | Messaging App ID        |
| Key ID        | Sunshine API Key ID     |
| Secret        | Sunshine API Key Secret |

Important:

- The App ID is not a secret.
- The Key ID is not enough by itself; Newo also needs the Secret.
- Zendesk shows the Secret only when the key is created, so copy it before leaving the page.
- Store the Secret only in the hidden Newo setting.

Admin center

newosupport

Apps and integrations

Apps

Zendesk Support apps

Channel apps

App builder

Integrations

Integrations

Conversations integrations

Logs

Actions

Custom actions

Action flows

APIs

Conversations API

API configuration

API tokens

OAuth clients

External OAuth clients

API analytics

Conversations API

Create access credentials to authenticate requests to the Conversations APIs. You can create up to 10 unique keys. [Learn about Conversations API access](#)

Create API key

| Name | Key ID                       | Date created              |
|------|------------------------------|---------------------------|
| test | app_69fb4404f7e09911cd65a1ec | May 6, 2026 at 4:37:08 PM |

Official reference: [Sunshine Conversations API authentication](#).

## Fill Newo Zendesk Settings

Open Newo Builder, go to project settings, and find the `Module – Zendesk` group.

Use these values:

| Field                        | Value                                                                                                 |
|------------------------------|-------------------------------------------------------------------------------------------------------|
| Zendesk Subdomain            | Only the Zendesk subdomain, for example newosupport from <code>https://newosupport.zendesk.com</code> |
| Messaging App ID             | App ID from Zendesk Conversations API                                                                 |
| Live Agent Target            | Keep <code>zd-agentWorkspace</code>                                                                   |
| Add Zendesk Handoff Scenario | True unless you already configured the canvas manually                                                |
| Enable Ticket Tools          | True only if the AI should create Zendesk Support tickets                                             |
| Sunshine API Key ID          | Key ID from Zendesk Conversations API                                                                 |
| Sunshine API Key Secret      | Secret from Zendesk Conversations API                                                                 |

Brothers Supply Corp. / Attributes

Idn: C\_NE\_X85ZZX3

Publish All

Profile

Customer Projects Personas

Search by idn, title, group

Show Hidden

Module - Zendesk

1. Business

1. Business - Advanced

2. Agent

2. Agent - Advanced

3. Knowledge Base

3. Knowledge Base - Advanced

4. Agent Behavior

4. Agent Behavior - Advanced

5. Reports

5. Reports - Advanced

6. Support

6. Support - Advanced

7. Customer Account

8. System

0. Agent Creator

1. Zendesk Subdomain

project\_attributes\_setting\_zendesk\_subdomain

Required. Enter only the account subdomain, not the full URL. Path: open your Zendesk account URL, for example <https://newsupport.zendesk.com>, and copy the part before .zendesk.com. For <https://newsupport.zendesk.com>, enter newsupport.

newsupport

Save

2. Messaging App ID

project\_attributes\_setting\_zendesk\_app\_id

Required. Copy the App ID from Zendesk Conversations API. Path: Admin Center -> Apps and integrations -> APIs -> Conversations API -> API tokens -> Create API key or open an existing key. URL pattern: [https://\(subdomain\).zendesk.com/admin/apps-integrations/apis/conversations-api](https://(subdomain).zendesk.com/admin/apps-integrations/apis/conversations-api).

69f97e2a96e0bc7c7aee7913

Save

3. Live Agent Target

project\_attributes\_setting\_zendesk\_switchboard\_target

Optional. Keep zd-agentWorkspace for Zendesk Agent Workspace handoff. Path: Zendesk Developer Docs -> Messaging -> Programmable conversations -> Switchboard.

Save

Brothers Supply Corp. / Attributes

Idn: C\_NE\_X85ZZX3

Publish All

Profile

Customer Projects Personas

Search by idn, title, group

Show Hidden

1. BUSINESS

1. Business - Advanced

2. Agent

2. Agent - Advanced

3. Knowledge Base

3. Knowledge Base - Advanced

4. Agent Behavior

4. Agent Behavior - Advanced

5. Reports

5. Reports - Advanced

6. Support

6. Support - Advanced

7. Customer Account

8. System

0. Agent Creator

Module - Lead Nurturing

Module - Outbound

Module - XCally

Module - Zendesk

pattern: [https://\(subdomain\).zendesk.com/admin/apps-integrations/apis/conversations-api](https://(subdomain).zendesk.com/admin/apps-integrations/apis/conversations-api).

Save

7. Sunshine API Key Secret

project\_attributes\_private\_zendesk\_key\_secret

Required private credential. Copy Secret key from Zendesk when the API key is created; Zendesk shows it in the copy dialog. Path: Admin Center -> Apps and integrations -> APIs -> Conversations API -> API tokens -> Create API key. URL pattern: [https://\(subdomain\).zendesk.com/admin/apps-integrations/apis/conversations-api](https://(subdomain).zendesk.com/admin/apps-integrations/apis/conversations-api).

Save

8. Zendesk Agent Login Email

project\_attributes\_private\_zendesk\_support\_email

Private credential for Zendesk Support API token auth. Enter the login email of the Zendesk admin or agent account used with the Support API token; requests authenticate as (email)/token. Where to find it: Zendesk Support -> top-right avatar -> View profile -> Email, or Admin Center -> People -> Team members -> open the admin/agent -> Email.

Save

9. Support API Token

project\_attributes\_private\_zendesk\_support\_api\_token

Save

Quick check:

| Check                        | Expected                                |
|------------------------------|-----------------------------------------|
| Zendesk Subdomain            | Not empty, no https://, no .zendesk.com |
| Messaging App ID             | Not empty                               |
| Live Agent Target            | zd-agentWorkspace                       |
| Sunshine API Key ID          | Not empty                               |
| Sunshine API Key Secret      | Not empty                               |
| Add Zendesk Handoff Scenario | True for first setup                    |

Enable Zendesk Support Tickets

This section is required only if the AI should open Zendesk Support tickets. If the integration only needs live chat handoff to Zendesk Agent Workspace, leave `Enable Ticket Tools` as `False` and skip these credentials.

Ticket creation uses the Zendesk Support API, which is separate from Conversations API credentials. The Support API token lives under a different Admin Center menu item:

Admin Center -> Apps and integrations -> APIs -> API tokens

To enable tickets, fill two additional hidden Newo settings:

| Field                     | Where to get it                                                                                                                          |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Zendesk Agent Login Email | Zendesk Support -> top-right avatar -> View profile -> Email, or Admin Center -> People -> Team members -> open the admin/agent -> Email |
| Support API Token         | Admin Center -> Apps and integrations -> APIs -> API tokens -> Add API token                                                             |

Admin center

newosupport

Search admin center

Apps and integrations

Apps

Zendesk Support apps

Channel apps

App builder

Integrations

Integrations

Conversations integrations

Logs

Actions

Custom actions

Action flows

APIs

Conversations API

API configuration

API tokens

OAuth clients

External OAuth clients

API analytics

Apps and integrations > APIs > API tokens

API tokens

API tokens are auto-generated passwords that team members use together with their email addresses to authenticate API requests. [Learn about API tokens](#). View the [Zendesk Developer Terms](#).

Search for an API token

1 token

| Identifier | Description | Created by | Created at           | Last used            | Status |
|------------|-------------|------------|----------------------|----------------------|--------|
| testToken  |             |            | May 9, 2026 at 06:32 | May 9, 2026 at 06:53 | Active |

Add API token

Admin center

newosupport

Search admin center

People

Team

Team members

Groups

Configuration

User fields

Organization fields

Events

Profiles

End users

Tags

Bulk actions

Import users

Share your thoughts about the new Team members page. [Give feedback](#)

People > Team > Team members

Team members

Find and manage team members, from agents to admins. [Learn about the Team members page](#)

Search team members

1 team member

| Team member | Group | Product access                             | Support role | Last sign-in |
|-------------|-------|--------------------------------------------|--------------|--------------|
|             |       | Support, Knowledge, Analytics, Voice, Chat | Admin        | May 11, 2026 |

Actions

Create team member

Seats remaining

Zendesk Suite 4 of 5

Light agents 100 of 100

[Add more seats](#)

Important:

- Use an admin or agent email that can authenticate with the Support API token.
- Zendesk Support API token auth uses `{email}/token:{api_token}` .
- Do not paste the Conversations API Key ID or Secret into `Support API Token` ; `API tokens` is a separate Zendesk Support credential page.
- If either value is wrong, ticket creation returns `401` .
- If the customer has an email or phone but no name, the AI should ask for the customer's name before creating the ticket.

Official references:

- [Zendesk Support authentication](#)
- [Zendesk Tickets API](#)

## Publish and Verify Zendesk Setup

Click `Publish All` in Newo Builder.

After publishing, the Zendesk setup should:

- register the Zendesk custom tools in Newo;
- create or reuse the Newo incoming webhook connector for Zendesk;
- find or create the Zendesk Conversations integration;
- create or update the Zendesk webhook;
- add the default live-agent handoff scenario to the Newo canvas if `Add Zendesk Handoff Scenario` is `True` .

If you want to inspect the Zendesk webhook manually, open:

```
Admin Center -> Apps and integrations -> Integrations -> Conversations integrations
```

Expected webhook configuration:

| Setting                | Expected                                                                  |
|------------------------|---------------------------------------------------------------------------|
| Request method         | POST                                                                      |
| Request format         | JSON                                                                      |
| Include full user      | Enabled                                                                   |
| Include full source    | Enabled                                                                   |
| Required subscriptions | conversation:message, switchboard:passControl, switchboard:releaseControl |

Admin center

newosupport

Apps and integrations

Apps

Zendesk Support apps

Channel apps

App builder

Integrations

Integrations

Conversations integrations

Logs

Actions

Custom actions

Action flows

APIs

## Conversations integrations

Build messaging capabilities to send and receive messages with webhooks and the Conversations API. [Learn about conversations integrations](#)



### No integrations in sight

When you create one you'll see it listed here.

Create integration

Admin center

newosupport

Apps and integrations

Apps

Zendesk Support apps

Channel apps

App builder

Integrations

Integrations

Conversations integrations

Logs

Actions

Custom actions

Action flows

APIs

Conversations API

API configuration

API tokens

OAuth clients

External OAuth clients

API analytics

Connections

Connections

OAuth Clients

Conversations integrations > Create integration

## Create integration

Build messaging capabilities to send and receive messages with webhooks and the Conversations API. [Learn about conversations integrations](#)

**Name**  
Give this integration a name to help identify it.

Integration 1

**Webhook**  
Each integration requires a webhook. You can change this information later.

**Webhook endpoint URL**  
Endpoint to pass the data. [Learn about endpoints](#)

https://examplelocation.com/example

**Webhook body data**  
Select what to include in webhook payloads.

☐ Include full user  
The complete user schema for events involving a specific user

☐ Include full source  
The client and device object (when applicable)

**Request method**  
POST

**Request format**  
JSON

**Webhook subscriptions**  
Select the conversation events that will trigger the webhook. [Learn about webhook events](#)

☐ Client removed

☐ Client updated

☐ Client added

☐ Conversation created

Admin center

newosupport

Apps and integrations

Apps

Zendesk Support apps

Channel apps

App builder

Integrations

Integrations

Conversations integrations

Logs

Actions

Custom actions

Action flows

APIs

Conversations API

API configuration

API tokens

OAuth clients

External OAuth clients

API analytics

Connections

Connections

OAuth Clients

Webhook endpoint URL

Endpoint to pass the data. [Learn about endpoints](#)

https://examplelocation.com/example

Webhook body data

Select what to include in webhook payloads.

☐ Include full user
 

The complete user schema for events involving a specific user

☐ Include full source
 

The client and device object (when applicable)

Request method

POST

Request format

JSON

Webhook subscriptions

Select the conversation events that will trigger the webhook. [Learn about webhook events](#)

☐ Client removed
 ☐ Client updated
 ☐ Conversation created
 ☐ Conversation deleted
 ☐ Conversation message
 ☐ Conversation read
 ☐ User merged
 ☐ Postbacks
 ☐ Channel delivery success
 ☐ User delivery success
 ☐ Delivery failure
 ☐ User typing
 ☐ User updated

☐ Conversation referral
 ☐ Switchboard pass control failure
 ☐ Switchboard accept control
 ☐ Switchboard accept control failure
 ☐ Switchboard offer control
 ☐ Switchboard offer control failure
 ☐ Switchboard pass control
 ☐ Switchboard release control
 ☐ Participant joined conversation
 ☐ Participant left conversation
 ☐ Passthrough messaging

## How to Test


### Basic Handoff Test

1. Open a fresh Newo chat session.
2. Ask for a live operator.
3. Confirm the handoff if the AI asks for confirmation.
4. Verify that a new Zendesk Messaging conversation appears in Zendesk Agent Workspace.
5. Reply from Zendesk as an agent.
6. Verify that the Zendesk reply appears back in the same Newo chat.

Expected result:

- The customer stays in the Newo chat widget.
- Zendesk receives the conversation.
- Newo stops normal AI follow-up while the human agent owns the conversation.
- Zendesk agent replies return through the Zendesk webhook.





## Ticket Creation Test

Use this test only if `Enable Ticket Tools` is `True` and the Support API credentials are filled.


1. Open a fresh Newo chat session.
2. Ask the AI to pass an issue to support for follow-up.
3. Provide the customer's name.
4. Provide at least one contact method: email or phone.
5. Provide the issue summary.
6. Verify that a new ticket appears in Zendesk Support.

Example customer message:

Please pass this to your support team. My name is Aizat Valiev.  
My email is aizat@example.com. The delivery is late.

Expected result:

- The AI gathers missing name or contact details before creating the ticket.
- Zendesk creates a Support ticket.
- The ticket requester has a name and contact method.
- The ticket comment contains the customer contact details and issue summary.



## Where to Look in Zendesk

| What you are checking          | Zendesk location                                                                    |
|--------------------------------|-------------------------------------------------------------------------------------|
| Messaging handoff conversation | Zendesk Support -> Agent Workspace -> Conversations or Tickets                      |
| Created Support ticket         | Zendesk Support -> Tickets                                                          |
| Conversations API credentials  | Admin Center -> Apps and integrations -> APIs -> Conversations API                  |
| Support API token              | Admin Center -> Apps and integrations -> APIs -> API tokens                         |
| Conversations webhook          | Admin Center -> Apps and integrations -> Integrations -> Conversations integrations |