Workiz Integration Guide

1. What This Integration Does

The Newo AI Agent integrates with Workiz so your AI can create and cancel jobs inside Workiz during a live conversation.

Once connected, the agent can:

- create a new Workiz job from the booking payload collected in conversation
- cancel an existing Workiz job when the booking contains a Workiz booking ID
- recognize returning callers by phone number and load their upcoming jobs into persona bookings
- sync dispatcher-capable team members from Workiz and use one of them as the default assignee
- automatically add booking and cancellation scenarios to Canvas
- run in `DevMode` and emulate Workiz API responses without touching production data

Important limitation: this integration does **not** provide live availability checking. In setup, the availability tool is explicitly disabled and the main user-facing flows are booking, cancellation, and existing-client lookup.

2. Before You Start

Make sure you have:

- an active Workiz account
- access to Workiz API credentials
- access to Newo Builder for the target project
- permission to edit attributes and publish the project
- at least one dispatcher-capable Workiz team member with role `dispatch`, `manager`, or `admin`
- a real list of Workiz job type names

You will need these values:

- **API Key** - used in the Workiz request URL path
- **API Secret** - sent in Workiz POST request bodies
- **Job Types** - a JSON array with exact Workiz job type names
- **Primary Assigned User** - selected after the first successful publish and team sync

Example `Job Types` value:

```
["HVAC Repair", "Plumbing", "Electrical"]
```

Use the exact names from Workiz. The booking flow validates `jobType` against this list.

3. Connecting for the First Time

![Workiz module selection](screenshots/select module.png)

Figure 1. Select `workiz_integration` in the project module creation form.

3.1 Fill in the Core Settings

1. Open your project in Newo.

2. Go to **Builder -> Attributes**.
3. Find the **Workiz** section.
4. Set **Execution Mode**:
   - `DevMode` for safe testing without real API changes
   - `Production` for real Workiz requests
5. Fill in **API Key**.
6. Fill in **API Secret**.
7. Leave **Base URL** as `https://api.workiz.com/api/v1` unless your team gave you a different endpoint.
8. Set **Enable Booking** to `True` if the AI should create Workiz jobs.
9. Set **Enable Cancellation** to `True` if the AI should cancel Workiz jobs.
10. Set **Automatically Add Default Scenarios to Canvas** to `True` if you want Newo to prepare Canvas items automatically.
11. Fill in **Job Types** with a JSON array of exact Workiz job type names.
12. Click **Save**.
13. Click **Publish All**.



Figure 2. Publish the project after filling Workiz settings.

3.2 What Happens After Publish

After publish, Newo runs Workiz setup logic:

- the HTTP connector is prepared
- booking and cancellation tools are enabled for ConvoAgent
- the payload schema for booking is registered
- if `API Key` is filled, Newo requests `/team/all/`
- active dispatcher-capable team members are cached
- the **Primary Assigned User** dropdown is refreshed from synced team members

If `API Key` is empty, the team sync is skipped.

3.3 Select the Default Assignee

After the first successful publish:

1. Re-open the **Workiz** attribute block if needed.
2. Find **Primary Assigned User**.
3. Select the team member who should be assigned to newly created jobs by default.
4. Save and publish again if you changed the value.

4. Settings Reference



Figure 3. Workiz settings in Builder, including `Execution Mode`, `Primary Assigned User`, and API credentials.

4.1 Connection Settings

Setting	What it does	Required
Execution Mode	`Production` sends real requests. `DevMode` emulates Workiz responses.	Yes
API Key	Added to the request URL path for all Workiz calls.	Yes
API Secret	Sent in POST bodies for create, update, and assign requests.	Yes
Base URL	Base Workiz API URL. Default is `https://api.workiz.com/api/v1`.	Usually yes

4.2 Feature Switches

Setting	Default	What it controls

Enable Booking	On	Allows the agent to create Workiz jobs
Enable Cancellation	On	Allows the agent to cancel Workiz jobs
Automatically Add Default Scenarios to Canvas	On	Adds Workiz booking and cancellation scenarios to Canvas and Library

4.3 Booking Settings

Setting	What it does
Primary Assigned User	Default Workiz assignee for new jobs
Default Job Source	Fallback value written into `JobSource` when the booking payload does not provide one
Job Types	JSON array of allowed Workiz job type names; booking fails if the selected `jobType` is not in this list

4.4 System Attributes Managed Automatically

Setting	What it does
Dispatcher Team Members	Hidden JSON cache of synced Workiz team members
Setup Persona ID	Internal setup persona used during initialization

5. What the AI Agent Can Do

5.1 Create a Workiz Job

The booking flow accepts a payload from ConvoAgent and creates a Workiz job through `/job/create/`.

What happens automatically:

- validates required fields such as `bookingDateTime`, `jobType`, `customerInfo.firstName`, and `customerInfo.phoneNumber`
- normalizes the phone number
- sends the create request to Workiz
- assigns the selected **Primary Assigned User** through `/job/assign/`
- returns a success result back to ConvoAgent

5.2 Cancel a Workiz Job

The cancellation flow updates an existing Workiz job through `/job/update/`.

What happens automatically:

- reads `payload.meta.booking_id`
- validates that `API Secret` and booking ID are present
- sends a cancellation update with `Status = Canceled`
- returns a success result back to ConvoAgent

5.3 Recognize Returning Clients

When the system knows the caller phone number, `ExistingClientFlow` requests `/job/all/` and filters results by phone number.

Only future jobs are saved into the persona `bookings` attribute. This allows the AI to:

- know whether the caller already has a booking
- present existing bookings during cancellation flows
- keep Workiz booking metadata such as `booking_id`, `status`, and `job_type`

5.4 Prepare Canvas Automatically

When automatic Canvas setup is enabled, Workiz adds:

- booking scenario `workiz_schedule_appointment_via_agent_scenario`
- cancellation scenario `cancellation_via_agent_scenario`
- cancellation intent `cancellation_via_agent_intent`

During setup, Newo also removes generic scheduling and cancellation items that would conflict with the Workiz-specific flow.

5.5 Run Safe Tests in DevMode

When `Execution Mode = DevMode`, the integration does not call the real Workiz API.

Instead, it emulates responses for:

- `/team/all/`
- `/job/all/`
- `/job/create/`
- `/job/assign/`
- `/job/update/`

This is the safest way to validate setup logic, Canvas wiring, booking flow behavior, and cancellation flow behavior before moving to production.

5.6 What Is Not Supported Yet

The current Workiz integration does not support:

- live availability lookup
- rescheduling as a dedicated flow
- conversation sync back into Workiz CRM
- pipeline or lead-stage automation

6. How to Test That Everything Works

6.1 After Setup

After clicking **Publish All**, confirm:

- [ ] Publish finishes without setup errors
- [ ] `Primary Assigned User` is populated from dispatcher-capable team members
- [ ] `Dispatcher Team Members` contains synced values

- [ ] Booking and cancellation tools are enabled in the project

6.2 Test in DevMode First

1. Set **Execution Mode** to `DevMode`.
2. Publish the project.
3. Start a test conversation.
4. Ask the AI to book a job.
5. Confirm the agent completes the booking flow successfully.
6. Ask the AI to cancel the same booking.
7. Confirm the cancellation flow completes successfully.

Expected result:

- no real Workiz data is changed
- booking and cancellation success events still return through ConvoAgent

6.3 Test Real Booking in Production

1. Set **Execution Mode** to `Production`.
2. Publish the project.
3. Start a test conversation.
4. Provide:
    - first name
    - last name
    - phone number
    - email
    - service address
    - booking date and time
    - valid job type
5. Let the AI submit the booking.
6. Check Workiz.

Expected result:

- a new job is created in Workiz
- the selected primary assignee is attached to the job
- `JobSource` is filled with the provided value or the default job source

6.4 Test Existing Client Recognition

1. Use the same phone number from a future Workiz job.
2. Start a new session.
3. Confirm that the integration loads existing jobs for that phone number.

Expected result:

- future jobs are stored in the persona `bookings` attribute
- cancellation flow can use those jobs as context

6.5 Test Cancellation

1. Use a booking that contains a valid Workiz `booking_id`.
2. Ask the AI to cancel the booking.
3. Check Workiz.

Expected result:

- the job status becomes `Canceled`
- ConvoAgent receives `result_success` for `cancel_booking`

6.6 Test Canvas Setup

1. Keep **Automatically Add Default Scenarios to Canvas** enabled.
2. Publish the project.
3. Open Canvas and Library.

Expected result:

- Workiz booking scenario exists
- Workiz cancellation scenario exists
- cancellation intent exists
- conflicting generic scheduling and cancellation items are removed



Figure 4. Canvas after setup, with Workiz booking and cancellation scenarios added.

7. Troubleshooting

Booking does not start

Check:

- **Enable Booking** is `True`
- the booking payload includes required fields
- `Job Types` contains the exact requested value

Booking fails after submission

Most common causes:

- `API Secret` is empty
- `Primary Assigned User` is not selected
- `jobType` is not included in `workiz_job_types`

Cancellation fails

Check:

- **Enable Cancellation** is `True`
- the booking contains `meta.booking_id`
- `API Secret` is correct

Primary Assigned User is empty after publish

Check:

- `API Key` is filled
- `/team/all/` can be reached
- the Workiz users have roles `dispatch`, `manager`, or `admin`

Existing-client lookup returns nothing

Check:

- the caller phone number matches Workiz job phone numbers after normalization
- the job is in the future
- the Workiz response includes the job in `/job/all/`

8. Screenshots Used In This Guide

Current screenshots:

- `screenshots/select module.png` - module selection during integration creation
- `screenshots/setup.png` - publish action after settings are filled
- `screenshots/config.png` - Workiz settings block in Builder
- `screenshots/scenarios.png` - Canvas with Workiz scenarios