

XCALLY Integration

How to Setup

Fill Newo XCALLY Settings

Fill every field in the `XCally Module` group in Newo Builder.

Use these values:

Field	Value
XCALLY API Key	XCALLY API key / JWT
XCALLY Base URL	https://demo5.csc.ee/api
XCALLY Open Channel Account ID	9
XCALLY Default Contact List ID	73
Return AI After Operator Closes Dialog	True
XCALLY Automatically Add Default Scenarios to Canvas	True

Important:

- Base URL must end with `/api`
- Base URL must not end with `/`
- The contact list must belong to the same XCALLY Open Channel account
- `XCALLY Incoming Webhook URL` is generated automatically on publish and stored in a hidden field
- The XCALLY setup creates its own Newo Chat connector: `xcally_proxy_chat`

Quick check:

Check	Expected
API key	Not empty
Base URL	Ends with <code>/api</code>
Account ID	Number
Contact list ID	Number
Return AI after close	True
Auto scenarios	True

Publish and Verify XCALLY Account Settings

Click `Publish All` in Newo Builder.

After publishing, XCALLY Integration creates and starts a dedicated Newo Chat connector named `xcally_proxy_chat` . This is the chat connector that supports XCALLY live-agent handoff.

Newo Chat Integration			4		
↳ newo_chat	newo_chat		Running	...	
↳ vibe_agent	vibe_agent		Running	...	
↳ workflow_builder	workflow_builder		Running	...	
↳ xcally_proxy_chat	xcally_proxy_chat		Running	...	

If you want to use a website chat with XCALLY support, use the widget script from `xcally_proxy_chat` . Do not use the default `newo_chat` widget for XCALLY handoff tests: regular `newo_chat` messages are ignored by the XCALLY bridge.

Widget Script

This is the script of the widget. You need to embed it to your website page

```
<script defer src="https://static.newo.ai/newo-chat/web-chat.js" name="web-chat" data-client-secret="b89b6912-a04a-49dd-8aaf-af481d70975d"></script>
```

Widget Embed URL

After publishing, open XCALLY and go to `Channels -> Open Channel` .

Find the account with ID `9` .

Открыть канал счетов						
Для поиска любого						
☐	Id	Имя	Ключ	Ответ URL	Список	Описание
☐	9	NewoAI	newoai-integration	https://hooks.newo.ai/<masked>	Test	
☐	7	Live Call Translator	LCT	https://hooks.newo.ai/<masked>	Test	Live Call Translator PLUGIN
☐	3	Telegram	TGR	http://localhost:3264/sendMessage		
☐	5	Twitter	TWR	http://localhost:3009/api/from-motion-to-twitter		
☐	4	Viber	VBR	http://localhost:3007/api/from-motion-to-viber		
☐	2	FaceBook	FBA	https://cloud.xcallymotion.com/api/reply		
☐	1	Clicktocal vidao	CTCV			click to call website
Страница: 1 ▾ Строк на странице: 10 ▾ 1-7 В 7 < >						

Open that account and verify:

- Reply URL points to `https://hooks.newo.ai/...`
- List is the expected contact list
- account key matches the Newo project you are testing

#9 NewoAI

Созданные в 04/04/26 23:21:45

СОХРАНИТЬ

Настройки

Расширенные возможности

Распоряжения

Консервированные ответы

Действия

Взаимодействие

Генеральной

Имя *

NewoAI

Ключ *

newoai-integration

18 / 5

Ответ URL

https://hooks.newoai.com/<masked>

Список *

Test

Ключ карты

phone

Описание

Получить URL

 https://demo5.csc.ee/api/openchannel/accounts/9/notify

Это автоматически генерируемый API строки. Вы должны использовать для приема сообщений внутри вашего открытого канала из внешнего приложения (POST метод должен использоваться). Вы можете нажать кнопку в буфер обмена для копирования в буфер обмена.

Настройки маршрутизации доступны только в новом пользовательском интерфейсе.

Check XCALLY Agent Side

Open XCALLY agent UI.

Login as the test agent.

Make sure the agent is online.

Open:

Open Channel Interactions

Set filters so they do not hide new interactions:

Filter	Safe Value
Date	Today or current test range
Status	Open
Account	Correct Open Channel account or All
Agent	Correct test agent or All
Read / Unread	All

If the table is empty before testing, that is okay.

Взаимодействие открытого канала									
Выбор даты начала 01 Apr - 01 May 2026 Выбор чтения / Непрочитанное Все Выбор состояния Открыть Выбор учетной записи Выбор агента Все									
id	Контакты	Началась в	Последнее сообщение	Состояние	Оператор	Внимание	Tags	сентиментальность	
182	Айзат	20/04/26 11:52:15	20/04/26 11:53:43	Открыть	Меня	newoa-integration			⋮
179	Айзат	20/04/26 09:21:00	20/04/26 09:21:00	Открыть	Не назначе...	LCT			⋮
177	Codex Test Open...	15/04/26 21:02:01	15/04/26 21:02:01	Открыть	Administrato...	LCT			⋮
176	Open Channel	14/04/26 17:07:10	15/04/26 11:25:44	Открыть	Не назначе...	LCT			⋮
175	Open Channel	14/04/26 17:01:16	14/04/26 17:01:16	Открыть	Не назначе...	LCT			⋮
174	Unknown	13/04/26 16:25:33	13/04/26 16:25:47	Открыть	Не назначе...	LCT			⋮
Страница: 1 Строк на странице: 10 1 - 6 В 6 < >									

How to Test

Basic Handoff Test

1. Open the `xcall_proxy_chat` Newo chat widget
2. Ask for a live operator
3. Confirm the handoff
4. Verify that a new interaction appears in XCALLY
5. Reply from the XCALLY operator UI
6. Verify that the reply appears back in the `xcall_proxy_chat` widget

Expected result:

- The user stays in the same `xcall_proxy_chat` chat
- XCALLY receives the interaction
- Operator replies return through `replyUri`