# ServiceTitan Integration

## 1. Overview

### 1.1 Description

**ServiceTitan Integration** connects **ServiceTitan** (field service management platform for HVAC, plumbing, and electrical businesses) with **Newo Platform**.

It enables:

- Checking real-time dispatch capacity and presenting available time windows to callers
- Creating bookings that appear on the company's Calls screen for dispatcher action
- Looking up existing customers by phone number for returning callers
- Automatic LLM-powered matching of service requests to business units (HVAC, Plumbing, Electrical)
- Loading and caching business units and job types on session start
- Auto-configuring conversation canvas with service call booking and cancellation scenarios
- OAuth2 client credentials authentication with automatic token refresh on 401

This integration is designed for **home services businesses** (HVAC, plumbing, electrical contractors) who need **an AI receptionist to handle incoming calls, check availability, and create service bookings** through voice or chat.

### 1.2 Use Cases

- When a caller requests a service → Agent identifies the issue, checks dispatch capacity, and creates a booking
- When a caller asks about available times → Agent queries ServiceTitan dispatch capacity filtered by business unit
- When a returning customer calls → Agent looks up their profile by phone number
- When a caller wants to cancel or reschedule → Agent transfers to a human manager
- When a caller asks about job status → Agent collects details and transfers to team member

### 1.3 Supported Features

| Feature | Supported | Notes |
|---|---|---|
| Check Dispatch Availability | ✅ | By date range and business unit via Dispatch API |
| Create Booking | ✅ | With auto customer creation, appears on Calls screen |
| Customer Lookup | ✅ | Search by phone number via CRM API |
| LLM Service Classification | ✅ | Maps service request → business unit via Gemini Gen() |
| Static Data Sync | ✅ | Business units + job types loaded on session start |
| Canvas Auto-Setup | ✅ | Booking + cancellation + job status scenarios and intents |
| Multi-Business-Unit Support | ✅ | LLM resolves service type → correct business unit |
| Cancellation | ❌ | No API for booking cancellation — transfers to manager |

| | | |
|---|---|---|
| Reschedule | ❌ | No direct reschedule — transfers to manager |
| Job Status Lookup | ❌ | Intent defined, but transfers to manager (API not wired) |
| Payment Processing | ❌ | Not implemented |

## 2. Requirements

Before installation:

- Active **ServiceTitan** account with API access enabled
- **Client ID** and **Client Secret** from the ServiceTitan Developer Portal (environment-specific)
- **App Key** (ST-App-Key) from the ServiceTitan My Apps portal (environment-agnostic)
- **Tenant ID** from your ServiceTitan account
- At least one **Business Unit** configured in ServiceTitan (e.g., HVAC, Plumbing, Electrical)

## 3. How to Setup

### 3.1 Step 1 — Generate Credentials in ServiceTitan

1. Log in to the **ServiceTitan Developer Portal** (https://developer.servicetitan.io)
2. Navigate to **My Apps** → create or select your application
3. Copy the **App Key** (this is environment-agnostic)
4. Go to your application's **Credentials** section
5. Select the environment (Production or Integration/Sandbox)
6. Copy the **Client ID** and **Client Secret**
7. Note your **Tenant ID** from the ServiceTitan account settings

### 3.2 Step 2 — Connect in Platform

1. Open **Newo → Projects**
2. Set the following attributes in **Builder / Attributes**:

| Attribute | Required | Default | |
|---|---|---|---|
| `servicetitan_client_id` | ✅ | — | O |
| `servicetitan_client_secret` | ✅ | — | O sp |
| `servicetitan_app_key` | ✅ | — | Ap ag |
| `servicetitan_tenant_id` | ✅ | — | Te |
| `servicetitan_base_url` | ❌ | `https://api.servicetitan.io` | AI in |
| `servicetitan_auth_url` | ❌ | `https://auth.servicetitan.io/connect/token` | O ht in |
| `servicetitan_booking_source` | ❌ | `AI Receptionist` | Sc |
| `servicetitan_enable_slot_check` | ❌ | `True` | En |

| | | | |
|---|---|---|---|
| `servicetitan_enable_booking` | ❌ | `True` | En |
| `servicetitan_setup_scenarios` | ❌ | `True` | Au to |
| `servicetitan_override_agent_attributes` | ❌ | `True` | Ov pu |
| `servicetitan_default_business_unit_id` | ❌ | — | Fa re |

3. Click **Save + Publish All**
4. On publish, the SetupFlow automatically:
    - Creates HTTP connectors for ServiceTitan API and token endpoint
    - Sets all customer attributes with metadata
    - Registers booking and availability tools on ConvoAgent
    - Injects availability and booking payload schemas
5. On first conversation, StaticDataFlow loads business units and job types from ServiceTitan

# 4. How to Use

## 4.1 How the Integration Works

The integration uses ServiceTitan **Dispatch API** for availability, **CRM API** for customers and bookings, and **Settings/JPM APIs** for reference data. Service requests are classified to the correct business unit via LLM.

- A **Trigger** is a system event that starts a flow
- An **Action** is the API operation performed in ServiceTitan

**Available Triggers**

| Trigger | Event | Description |
|---|---|---|
| **Check Availability** | `get_available_slots` | When the agent needs dispatch capacity |
| **Create Booking** | `book_slot` | When the agent confirms a booking |
| **Customer Lookup** | `search_existing_client` | When identifying a returning caller |
| **Load Static Data** | `session_started` | Auto-load business units and job types |
| **Setup** | `project_publish_finish` | Initialize integration on deploy |
| **Canvas Setup** | `gm_workflow_builder_canvas_built` | Auto-add scenarios to canvas |

**Available Actions**

- **Get Dispatch Capacity** — Check available time windows (GET `/dispatch/v2/tenant/{id}/capacity`)
- **Search Customer** — Find customer by phone (GET `/crm/v2/tenant/{id}/customers?phoneNumber=...`)
- **Create Customer** — New customer record (POST `/crm/v2/tenant/{id}/customers`)
- **Create Booking** — Submit service request to Calls screen (POST `/crm/v2/tenant/{id}/bookings`)
- **Get Business Units** — Load reference data (GET `/settings/v2/tenant/{id}/business-units`)

- **Get Job Types** — Load reference data (GET `/jpm/v2/tenant/{id}/job-types`)
- **Get Token** — OAuth2 authentication (POST `{auth_url}`)

### 4.2 Flows

| Flow | Purpose |
|---|---|
| **SetupFlow** | Initialize integration: connectors, attributes, schemas, persona |
| **UtilsFlow** | HTTP request execution, Bearer + ST-App-Key headers, token refresh on 401 |
| **AvailabilityFlow** | Check dispatch capacity with LLM business unit resolution |
| **BookingFlow** | Customer search/create → booking creation with contacts |
| **ExistingClientFlow** | Customer lookup by phone number |
| **StaticDataFlow** | Load business units + job types on session start |
| **CanvasSetupFlow** | Auto-add booking, cancellation, job status scenarios to canvas |
| **MetadataFlow** | Version tracking |

### 4.3 Architecture Diagrams

**Overall Sequence**

```
sequenceDiagram
    participant U as User
    participant A as ConvoAgent
    participant I as ServiceTitan Integration
    participant API as ServiceTitan API

    Note over I,API: Setup (on publish)
    A->>I: project_publish_finish
    I->>I: Create connectors, set attributes, inject schemas

    Note over I,API: Static Data (on session start)
    I->>API: GET /settings/.../business-units
    API-->>I: Business units (HVAC, Plumbing, Electrical)
    I->>API: GET /jpm/.../job-types
    API-->>I: Job types (AC Repair, Drain Cleaning, etc.)
    I->>I: Cache in customer attributes

    Note over U,API: Availability Check
    U->>A: "My AC isn't cooling, need a technician"
    A->>I: get_available_slots {date, time, service_request}
    I->>I: LLM: "AC" → HVAC business unit
    I->>API: GET /dispatch/.../capacity?businessUnitIds=HVAC
    API-->>I: Available time windows
    I->>A: result_success {availability[]}
    A->>U: "We have Monday 9-11 AM or 1-3 PM"

    Note over U,API: Booking
```

```
    U->>A: "Monday 9 AM works"
    A->>I: book_slot {summary}
    I->>API: GET /crm/.../customers?phoneNumber=...
    alt Customer not found
        I->>API: POST /crm/.../customers
        API-->>I: customer_id
    end
    I->>API: POST /crm/.../bookings
    API-->>I: booking_id
    I->>A: result_success {booking_id}
    A->>U: "Your service call is confirmed!"

    Note over U,A: Cancellation
    U->>A: "I need to cancel my appointment"
    A->>U: "I'll connect you with a team member"
    A->>A: Transfer to manager
```

**AvailabilityFlow**

```
flowchart TD
    E["get_available_slots"] --> GATE{{"Slot check<br>enabled?"}}
    GATE -->|"No"| SKIP["Return"]
    GATE -->|"Yes"| EXTRACT["Extract date, time,<br>service_request"]
    EXTRACT --> LLM{{"service_request<br>provided?"}}
    LLM -->|"Yes"| RESOLVE["LLM Gen():<br>service → business_unit_id"]
    LLM -->|"No"| DEFAULT["Use default<br>business_unit_id"]
    RESOLVE --> API
    DEFAULT --> API
    API["GET /dispatch/v2/tenant/{id}/capacity<br>?
startsOnOrAfter=...&businessUnitIds=..."]
    API --> OK{{"Success?"}}
    OK -->|"No"| ERR["result_error"]
    OK -->|"Yes"| PARSE["Group slots by date"]
    PARSE --> OUT["result_success<br>{availability[]}"]
```

**BookingFlow**

```
flowchart TD
    E["book_slot"] --> GATE{{"Booking<br>enabled?"}}
    GATE -->|"No"| SKIP["Return"]
    GATE -->|"Yes"| PHONE{{"Phone<br>available?"}}
    PHONE -->|"No"| ASK["urgent_message:<br>ask for phone"]
    PHONE -->|"Yes"| SEARCH["GET /crm/v2/tenant/{id}/<br>customers?phoneNumber=..."]
    SEARCH --> FOUND{{"Customer<br>found?"}}
    FOUND -->|"No"| CREATE["POST /crm/v2/tenant/{id}/<br>customers"]
    CREATE --> CID["customer_id"]
    FOUND -->|"Yes"| CID
    CID --> BOOK["POST /crm/v2/tenant/{id}/<br>bookings<br>{source, summary,
contacts}"]
    BOOK --> RESULT{{"Success?"}}
```

```
    RESULT -->|"No"| ERR["result_error"]
    RESULT -->|"Yes"| OUT["result_success<br>{booking_id}"]
```

**ExistingClientFlow**

```
flowchart TD
    E["search_existing_client"] --> PHONE{{"Phone<br>available?"}}
    PHONE -->|"No"| ERR["result_error:<br>no phone"]
    PHONE -->|"Yes"| API["GET /crm/v2/tenant/{id}/<br>customers?phoneNumber=..."]
    API --> FOUND{{"Customer<br>found?"}}
    FOUND -->|"Yes"| SUCCESS["result_success<br>{customer_id, name, found: true}"]
    FOUND -->|"No"| NOTFOUND["result_success<br>{found: false}"]
```

**StaticDataFlow**

```
flowchart TD
    E["session_started"] --> CONF{{"ServiceTitan<br>configured?"}}
    CONF -->|"No"| SKIP["Return"]
    CONF -->|"Yes"| CACHED1{{"Business units<br>already loaded?"}}
    CACHED1 -->|"Yes"| JOB["Skip to job types"]
    CACHED1 -->|"No"| BU["GET /settings/v2/tenant/{id}/<br>business-units"]
    BU --> STORE1["Store servicetitan_business_units"]
    STORE1 --> JOB
    JOB --> CACHED2{{"Job types<br>already loaded?"}}
    CACHED2 -->|"Yes"| DONE["Done"]
    CACHED2 -->|"No"| JT["GET /jpm/v2/tenant/{id}/<br>job-types"]
    JT --> STORE2["Store servicetitan_job_types"]
    STORE2 --> DONE
```

**UtilsFlow — Token Refresh**

```
flowchart TD
    REQ["HTTP Request via<br>servicetitan_connector"] --> RESP{{"Status?"}}
    RESP -->|"200"| BODY{{"Body has<br>error/title?"}}
    BODY -->|"No"| SUCCESS["servicetitan_result_success"]
    BODY -->|"Yes"| ERROR["servicetitan_result_error"]
    RESP -->|"401"| REFRESH["POST {auth_url}<br>grant_type=client_credentials"]
    REFRESH --> TOKEN{{"Token<br>received?"}}
    TOKEN -->|"Yes"| SAVE["Save access_token"]
    SAVE --> RETRY{{"Attempt<br>< 3?"}}
    RETRY -->|"Yes"| AGAIN["Retry original request"]
    RETRY -->|"No"| MAXERR["servicetitan_result_error<br>max retries"]
    TOKEN -->|"No"| TOKERR["servicetitan_result_error"]
    RESP -->|"Other"| CONNERR["servicetitan_result_error"]
```

### 4.4 Canvas Scenarios

When `servicetitan_setup_scenarios` is `True` (default), the CanvasSetupFlow automatically adds:

**Scenarios:**

- **"Scheduling Service Call via Agent"** ( `servicetitan_booking_scenario` ) — 8-step guided booking flow with code-phrases for availability check and booking creation

**Intent Types:**

- **"[L] Service Call Request via Agent"** ( `servicetitan_booking_intent` ) — caller wants to schedule service
- **"[T] Job Status Inquiry"** ( `servicetitan_job_status_intent` ) — caller asking about existing job
- **"[T] Cancellation or Reschedule Request"** ( `servicetitan_cancellation_intent` ) — caller wants to cancel/reschedule → transfer to manager

These can be customized on the canvas after setup — modified scenarios are not overwritten.

### 4.5 Where to Test

Testing can be done through the **Newo conversation interface** (chat or voice). A mock server is available at `mocks/servicetitan/routes.yaml` for testing without real API credentials.

### 4.6 Testing and Verification

**To test the integration:**

1. **Setup**: Publish the project and verify connectors are created
2. **Static Data**: Start a conversation — verify `servicetitan_business_units` and `servicetitan_job_types` are populated
3. **Availability**: Ask about a service — verify dispatch capacity returned with time windows
4. **Booking**: Complete a booking — verify booking created in ServiceTitan Calls screen
5. **Cancellation**: Ask to cancel — verify agent transfers to manager

**If no action occurs:**

- Ensure credentials are set ( `servicetitan_client_id` , `servicetitan_client_secret` , `servicetitan_app_key` )
- Verify `servicetitan_tenant_id` is correct
- Confirm `servicetitan_base_url` points to correct environment (production vs sandbox)
- Check feature flags ( `servicetitan_enable_slot_check` , `servicetitan_enable_booking` )
- Re-publish after configuration changes
- Verify `servicetitan_business_units` is populated (check logs for StaticDataFlow)

> *Note: This integration creates real bookings in ServiceTitan. Bookings appear on the Calls screen and are visible to dispatchers.*

## 5. FAQ

**Q: What is the difference between a Booking and a Job in ServiceTitan?** A: A **Booking** is an incoming inquiry/request that appears on the Calls screen. A **Job** is a confirmed work order on the dispatch board, created by a dispatcher from a booking. The AI receptionist creates Bookings, not Jobs directly.

**Q: How does the agent determine which business unit to query for availability?** A: The `_resolveBusinessUnitSkill` uses Gemini LLM (Gen, temperature=0.1) to classify the caller's service request against the loaded list of business units and job types. For example, "my AC isn't cooling" → HVAC. If classification fails, it falls back to `servicetitan_default_business_unit_id` .

**Q: Why can't the agent cancel bookings?** A: ServiceTitan's API does not provide an endpoint for cancelling bookings. Cancellation/rescheduling is handled by human dispatchers. The agent recognizes cancellation requests and transfers the caller to a manager.

**Q: How are tokens managed?** A: OAuth2 client credentials flow. Tokens are valid for 15 minutes with no refresh token. On 401 responses, UtilsFlow automatically re-authenticates and retries (up to 3 times). Tokens are cached in `servicetitan_access_token` customer attribute.

**Q: When is static data (business units, job types) loaded?** A: On every `session_started` event (start of each conversation). Data is cached — if already loaded, the API call is skipped. To force reload, clear `servicetitan_business_units` and `servicetitan_job_types` attributes.

**Q: Can I connect to the ServiceTitan Sandbox?** A: Yes. Set `servicetitan_base_url` to `https://api-integration.servicetitan.io` and `servicetitan_auth_url` to `https://auth-integration.servicetitan.io/connect/token`. Use sandbox Client ID and Client Secret.

**Q: What customer information is needed for booking?** A: The caller's phone number is required for customer lookup/creation. Full name is used when creating a new customer. The booking summary is generated from the conversation context describing the service needed.