XCALLY Integration

How to Setup

Fill Newo XCALLY Settings

Fill every field in the `XCally Module` group in Newo Builder.

Use these values:

Field	Value
`XCALLY API Key`	XCALLY API key / JWT
`XCALLY Base URL`	`https://demo5.csc.ee/api`
`XCALLY Open Channel Account ID`	`9`
`XCALLY Default Contact List ID`	`73`
`Return AI After Operator Closes Dialog`	`True`
`XCALLY Automatically Add Default Scenarios to Canvas`	`True`

Important:

- Base URL must end with `/api`
- Base URL must not end with `/`
- The contact list must belong to the same XCALLY Open Channel account
- `XCALLY Incoming Webhook URL` is generated automatically on publish and stored in a hidden field
- The XCALLY setup creates its own Newo Chat connector: `xcally_proxy_chat`

Quick check:

Check	Expected
API key	Not empty
Base URL	Ends with `/api`
Account ID	Number
Contact list ID	Number
Return AI after close	`True`
Auto scenarios	`True`

Publish and Verify XCALLY Account Settings

Click `Publish All` in Newo Builder.

After publishing, XCALLY Integration creates and starts a dedicated Newo Chat connector named `xcally_proxy_chat`. This is the chat connector that supports XCALLY live-agent handoff.

If you want to use a website chat with XCALLY support, use the widget script from `xcally_proxy_chat`. Do not use the default `newo_chat` widget for XCALLY handoff tests: regular `newo_chat` messages are ignored by the XCALLY bridge.

After publishing, open XCALLY and go to `Channels –> Open Channel`.

Find the account with ID `9`.



Open that account and verify:

- `Reply URL` points to `https://hooks.newo.ai/...`
- `List` is the expected contact list
- account key matches the Newo project you are testing



Check XCALLY Agent Side

Open XCALLY agent UI.

Login as the test agent.

Make sure the agent is online.

Open:

```
Open Channel Interactions
```

Set filters so they do not hide new interactions:

Filter	Safe Value
Date	Today or current test range
Status	Open
Account	Correct Open Channel account or All
Agent	Correct test agent or All
Read / Unread	All

If the table is empty before testing, that is okay.



How to Test

Basic Handoff Test

1. Open the `xcally_proxy_chat` Newo chat widget
2. Ask for a live operator
3. Confirm the handoff
4. Verify that a new interaction appears in XCALLY
5. Reply from the XCALLY operator UI
6. Verify that the reply appears back in the `xcally_proxy_chat` widget

Expected result:

- The user stays in the same `xcally_proxy_chat` chat
- XCALLY receives the interaction
- Operator replies return through `replyUri`