TrackB Integration

1. Overview

1.1 Description

TrackB Integration connects the **TrackB delivery tracking service** with the **Newo Platform**.

It enables:

- Automatic delivery status lookup by tracking number during a conversation
- Strict, facts-only responses — the agent never guesses or infers delivery status
- Auto-provisioning of a delivery lookup scenario to the workflow canvas

This integration is designed for **e-commerce businesses and logistics companies** who need their AI agent (voice or chat) to answer customer questions about shipment status in real time.

1.2 Use Cases

- When a client asks "Where is my package?" → Agent extracts the tracking number and checks the TrackB API, then reads back the exact delivery status
- When the tracking number is missing → Agent asks the client to provide it exactly as shown in the shipment confirmation
- When the tracking API returns no data → Agent tells the client there is no information for that tracking number (no guessing)
- When the project is published → Delivery lookup scenario and intent type are automatically added to the workflow canvas

1.3 Supported Features

Feature	Supported	Notes
Delivery Status Lookup	✅	Real-time query to TrackB API by tracking number
Tracking Number Extraction	✅	LLM-powered extraction from conversation context
Empty / Not Found Handling	✅	Explicit message when no data is found — no speculation
API Error Handling	✅	Explicit message when TrackB API is unavailable
Canvas Scenario Provisioning	✅	Auto-adds Delivery Status Lookup scenario and intent to canvas
Multiple Tracking Numbers	❌	One lookup per conversation turn
Proactive Status Notifications	❌	On-demand only; no outbound calling for delivery updates
Custom Tracking Providers	❌	Hardwired to TrackB (track.pasts.lv); no other carriers supported

2. Requirements

Before installation:

- Active **Newo Platform** account with an AI agent project
- Access to the **TrackB** service (track.pasts.lv) — the API token is pre-configured in the integration

No external API keys are required from the customer — the integration uses a built-in access token.

3. How to Setup

3.1 Step 1 — Add the Integration to Your Project

1. Open **Newo → Projects** and select your project
2. Navigate to **Builder / Integrations**
3. Find **TrackB** in the list and click **Add**
4. Click **Save + Publish All**

On publish, the integration automatically:

- Registers the delivery status lookup tool with the ConvoAgent
- Creates the necessary HTTP connector
- Sets up all required attributes with default values

3.2 Step 2 — Configure Attributes (Optional)

Navigate to **Builder / Attributes** → section **12. TrackB Settings**.

Attribute	Default	Description
`trackb_setup_scenarios`	`True`	If enabled, automatically adds the Delivery Lookup scenario and intent to the workflow canvas on publish
`trackb_override_agent_attributes`	`True`	If enabled, applies default TrackB configuration to the ConvoAgent on setup

These settings are optional — the integration works out of the box with defaults.

3.3 Step 3 — Verify Canvas Setup

After publishing:

1. Open **Builder / Canvas** in your project
2. You should see a new scenario: **"Delivery Status Lookup"**
3. You should see a new intent: **"Delivery Status Lookup"** (triggered when a user asks about a shipment)

If the scenario is missing, ensure `trackb_setup_scenarios` is set to `True` and re-publish the project.

3.4 Step 4 — Test the Integration

Open the **Newo conversation interface** (chat or voice channel) and test with:

1. **Happy path:** "Where is my package? Tracking number: ABC123" → Agent should respond with the current delivery status from TrackB

2. **Missing tracking number:** "Where is my package?" → Agent should ask the client to provide the tracking number exactly as shown in the shipment confirmation

3. **Unknown tracking number:** Provide a non-existent tracking number → Agent should say there is no information for that tracking number (without guessing)

4. How It Works

4.1 Delivery Status Lookup — End-to-End

```
1. Customer asks about a delivery
        ↓
2. ConvoAgent detects the intent
   Conditions checked:
   - Tracking number is present in the conversation
   - Agent has explicitly promised to check the status
        ↓
3. DeliveryStatusFlow activates
   - Extracts the tracking number from the conversation using AI
   - If no valid tracking number → asks user to provide it → stops
        ↓
4. TrackB API is called
   GET https://track.pasts.lv/api/v1/consignment/tracking?id={tracking_number}
        ↓
5a. API returns data
    → Agent reports only the facts present in the response
    → No invented statuses or guesses
        ↓
5b. API returns empty / not found
    → Agent says: "No delivery information for this tracking number"
        ↓
5c. API call fails
    → Agent says: "Unable to find delivery information"
```

4.2 Strict Response Policy

The agent is configured to **never speculate** about delivery status:

- Does **not** say "your package may be delayed" unless the API explicitly says so
- Does **not** say "it seems to be delivered" unless the API explicitly says so
- Only reports what is **explicitly present** in the TrackB API response

This prevents misinformation and maintains customer trust.

4.3 Architecture Overview

```
flowchart TD
    U["Customer: 'Where is my package?'"] --> CA["ConvoAgent\n(detects intent)"]
    CA --> DSF["DeliveryStatusFlow\nExtract tracking number"]
    DSF -->|"No tracking number"| ASK["Ask customer for tracking number"]
    DSF -->|"Tracking number found"| API["TrackB API\nGET /consignment/tracking"]
    API -->|"Data returned"| RS["ResultSuccess\nSet TrackingStatus context"]
    API -->|"Error"| RE["ResultError\nNotify lookup failed"]
    RS --> CA2["ConvoAgent\nRespond with facts only"]
```

```
    RE --> CA2
    CA2 --> U2["Customer receives status"]
```

5. FAQ

Q: Does the customer need to provide an API key? A: No. The TrackB integration uses a pre-configured access token. No setup on the TrackB side is required from the customer.

Q: What happens if the customer doesn't say the tracking number? A: The agent will ask them to provide the tracking number exactly as shown in their shipment confirmation. The lookup will not proceed without it.

Q: Can the agent check multiple tracking numbers in one conversation? A: The agent handles one tracking number lookup per conversation turn. For multiple shipments, the customer needs to ask again.

Q: What does "facts only" mean in practice? A: The agent will only read back what the TrackB API explicitly returns — for example, "Your package is in transit, last scanned at Riga sorting facility on March 15." It will never add interpretations like "it looks like it might be delayed."

Q: What if the scenario doesn't appear in the canvas after publishing? A: Check that `trackb_setup_scenarios` is `True` in the attributes. Re-publish the project. If the issue persists, contact support.

Q: Which carrier or postal service does TrackB support? A: TrackB (track.pasts.lv) is a Latvian parcel tracking service. It aggregates tracking data for shipments handled through supported Latvian and regional carriers. For other carriers, a different integration would be needed.