

# Repcard CRM Integration

## What the AI can do

### Summary

**Repcard CRM Integration** connects **Repcard CRM** (field sales CRM for solar, home services, and insurance) with **Newo Platform**.

It enables:

- Creating appointments in Repcard with customer details, address, and calendar selection
- Cancelling existing appointments by updating their status
- Checking availability by computing free 30-minute slots from existing appointments
- Creating contacts (customers) in Repcard with type, owner, and status assignment
- Sending digital business cards (RepCards) to contacts via SMS or email
- Dynamic calendar synchronization from the Repcard API at setup
- DevMode for testing without real API credentials (LLM-emulated responses)
- Auto-configuring conversation canvas with booking and cancellation scenarios

This integration is designed for **field sales teams** (solar installers, home services providers, insurance agents) who use Repcard CRM to manage their leads and appointments and need **an AI receptionist to book, cancel, and check availability** through voice or chat.

### Common use cases

- When a caller requests an appointment --> Agent collects details (name, phone, email, address, date/time) and creates an appointment in Repcard
- When a caller wants to cancel an appointment --> Agent finds the booking and cancels it in Repcard
- When a caller asks about availability --> Agent fetches existing appointments and computes free 30-minute slots over the next 5 days
- When a contact needs to be created --> Agent collects customer info and creates a contact in Repcard via create/update request
- When a digital business card needs to be sent --> Agent sends a RepCard to a contact via SMS or email
- When the project is published --> Agent syncs available calendars from Repcard API and populates the calendar dropdown

### Features at a glance

| Feature            | Supported | Notes                                                                |
|--------------------|-----------|----------------------------------------------------------------------|
| Create Appointment | Yes       | Full customer details, address, calendar selection, setter email     |
| Cancel Appointment | Yes       | the update request with cancellation notes                           |
| Check Availability | Yes       | Computes free 30-min slots from existing appointments (5-day window) |
| Create Contact     | Yes       | create/update request with type, owner, status                       |
| Send RepCard       | Yes       | create/update request (digital business card via SMS/email)          |

|                         |     |                                                            |
|-------------------------|-----|------------------------------------------------------------|
| Calendar Sync           | Yes | Dynamic sync from lookup request on publish                |
| Canvas Auto-Setup       | Yes | Booking + cancellation scenarios and intents               |
| DevMode (LLM Emulation) | Yes | Test without real API -- LLM generates realistic responses |
| Reschedule              | No  | Cancel + rebook as workaround                              |
| Existing Client Lookup  | No  | Not implemented                                            |

## Before You Start

Before installation:

- Active **Repcard CRM** Enterprise account with API access
- **API Key** from Repcard Company Settings > API Keys tab
- At least one calendar configured in Repcard
- A setter (sales rep) email address for appointment assignment
- A contact owner email for contact creation

## Setup

### Create the Newo project

If this project already exists in **Newo Builder**, skip this subsection and continue with the integration-specific settings below.

1. In **Newo Builder**, open the projects list and click **Create Project** (or **Create New Project** from the top-right menu).

 Create New Project menu in Newo Builder

2. Fill **IDN** and **Title**. The exact names do not matter; use any clear names your team will recognize.
3. In **Registry**, choose the release channel:
  - **staging** — the newest module fixes appear here first. Use it when you need the latest fix, but expect possible unfinished changes.
  - **production** — the final stable version for live projects.
4. In **Module**, select the module for this integration.

 Create Project form showing IDN, Title, Registry, and Module fields 5. Leave **Module version** on **Latest version** unless support tells you to pin a specific version, then click **Create**.

### 3.1 Step 1 -- Get API Credentials from Repcard CRM

1. Log in to your **Repcard CRM** account
2. Navigate to **Company Settings > API Keys** tab
3. Generate or copy your **API Key**
4. Note: API access requires an **Enterprise** account
5. Note your **Calendar IDs** (these will be synced automatically on publish)
6. Note the **setter email** address for appointment assignment

### 3.2 Step 2 -- Connect in Platform

1. Open **Newo --> Projects**
2. Set the following attributes in **Builder / Attributes**:

| Attribute                       | Required | Default                 | Description                                                            |
|---------------------------------|----------|-------------------------|------------------------------------------------------------------------|
| repcard_api_key                 | Yes      | --                      | API Key from Repcard<br>Company Settings > API<br>Keys tab             |
| repcard_base_url                | No       | https://api.repcard.com | API base URL                                                           |
| repcard_mode                    | No       | Production              | Production for real API,<br>DevMode for LLM<br>emulation               |
| repcard_enable_booking          | No       | True                    | Enable appointment<br>creation                                         |
| repcard_enable_cancellation     | No       | True                    | Enable appointment<br>cancellation                                     |
| repcard_enable_contact_creation | No       | True                    | Enable contact creation                                                |
| repcard_enable_send_repcard     | No       | True                    | Enable sending digital<br>business cards                               |
| repcard_default_calendar        | No       | (auto-synced)           | Calendar ID for new<br>appointments (dropdown<br>populated after sync) |
| repcard_default_setter          | Yes*     | --                      | Setter (sales rep) email<br>for new appointments                       |
| repcard_default_contact_type    | No       | Lead                    | Contact type for new<br>contacts (Lead,<br>Customer, Recruit)          |
| repcard_default_contact_owner   | Yes*     | --                      | Owner (assigned rep)<br>email for new contacts                         |
| repcard_default_contact_status  | No       | New                     | Status for new contacts                                                |
| repcard_default_repcard_id      | No       | --                      | Digital business card<br>template ID                                   |
| repcard_setup_scenarios         | No       | True                    | Auto-add<br>booking/cancellation<br>scenarios to canvas                |

\*Required for the respective feature to work (booking requires setter, contacts require owner).

3. Click **Save + Publish All**
4. On publish, the InitFlow automatically:
  - Prepares the connection for Repcard API ( `repcard_connector` )

- Sets all customer attributes with metadata
- Registers booking, availability, and cancellation tools on ConvoAgent
- Syncs calendars from Repcard API (lookup request)
- Populates the calendar dropdown with synced values

## How to use the integration

### 4.1 How the Integration Works

The integration uses a Repcard API key. In production, customer actions are written to Repcard CRM; in demo mode, the agent can be tested without touching live Repcard records.

#### Canvas scenarios

When `repcard_setup_scenarios` is `True` (default), Publish All automatically adds:

##### Scenarios:

- **"Scheduling Appointment via Agent"**  
( `repcard_schedule_appointment_via_agent_scenario` ) -- 10-step guided booking flow that collects all required fields (name, phone, email, address, ZIP, date/time) with code-phrases
- **"Canceling Appointment via Agent"** ( `cancellation_via_agent_scenario` ) -- 6-step cancellation flow with confirmation and code-phrases

##### Intent Types:

- **"[L] Appointment via Agent"** ( `library_intent_types_common_appointment_agent` ) -- from library
- **"[T] Cancellation via Agent"** ( `cancellation_via_agent_intent` ) -- caller wants to cancel

#### Where to test

Testing can be done through the **Newo conversation interface** (chat or voice).

**DevMode:** Set `repcard_mode` to `DevMode` to test without real API credentials. The integration will use LLM to generate realistic Repcard API responses.

## How to test that everything works

#### To test the integration:

1. **Setup:** Publish the project and verify calendar sync completed (check `repcard_calendars` attribute and `repcard_default_calendar` dropdown)
2. **Availability:** Ask about available times -- verify agent returns computed free slots
3. **Booking:** Request an appointment -- provide name, phone, email, address, and date --> verify appointment created in Repcard
4. **Cancellation:** Ask to cancel -- verify appointment status updated in Repcard
5. **Contact Creation:** Trigger contact creation -- verify customer created in Repcard via create/update request

#### If no action occurs:

- Ensure API key is set ( `repcard_api_key` ) -- requires Enterprise account
- Verify `repcard_mode` is `Production` (not `DevMode` )
- Check feature flags ( `repcard_enable_booking` , `repcard_enable_cancellation` , etc.)
- Confirm `repcard_default_setter` is set (required for booking)

- Confirm `repcard_default_contact_owner` is set (required for contacts)
- Verify calendars synced (check `repcard_default_calendar` dropdown)
- Re-publish after configuration changes

*Note: This integration creates real appointments and contacts in Repcard CRM. Changes made through the agent are reflected in the live system.*

## FAQ

**Q: How does authentication work?** A: Repcard uses an **API Key** sent in the `x-api-key` HTTP header. API access requires an Enterprise-tier Repcard CRM account. The key is obtained from Company Settings > API Keys tab.

**Q: What is DevMode?** A: When `repcard_mode` is set to `DevMode`, the integration uses LLM (Gen) to emulate Repcard API responses instead of making real HTTP requests. Useful for testing the booking flow without creating real appointments.

**Q: How does calendar selection work?** A: On publish, the integration calls the lookup request to fetch all active calendars. These are stored in `repcard_calendars` and populate the `repcard_default_calendar` dropdown. The LLM can also select a `calendarId` from the enum in the booking schema. If no calendar is selected, the default is used.

**\*\*Q: Why is the customers endpoint create/update request and not create/update request** A: Repcard CRM uses `/customers` as the endpoint name for creating contacts. This is the official Repcard API convention despite the feature being called "contact creation" in the integration.

**Q: How does availability checking work?** A: The integration fetches all existing appointments for the next 5 days via the lookup request, then computes free 30-minute slots during business hours (9:00 AM to 5:00 PM) by excluding busy time slots. Past slots are also excluded. Up to 20 available slots are returned.

**Q: What DateTime format does the API use?** A: The Repcard API uses `YYYY-MM-DD HH:MM:SS` format. The integration automatically appends `:00` seconds if the input is in `YYYY-MM-DD HH:MM` format (16 characters).

**Q: How does the calendarId work?** A: The `calendarId` is numeric and identifies a calendar in Repcard CRM. It is synced dynamically from the API. The `setterEmail` identifies the sales representative assigned to the appointment.

**Q: Can I use the Send RepCard feature through the conversational agent?** A: The Send RepCard feature (the create/update request) is primarily designed for Zapier-style automation triggers. It requires a `contact_id` and a `repcard_default_repcard_id` template to be configured.