Housecall Pro Integration

Connects **Housecall Pro** with the Newo AI agent so callers can book, reschedule, or cancel field-service jobs entirely by voice or chat — no dispatcher required.

What the AI can do

- **Recognize returning customers.** When a caller rings in, the agent looks them up by phone in Housecall Pro and greets them by name, with context about their upcoming job.
- **Check availability.** The agent offers real open time slots pulled live from Housecall Pro (not a best guess).
- **Book the appointment.** Once the customer picks a slot and gives their details, the agent creates the job and schedules the appointment in Housecall Pro — a dispatcher sees it immediately.
- **Cancel an appointment.** If the customer changes their mind or calls back later, the agent can find the booking (even across sessions) and cancel it in Housecall Pro.
- **Capture any extra info.** Whatever the agent gathers during the conversation (brand, model, symptoms, access code, pets on site, warranty info — anything the operator asks for) is summarized into the job notes visible to dispatchers.

Customer records in Housecall Pro

The agent manages Housecall Pro customer profiles automatically — no manual data entry:

Action	When it happens
Find customer (by phone)	On every inbound call and during booking. If a profile exists, the agent reuses it.
Create customer	During booking, if no profile matches the caller's phone. Name, phone, email, and service address are copied from the conversation into a new Housecall Pro customer record.
Update customer	During booking, if the address the caller provided differs from what's on file — the integration adds the new address to their profile.

Duplicates aren't created. Historical jobs remain visible. All fields captured during the call appear in Housecall Pro exactly where a dispatcher expects them.

Features at a glance

Feature	Included
Check live availability	✅
Book appointment	✅
Cancel appointment	✅
Identify returning caller by phone	✅
Search customer's prior bookings (cross-session)	✅
Pick the right technician by Point of Contact (round-robin if several)	✅

Pick the right technician by job type (AI match on tags)	✅
Pick the right technician by ZIP code zone	✅
Project-level default service state (no longer asked from caller)	✅
Auto-match line items from a service catalog	✅
Dispatcher notes auto-filled from the conversation	✅
Reschedule in one step	❌ (ask to cancel, then rebook)

Scenarios

The integration ships with two editable scenarios on the canvas. Operators can tweak them in the Newo UI; the agent picks up the changes on the next publish.

Scenario 12 — Scheduling Appointment in Housecall Pro via Agent

Runs when the caller wants a new appointment. Rough flow:

1. Ask what service is needed.
2. Ask for brand and model (example of extra info capture — replace with whatever your business needs).
3. Ask for the ZIP code.
4. **Check live slots** — agent says "Let me check available time slots for you. Please give me a moment." and real slots appear.
5. Customer picks a slot → confirm.
6. Collect name → phone → email → address.
7. Confirm booking → agent says "I'm booking your appointment now" → booking confirmed in Housecall Pro.

Triggered by intent **"[L] Appointment in Housecall Pro via Agent"**.

Scenario 6 — Canceling Appointment in Housecall Pro via Agent

Runs when the caller wants to cancel. Rough flow:

1. Look up bookings — agent says "Give me a moment to double-check if I have information about your bookings".
2. If one booking found → reconfirm date/time, ask "Are you sure?".
3. If multiple → list them, ask which one.
4. If none → transfer to a human (working hours) or leave a message (after hours).
5. Customer confirms → agent says "Give me a moment, I will cancel your booking right now" → cancellation confirmed in Housecall Pro.

Triggered by intent **"[T] Cancellation in Housecall Pro via Agent"**.

Each scenario's exact code-phrase is required — it's what signals the agent to actually call Housecall Pro (vs. just talk about it). If you rewrite the scenario, keep those phrases intact.

Example dialogs

All three based on real test runs. Agent lines are shortened slightly for readability.

Example 1 — Booking, new customer

> ***Customer:*** *Hi, my kitchen faucet is leaking. Can you send a technician?* ***Agent:*** *Hello there! Yes, we can help with a leaking kitchen faucet.* ***Customer:*** *It's a Moen kitchen faucet, the hot-water handle.* ***Agent:*** *Got it — Moen, hot-water handle. What's your ZIP code?* ***Customer:*** *94105.* ***Agent:*** *Thank you. Let me check available time slots for you. Please give me a moment. (5-10 seconds — agent fetches slots)* ***Agent:*** *I have openings on April 23, April 24, and April 27 at 9 AM, 11 AM, or 1 PM. Which works for you?* ***Customer:*** *April 23 at 9 AM.* ***Agent:*** *Wonderful. Can I have your name?* ***Customer:*** *Riley Chen.* ***Agent:*** *Thank you, Riley. Could you share a phone number?* ***Customer:*** *415-555-0188.* ***Agent:*** *And an email?* ***Customer:*** *riley.chen@example.com.* ***Agent:*** *Could you give me the service address with street and city?* ***Customer:*** *350 Mission Street, San Francisco, 94105.* ***Agent:*** *Thank you. Can I submit the booking now?* ***Customer:*** *Yes, please.* ***Agent:*** *I'm booking your appointment now. Please give me a moment, and I'll get back to you shortly. (5-15 seconds — new customer created in HCP, job created, appointment scheduled)* ***Agent:*** *Your appointment for Wednesday, April 23 at 9 AM has been successfully booked!*

What lands in Housecall Pro:

- New customer "Riley Chen", phone `+14155550188`, email, service address.
- Job with notes: *"Leaking kitchen faucet — Moen, hot-water handle."*
- Appointment at April 23, 9:00 AM, assigned to the POC technician.

Example 2 — Booking, returning customer

> ***Customer:*** *Hi, it's Sarah Johnson. My washing machine is leaking.* ***Agent:*** *Welcome back, Sarah! I see you're at 2006 SW 2nd St, Coral Gables. Is the service at the same address?* ***Customer:*** *Yes, same address.* ***Agent:*** *What brand is the washing machine?* ***Customer:*** *Whirlpool.* ***Agent:*** *Got it. Let me check available time slots for you. Please give me a moment. (slots come back)* ***Agent:*** *I have Thursday April 24 at 10 AM or 1 PM. Which works?* ***Customer:*** *Thursday at 10 AM.* ***Agent:*** *I'll use your phone and email on file. Can I submit the booking now?* ***Customer:*** *Yes.* ***Agent:*** *I'm booking your appointment now...* ***Agent:*** *Your appointment for Thursday, April 24 at 10 AM has been successfully booked!*

What lands in Housecall Pro:

- Existing Sarah Johnson profile reused (no duplicate).
- New job with notes: *"Leaking washing machine — Whirlpool."*
- Appointment on her existing address.

The caller was recognized by phone number on the inbound call — the `<ExistingCustomerInfo>` context gave the agent her name and address so it didn't have to re-ask.

Example 3 — Cancel after booking (same call)

> ***Customer:*** *Actually, I changed my mind — can you cancel the appointment I just booked?* ***Agent:*** *I understand. Give me a moment to double-check if I have information about your bookings, I will get back to you shortly.* ***Agent:*** *I found your appointment for Wednesday, April 23 at 9 AM. Are you sure you want to cancel?* ***Customer:*** *Yes.* ***Agent:*** *Give me a moment, I will cancel your booking right now. (5-10 seconds)* ***Agent:*** *Your appointment for Wednesday, April 23 at 9 AM has been successfully cancelled. Is there anything else I can assist you with?*

Example 4 — Cross-session cancel (customer calls back later)

A day later Riley calls a different session. The agent has no context yet, but the phone number is recognized:

> ***Customer:*** *Hi, I need to cancel my appointment.* ***Agent:*** *Give me a moment to double-check if I have information about your bookings, I will get back to you shortly. (agent looks up bookings via phone in Housecall Pro)* ***Agent:*** *I found your appointment for April 23 at 9 AM. Want me to cancel it?* ***Customer:*** *Yes, please.* ***Agent:*** *Give me a moment, I will cancel your booking right now.* ***Agent:*** *Your appointment has been successfully cancelled.*

Setup

1. Get your Housecall Pro API key

1. Log in to Housecall Pro.
2. Go to Account Settings → Developer / API.
3. Generate or copy your API key.

2. Configure in Newo

1. Open the project and find the **Module - Housecall Pro** attribute group.
2. Paste the API key into `hcp_api_key`.
3. Verify `hcp_company_address_state` — defaults to `CA`. Change it to your service state code (`NY`, `TX`, …) if your company operates outside California. The agent stamps every booking with this value and never asks the caller for the state.
4. (Optional) review the Feature toggles and the assignment method:

Setting	Purpose	Default
Availability Feature	Turns slot lookup on/off	on
Booking Feature	Turns booking creation on/off	on
Cancellation Feature	Turns cancellation on/off	on
Default Service State (`hcp_company_address_state`)	State code stamped on every booking address. Agent never asks the caller for it. Change if you operate outside California.	`CA`
Employee Assignment Method (`hcp_auto_employee_type`)	How the agent picks the technician: `poc` (default — POC employees only get appointments; availability still shows slots from every bookable employee, and multiple POCs share work via round-robin), `job_type` (AI matches job description to technician tags), `zip_code` (technician tagged with the ZIP)	`poc`
Check existing client	Looks up returning callers by phone on inbound calls	on
Auto-Setup Canvas Scenarios	Publishes the default booking/cancel scenarios on first install	on

3. Prepare employees in Housecall Pro

- Every technician who should receive bookings must be marked **Available for booking** in Housecall Pro → *Booking Settings*.
- For `poc` method: at least one employee must have the **"Dispatch/Messaging POC"** permission. If you mark several employees as POC, the agent rotates appointments across them in round-robin order — each new booking goes to the next POC, the rotation index is stored in `hcp_poc_round_robin_index`.

- For `job_type` method: add skill tags to each employee (e.g. `HVAC`, `Plumbing`, `Appliance Repair`). The agent's AI matches the customer's request to these tags.
- For `zip_code` method: add ZIP-code tags to each employee for the areas they serve (e.g. `94105`, `94110`).

4. Hit Publish All

The agent will:

- create the `hcp_connector` connection,
- register the booking/cancel/search tools,
- add the two scenarios and two intents to the canvas (only if no conflicting items are already there — existing customizations are preserved),
- refresh the Housecall Pro employee/job-type cache (first publish only, then every 24 h).

That's it — place a test call or chat message to confirm.

Customizing the agent

The scenario bodies on canvas are fully editable. Common tweaks:

- **Ask for more info.** Add steps like "ask for the serial number" / "ask whether there's a pet". Everything the agent collects ends up in the Housecall Pro job **Notes**.
- **Adjust slot presentation.** Change how many slots the agent offers, grouping by day, etc.
- **Restore defaults.** If you break a scenario, delete it from the canvas and republish — the original is restored from the integration's library.

Frequently asked questions

Q. Does the agent ever charge the customer? No. It only books and cancels. Payments are handled inside Housecall Pro by the dispatcher/tech as normal.

Q. What happens if two customers are trying to book the same slot? Housecall Pro serializes the bookings. The second request will come back with a "slot no longer available" error; the agent apologizes and offers the remaining slots.

Q. Can the caller reschedule in one step? Not directly — the agent cancels the old booking and starts a new booking flow.

Q. Does the agent work for anonymous web chat (no phone number)? Yes for booking — the agent asks for all contact info. Customer lookup-by-phone is skipped when there's no phone on the session.

Q. What if the caller isn't sure about the appliance brand? The scenario tells the agent to acknowledge and move on. Missing brand isn't a blocker.

Q. Can I disable cross-session cancellation? Yes — turn off **Cancellation Feature**. The cancel tool stays registered but the agent ignores the request.

Limitations

- **Reschedule endpoint** is not yet supported (Housecall Pro API limitation). Workaround: cancel + rebook.
- **Historical data import** — the agent only sees jobs created after it was activated.

- **Token auto-refresh** — Housecall Pro uses a static API key. If the key changes, update `hcp_api_key` and republish.

All settings reference

Every attribute the integration adds to the **Module - Housecall Pro** group in Newo. Operators typically only touch the "Primary" rows; the rest are good out of the box.

Primary (set these during setup)

Attribute	Title in UI	Purpose	Default
`hcp_api_key`	01. Housecall Pro API key	Authenticates every call to Housecall Pro. Must be pasted before anything works.	*(empty)*
`hcp_feature_availability_enabled`	Availability Feature	Master on/off for live slot lookup.	on
`hcp_feature_booking_enabled`	Booking Feature	Master on/off for creating bookings.	on
`hcp_feature_cancellation_enabled`	Cancellation Feature	Master on/off for cancelling bookings.	on
`hcp_company_address_state`	04. Default Service State	State code (`CA`, `NY`, `TX`, …) the agent stamps on every booking address. The agent never asks the caller for state. Change before going live if you operate outside California.	`CA`
`hcp_check_existing_client`	05. Check existing client	Look up the caller by phone on inbound calls and surface their info to the agent.	on
`hcp_auto_employee_type`	03. Employee Assignment Method	Picks the technician: `poc` (availability is computed across all bookable employees; appointments are routed to a POC employee — round-robin if several), `job_type` (AI matches by tags), `zip_code` (tag matches ZIP).	`poc`
`hcp_setup_scenarios`	Auto-Setup Canvas Scenarios	Publishes the booking + cancel scenarios and intents on first install. Turn off only if you maintain a fully custom canvas.	on
`hcp_mode`	Mode	`Production` hits the real Housecall Pro API. `DevMode` emulates responses for demos/smoke tests without using real quota.	`Production`

Availability & booking tuning

Attribute	Title in UI	Purpose	Default
`hcp_show_for_days`	02. Availability search window (days)	How many days ahead of the requested date the agent will search for slots.	`5`
`hcp_availability_offset`	06. Availability search start offset (days)	Minimum lead time from today before slots are shown. Use `2` to prevent same-day bookings, `0` to allow them.	`2`
`hcp_booking_duration`	04. Booking duration (minutes)	Default appointment length. Values 1–12 are auto-converted from hours for backward compatibility.	`120`
`hcp_base_url`	09. Housecall Pro base url (for testing)	Change only if Housecall Pro support gave you a non-production URL.	`https://api.housecallpro.com/`

Service catalog & line items

Attribute	Title in UI	Purpose	Default
`hcp_line_items`	07. Service Catalog (Line Items Library)	JSON list of services/materials with title, description, price, quantity. The AI uses this when auto-adding line items to a job.	`[]`
`hcp_auto_add_line_items`	08. Enable Auto-Assignment of Line Items	When on, the AI matches the customer's job description against `hcp_line_items` and attaches the best fit to the job. Off means dispatchers add line items manually.	off

Static-data cache (managed automatically — read-only for dispatchers)

Refreshed from Housecall Pro on every session if stale, or on every publish. Don't edit by hand.

Attribute	Title in UI	What's cached
`hcp_company_employees`	10. Company Employees (static data)	Full employee list with tags, permissions, booking availability.
`hcp_location_employees`	11. Location Employees (static	Per-location employee map for multi-location companies.

	data)	
`hcp_company_info`	12. Company Info (static data)	Company metadata: locations, timezone, phone, email.
`hcp_job_types`	13. Job types (static data)	Housecall Pro job-type list used by the AI for matching.
`hcp_static_data_updated_at`	14. Static data updated at:	Timestamp of the last successful refresh.
`hcp_static_data_update_interval`	15. Static Data Update Interval.	How often (seconds) to refresh the cache. Default 24 h. Lower if employees/job types change frequently.

Advanced (hidden by default)

These are visible only when an operator chooses to reveal them. Leave them alone unless you know what you're changing — clearing the value and republishing restores the default.

Attribute	Purpose
`hcp_availability_extraction_schema`	JSON schema for what the agent extracts from the conversation when checking slots (job description, ZIP, date, weekday).
`hcp_availability_extraction_instructions`	Plain-English instructions the agent follows when filling the schema above.
`hcp_booking_extraction_schema`	JSON schema for booking extraction (customer info, address, date/time, notes, details).
`hcp_booking_extraction_instructions`	Instructions for booking extraction. Controls how the agent turns conversation into the booking payload — including what counts as "notes" (brand, model, symptoms, access info, etc.).
`hcp_cancellation_extraction_schema`	JSON schema for cancellation extraction (picks which of the customer's bookings to cancel).
`hcp_cancellation_extraction_instructions`	Instructions for cancellation extraction.
`hcp_job_type_employee_selection_prompt`	The prompt the AI uses when `hcp_auto_employee_type = job_type` — tells it how to rank technicians by tags.
`hcp_prompt_state_mode`	Compatibility lever for projects whose canvas mixes new HouseCallPro scenarios with legacy / default ones. `new` writes only the custom-tool sections (`<AvailableSlots>` / `<BookingResult>`); `legacy` writes only the legacy ConvoAgent persona attributes (read by `<AvailabilityForTheUserRequestedDateTime>` / `<ActionsStates>`); `both` (default) writes both. Leave on `both` unless you are certain the canvas is exclusively one style

	— picking the wrong single mode silently stalls the scenario whose section was not updated.

System-only (do not edit)

Attribute	Purpose
`hcp_setup_persona_id`	Internal persona used to send setup and static-data refresh events. Created automatically on first publish.
`hcp_connector`	Connector name the integration uses to talk to Housecall Pro HTTP.
`hcp_poc_round_robin_index`	Counter that distributes appointments across multiple POC employees. Maintained automatically by the booking flow; reset only if you intentionally want to restart the rotation.

Changelog

v4.3.19 — Inline payload into `urgent_message` (async section race)

- `AvailabilityFlow/AvailabilityApiResultSkill` and `AppointmentFlow/_emitBookingSuccessSkill` now embed the canonical payload (`available_slots` / `booking_info`) directly into `urgent_message.baseInstruction` . Previously the message asked the LLM to read the `<AvailableSlots>` / `<BookingResult>` section, but `convoagent_update_custom_user_data` is processed asynchronously — the section was sometimes still empty when the same turn's `urgent_message` was rendered, causing the agent to stall ("waiting for slots…") or fabricate a reply that didn't match the real outcome.
- The parallel section update is still emitted (legacy scenarios and follow-up turns continue to read it); the inline payload guarantees the immediate reply has the correct data on the same turn.

v4.3.18 — Canvas dedup against NAF library clones

- `CanvasSetupFlow/SetupCanvasSkill` rewritten to a flat list of items HCP wants on canvas with per-item `origin_aliases` (the HCP idn itself, the legacy pre-prefix idn, and the current NAF-library idn(s) that play the same role). Before adding any HCP item, the skill checks every alias via `_findCanvasCloneItemSkill` ; if any clone is present on canvas (its `origin_idn` matches an alias), the HCP version is skipped to avoid duplicating the role. Mirrors the GoHighLevel pattern.
- New aliases recognised: `library_intent_types_common_appointment_agent` , `library_intent_types_common_cancellation_agent` , `scenario_common_schedule_appointment_agent` , `scenario_home_service_appointment_request` , `scenario_home_service_advanced_appointment_request` , `scenario_common_canceling_appointment_agent` . Operators who forked any of these from the NAF library no longer end up with two scenarios doing the same thing after every publish.
- Stale-cleanup list now also drops vanilla `idn=hcp_*` library-refs each publish so previously-added HCP scenarios don't linger when the operator switches to a NAF-library clone. Operator-edited HCP clones (UUID idn + `origin_idn=hcp_*`) survive — they're matched by the alias check above and preserved.
- Old `migration_mappings` block removed; clone preservation, legacy-ref deletion, and NAF-library overlap are all handled by the unified loop.

v4.3.17 — Prompt-state compatibility mode for legacy scenarios

- New hidden compatibility attribute **`hcp_prompt_state_mode`** with three values: `new`, `legacy`, `both` (default). It controls which prompt blocks the integration updates after availability and booking actions:
  - `new` — only the HouseCallPro custom-tool sections (`<AvailableSlots>` / `<BookingResult>`).
  - `legacy` — only the legacy ConvoAgent persona attributes (`booking_slots_availability_*` and `action_state_booking_submitting`) read by `<AvailabilityForTheUserRequestedDateTime>` / `<ActionsStates>` .
  - `both` — both. Safe default for canvases that still mix HouseCallPro scenarios with legacy/default ones.
- Affected skills: `AvailabilityFlow/AvailabilityApiResultSkill`, `AvailabilityFlow/_emitAvailabilityErrorSkill`, `AppointmentFlow/_emitBookingSuccessSkill`, `AppointmentFlow/_emitBookingErrorSkill` . Each writes the matching sections independently per mode; unknown values fall back to `both` .
- The `urgent_message` instruction the agent receives is mode-aware: in `both` mode it references both new and legacy section names so whichever scenario style the canvas has running picks up the result.
- The attribute is `is_hidden: true` — it is a compatibility lever, not a feature toggle. Operators should leave it on `both` unless they are migrating an existing canvas in a controlled way.

v4.3.16 — POC company-wide availability (single request)

- In POC mode (`hcp_auto_employee_type=poc`) with at least one POC employee, `_availabilitySkill` now sends a single `availability_all` request to HouseCall Pro **without** the `employee_ids[]` filter — HCP returns the company's full availability in one round-trip.
- The per-employee `availability` fan-out (one request per top-3 employee, used to build the slot→employee map) is skipped entirely in this case. The booking flow already round-robins POC selection from `hcp_company_employees` , so the slot→employee map is unused.
- Other modes (`job_type` , `zip_code` , or POC mode when the company has no POC employee) keep the legacy top-3 + fan-out behaviour.

v4.3.15 — state from attribute, POC round-robin

- New attribute **`hcp_company_address_state`** (visible, required) — every booking is stamped with this state code. The agent no longer asks the caller for a state, and the booking extraction schema dropped the `addressState` field.
- POC mode (`hcp_auto_employee_type=poc`) now decouples availability from booking: slot lookup runs against **all** bookable employees so the customer sees the company's full availability, while appointment dispatch still goes to a POC employee.
- Multiple POC employees are rotated **round-robin** across bookings. The current position is tracked in the new hidden technical attribute **`hcp_poc_round_robin_index`** (number, default **`0`**).
- `_filterEmployeesSkill` POC branch simplified — POC selection is now done at booking time inside `_getEmployeeSkill` rather than inside the availability filter.

v4.3.7 — scenario step order enforced

Booking scenario body rewritten so the agent actually asks for **brand and model**, **ZIP**, and **availability check** in order. Earlier versions had these steps in the scenario but the LLM was skipping ahead to contact collection.

v4.3.6 — brand and service details reach HCP notes

`details` captured from the conversation (brand, model, symptoms, access notes, anything an operator added to the scenario) are now merged into the Housecall Pro **job notes** alongside the short summary. Dispatchers see the full context without extra configuration.

v4.3.5 — canvas refresh works in the presence of legacy items

Removed an over-strict guard that blocked canvas updates when any old NAF-common booking intent was still on the canvas. Stale items are now purged; Housecall Pro intents and scenarios appear on fresh publishes.

v4.3.4 — library always refreshes on publish

The library now gets new versions of our intents and scenarios on every publish (previously it added an item only if missing, so renames went unnoticed). An invisible `<!-- hcp-managed -->` marker identifies library clones on canvas so updates can flow through without overwriting operator edits.

v4.3.0–v4.3.3 — canvas rename + brand step example

- New intents: **[L] Appointment in Housecall Pro via Agent** and **[T] Cancellation in Housecall Pro via Agent**.
- Scenarios renamed to match ("Scheduling Appointment in Housecall Pro via Agent" / "Canceling Appointment in Housecall Pro via Agent").
- Scenarios now observe the correct prompt blocks (`<AvailableSlots>` , `<BookingResult>` , `<CancellationResult>`) with `<Case1>` / `<Case2>` / `<Case3>` loading / success / error handling.
- Scenario 12 ships a **"Ask for brand and model"** step as an example of extra data capture. Operators can copy it to request anything else (access code, pets, warranty, etc.).
- User-edited clones on canvas are preserved per-item; un-edited clones get refreshed.

v4.2.0 — simpler Feature descriptions and hidden advanced settings

- Every Feature toggle (Availability / Booking / Cancellation) now carries a **Sample Observe** block in its description so operators see how the agent should react to each prompt-section state.
- Extraction **schemas and instructions are hidden by default** (they're advanced tuning). Schemas store pretty-printed JSON (`indent=2`) for readability when revealed.
- Removed the `hcp_project_info` scratch attribute; the help-center link moved into the `hcp_api_key` description.

v4.1.0 — Feature flags renamed with automatic migration

- `hcp_enable_slot_check` → **`hcp_feature_availability_enabled`** (title: *Availability Feature*)
- `hcp_enable_booking` → **`hcp_feature_booking_enabled`** (title: *Booking Feature*)
- `hcp_enable_cancellation` → **`hcp_feature_cancellation_enabled`** (title: *Cancellation Feature*)

Existing customer values are migrated automatically on publish — no manual action needed. The Feature toggles are visible (`is_hidden=false`) so operators can flip them in the UI.

v4.0.0 — cross-session cancel, new architecture

- **Cross-session cancellation** — the agent can now cancel a booking in a fresh session even with no prior context: it looks up the caller in Housecall Pro by phone, finds their upcoming jobs, and cancels the right one.
- **Phone normalisation** — `+` , spaces, and leading US `1` are stripped before Housecall Pro lookups.
- **Silent failure fix** — empty customer search returns a proper "not found" response instead of hanging the agent.

- **Correct schedule parsing** — reads `job.schedule.scheduled_start` (nested, matching the real HCP response).
- **Availability fixes** — correct API keys (`booking_windows` , `start_time` / `end_time`), hours→minutes duration conversion, 24h slot map, `service_duration` parameter.
- **In-progress prompt sections** — Availability, Booking, Cancellation show `In progress` status while processing.
- **Cleaner user-facing messages** — internal IDs removed from booking and cancellation confirmations.
- **Session cleanup on end** — temporary persona data (slot maps, progress flags) cleared automatically; booking data preserved for cross-session cancellation.

v2.4.0 and earlier

Historical versions before the v4.x overhaul. Inline CHANGELOG.md was retired in v4.0.0; the integration now tracks history here. Full commit history: branch `895-hcp-improve-fix-bug` .