# XCALLY Integration

## How to Setup

### Fill Newo XCALLY Settings

Fill every field in the `XCally Module` group in Newo Builder.

Use these values:

| Field | Value |
|---|---|
| `XCALLY API Key` | XCALLY API key / JWT |
| `XCALLY Base URL` | `https://demo5.csc.ee/api` |
| `XCALLY Open Channel Account ID` | `9` |
| `XCALLY Default Contact List ID` | `73` |
| `Return AI After Operator Closes Dialog` | `True` |
| `XCALLY Automatically Add Default Scenarios to Canvas` | `True` |

Important:

- Base URL must end with `/api`
- Base URL must not end with `/`
- The contact list must belong to the same XCALLY Open Channel account
- `XCALLY Incoming Webhook URL` is generated automatically on publish and stored in a hidden field

Quick check:

| Check | Expected |
|---|---|
| API key | Not empty |
| Base URL | Ends with `/api` |
| Account ID | Number |
| Contact list ID | Number |
| Return AI after close | `True` |
| Auto scenarios | `True` |

### Publish and Verify XCALLY Account Settings

Click `Publish All` in Newo Builder.

After publishing, open XCALLY and go to `Channels -> Open Channel`.

Find the account with ID `9`.




Open that account and verify:

- `Reply URL` points to `https://hooks.newo.ai/...`
- `List` is the expected contact list
- account key matches the Newo project you are testing




## Check XCALLY Agent Side

Open XCALLY agent UI.

Login as the test agent.

Make sure the agent is online.

Open:

```
Open Channel Interactions
```

Set filters so they do not hide new interactions:

| Filter | Safe Value |
|---|---|
| Date | Today or current test range |
| Status | Open |
| Account | Correct Open Channel account or All |
| Agent | Correct test agent or All |
| Read / Unread | All |

If the table is empty before testing, that is okay.




## How to Test

### Basic Handoff Test

1. Open the Newo chat widget
2. Ask for a live operator
3. Confirm the handoff
4. Verify that a new interaction appears in XCALLY
5. Reply from the XCALLY operator UI
6. Verify that the reply appears back in the Newo chat

Expected result:

- The user stays in the same Newo chat
- XCALLY receives the interaction
- Operator replies return through `replyUri`