040

"Sycophancy" or "Empathy"? DeepReflect – An LLM-based system designed to analyze and generate responses to personal queries

Anonymous ACL submission

Abstract

Large language models (LLMs) are increasingly used for personal queries, recent research has involved analyzing responses under psychosocial framing. This work introduces Deep-Reflect, a comparative framework for analyzing human and AI generated responses to personal queries across multiple paradigms of values and social behavior. Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque

1 Introduction

Large language models (LLMs) are increasingly engaged as conversational partners in personal domains, offering users not only informational guidance but also affective support (Zhang et al., 2025; Phang et al., 2025; Anthropic, 2025). Their appeal lies in features such as anonymity, immediacy, and the absence of social risk—qualities shared with online communities like Reddit. Yet, unlike human interlocutors, LLMs lack grounding in lived social contexts, raising critical questions about how their responses should be evaluated and trusted in a social context.

Emerging research often identifies two contrasting tendencies in LLM outputs in isolation: empathic responses resembling desirable and supportive therapeutic dialogue, and sycophantic ones that uncritically echo a user's perspective. Whether such responses are judged as empathic or sycophantic can depend on the psychosocial framework applied. This ambiguity underscores a critical gap:

systematic methods are needed to analyze the responses and compare them to human written ones. This project uses the latter as proxies for normative ground truths, providing a measurement of these behaviors and values across the different psychosocial paradigms.

043

044

045

046

047

048

050

051

052

054

056

057

058

060

061

062

063

064

065

066

067

068

069

070

071

072

073

074

075

076

077

078

079

The comparisons made are across Rogerian person-centered therapy (PCT), Goffman's theory of face (ToF), and Rokeach's Value Survey (RVS) framework. The framework is designed to be extensible, allowing researchers to incorporate additional paradigms as the field evolves. Additionally, we use the insights from these analyses to inform the generation of customized responses with chain-of-thought control mechanisms.

1.1 Research Questions

The context of queries can substantially shape LLM outputs, influencing not only personal questions posed by consumers but also analytical evaluations conducted by researchers, particularly within the LLM-as-a-judge paradigm. As research increasingly highlights patterns and concerns regarding the impacts of LLMs in personal queries and deliberation, there is a critical need for a framework that can analyze and compare responses across multiple value-based perspectives in contexts without clear normative answers, while also remaining extensible for researchers to incorporate additional paradigms as the field evolves. This motivates the following research questions:

RQ1: How can a technical framework that systematically analyzes and compares responses from humans and LLMs across various psychosocial value paradigms be designed?

RQ2: What inter- and intra-paradigm comparative insights can this framework yield across three different psychosocial frameworks (Goffman's theory of face, Rogerian PCT and Rockeach Values) and how accurate are these when subjected to man-

ual validation?

RQ3: What are the major observable differences between LLM and human responses to personal questions without clear normative ground-truth answers?

Finally, we examine how the results may influence consumer behavior and broader societal outcomes, and we discuss potential control mechanisms at both the pre-inference and post-inference stages. Our work enables a systematic comparative analysis of potential benefits and risks, and presents a framework for leveraging the analytical insights in the intentional design of response LLM generation.

1.2 Contributions

The key contributions of this work are: (1) the design and implementation of an extensible framework for analyzing and comparing responses to personal queries across three distinct psychosocial paradigms; (2) a comparative analysis under Rogerian Person-Centered Therapy (PCT), Goffman's theory of face and Rokeach's Value Survey (RVS) framework, illustrating how the choice of the paradigm can shape the perception of a response; and (3) insights into the relative strengths and weaknesses of LLM versus human responses, and how these insights can inform the generation of customized responses to personal queries.

2 Prior Literature

Contextualize your work and provide insights into major relevant themes of the literature as a whole. Use each paper (or theme) as a chance to articulate what is special about your paper. Start out broadsocial background and theory - Discuss what other frameworks were considered like Virtue ethics and philosophical ones, CBT, Schwartz values etc. but why they were not chosen. Why I Focused on Rogerian psychotherapy as it is person centered no specific diagnosis needed (or available).

2.1 Theoretical Foundations

2.2 Rogerian Psychotherapy

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget

lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

2.2.1 Psychosocial use and Empathic LLMs

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet neque non sem accumsan laoreet. In hac habitasse platea dictumst. Etiam condimentum facilisis libero. Suspendisse in elit quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus. Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin mattis libero vel turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam lobortis, metus quis elementum commodo, nunc lectus elementum mauris, eget vulputate ligula tellus eu neque. Vivamus eu dolor.

Nulla in ipsum. Praesent eros nulla, congue vitae, euismod ut, commodo a, wisi. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aenean nonummy magna non leo. Sed felis erat, ullamcorper in, dictum non, ultricies ut, lectus. Proin vel arcu a odio lobortis euismod. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Proin ut est. Aliquam odio. Pellentesque

massa turpis, cursus eu, euismod nec, tempor congue, nulla. Duis viverra gravida mauris. Cras tincidunt. Curabitur eros ligula, varius ut, pulvinar in, cursus faucibus, augue.

Nulla mattis luctus nulla. Duis commodo velit at leo. Aliquam vulputate magna et leo. Nam vestibulum ullamcorper leo. Vestibulum condimentum rutrum mauris. Donec id mauris. Morbi molestie justo et pede. Vivamus eget turpis sed nisl cursus tempor. Curabitur mollis sapien condimentum nunc. In wisi nisl, malesuada at, dignissim sit amet, lobortis in, odio. Aenean consequat arcu a ante. Pellentesque porta elit sit amet orci. Etiam at turpis nec elit ultricies imperdiet. Nulla facilisi. In hac habitasse platea dictumst. Suspendisse viverra aliquam risus. Nullam pede justo, molestie nonummy, scelerisque eu, facilisis vel, arcu. Katie mentioned a good point about how I'm adding greater nuance to the Likert scales referenced in this paper.

2.3 Rokeach Value Survey as an analytical instrument

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

2.3.1 Values and Ethics in LLM research

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui. Add some notes and mention how Anthropic's work warrants some scrutiny as they are a for-profit company. The "values" framework they propose in values in the wild has not been validated by experts in the social sciences. However it provides a good reference frame for comparison with the Rokeach framework of values. There is a limitation - DeepReflect does not have access to the full dataset Anthropic used for the Values in the Wild paper.

2.4 Goffman's theory of face

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed

augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

2.4.1 Social Sycophancy in LLMs

I already have lots of good notes on this in writing. Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetuer tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl.

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet neque non sem accumsan laoreet. In hac habitasse platea dictumst. Etiam condimentum facilisis libero. Suspendisse in elit quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus. Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin mattis libero vel turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam lobortis, metus quis elementum commodo, nunc

lectus elementum mauris, eget vulputate ligula tellus eu neque. Vivamus eu dolor.

2.5 Gaps in the Literature and Open Challenges

In sum, as LLM-chatbots have become increasingly human-like and more users seek companionship with them, studies have highlighted both the advantages and disadvantages of their use. While some have raised concerns around "emotional dependence" (Fang et al., 2025), several others have explored empathic perceptions of LLM responses and found them advantageous not only in the field of medical support and mental health but also in everyday personal queries (Lee et al., 2024; Sorin et al., 2024). However, different psychosocial paradigms tend to frame LLM responses in markedly divergent terms. What may be perceived as 'empathy' under a psychotherapeutic paradigm could instead be critiqued as an instance of 'social sycophancy' by frameworks informed by Goffman's Theory of Face (Cheng et al., 2025). Importantly, in the absence of clear normative answers, the same statement may be categorised as 'face-preserving behaviour' or 'unconditional positive regard'.

DeepReflect provides a comparative framework to address this gap by assessing how evaluative judgments are shaped by the psychosocial paradigm through which a response is framed. Moreover, it is designed to be extensible by researchers, enabling the incorporation of both conventional paradigms, such as Rokeach's values framework, and contemporary discovery-based approaches, such as Anthropic's Values in the Wild (Huang et al., 2024), whereas prior work has tended to focus on a single paradigm in isolation.

Finally, our investigation of controlling generations avoids replicating prior work that seeks to mitigate sycophancy exclusively (Cheng et al., 2025). Instead of treating sycophancy as a defect to be eliminated in isolation, DeepReflect provides a system to situate response generation within extensible psychosocial frameworks. This ensures that outputs are not merely reactive to user prompts but can be guided by well-established instruments for values and personal-growth.

In practice, this involves chain-of-thought reasoning (Wei et al., 2022) that explicitly incorporates the chosen framework. Unlike approaches that mimic deliberation across hypothetical perspectives (Vijjini et al., 2024), this control strategy

extends the contractualist, rule-based tradition of questioning developed in (Jin et al., 2022). Its key distinction lies in embedding the questioning within expert-informed guidelines. While these prior investigations emphasized plurality of viewpoints and normative exception-handling, this work foregrounds the role of pre-existing psychosocial instruments in shaping the ongoing, ever-changing conversations of personal reflection.

3 DeepReflect

3.1 System Design

Introduce. Mention that it has two key components - the analysis and the generation. Your model: Flesh out your own approach, perhaps amplifying themes from the 'Prior lit' section. Mention RQ1 from Section 1.1 and put a figure depicting the system architecture with the 2 potential users (researchers, consumers / participants) here.

3.2 Evaluation Framework

The evaluation framework consists of the following steps in a pipeline architecture (see Figure 1):




Figure 1: Pipeline architecture for DeepReflect.

- 1. Extract Posts: Posts are extracted from two subreddits: (1) r/AITAH and (2) r/Anxiety. For each post, three components are considered: the body the original post written by the author (OP), the most upvoted human-written comment, and the comment with which the OP engaged the most. Further details regarding data filtering and text preprocessing are provided in Section 4.
- 2. Language Model Response Generation: For each post and body, a baseline response is generated using a large language model (LLM) and appended to a table containing: (i) the model-generated responses, (ii) the top upvoted human comment, and (iii) the most en-

gaged human comment (available for approximately half of the posts). The resulting dataset therefore consists of the original post body, paired with both human and AI responses.

- 3. Read psychosocial frameworks and corresponding set of values: The following psychosocial frameworks are considered: (1) RVS, (2) Rogerian PCT, (3) Goffman's ToF, and (4) Anthropic's Value Tree. The frameworks are associated with distinct sets of values and behaviors as described in Section 2. The frameworks are read into the system for annotations in the next step.
- 4. Feature Extraction and Annotation: The LLM-as-a-judge paradigm (Zheng et al., 2023) is employed to annotate features for both the post body and each response under the 4 selected psychosocial paradigms. In this step, human validation is performed to calculate Cohen's Kappa and accuracy metrics to gauge the quality of the annotations.

$$\kappa = \frac{p_o - p_e}{1 - p_e},$$

 $p_o = \text{observed agreement (accuracy)}$

 $p_e =$ expected agreement by chance

See section 4 for further details.

- 5. **Save outputs to dataset**: The annotated data is saved to a CSV file.
- 6. **Statistical Analysis**: The annotated dataset forms the basis for subsequent analyses (see Section 6), where we analyze the differences in distributions of values in the responses obtained from Reddit compared to the language model produced responses, within and across paradigms, to address RQs 2 and 3.

The standard softmax distribution over a vocabulary of size V for transformer based LLMs is:

$$p_i = \frac{e^{z_i}}{\sum_{j=1}^{V} e^{z_j}}. (1)$$

Introducing a temperature parameter T>0 rescales the logits before normalization:

$$p_i^{(T)} = \frac{e^{z_i/T}}{\sum_{j=1}^V e^{z_j/T}}.$$
 (2)

Lower T (T < 1) sharpens the distribution, making the model more deterministic, while higher T (T > 1) flattens it, encouraging diversity. For evaluation purposes, T is tested first with 0 which corresponds to greedy decoding, ensuring fully reproducible results and then with 0.7 to see how responses vary in realistic, stochastic conditions.

3.2.1 Generations

In this stage of the framework, responses to the post are produced through a chain-of-thought (CoT) reasoning mechanism. Instead of relying on standard language model outputs, the framework generates responses which are explicitly guided by reasoning chains derived from expert human dialog transcripts. For this project, we focus on the Rogerian Person-Centered Therapy (PCT) paradigm 2, using Carl Rogers' in-session work with Gloria (Rogers, 1989) as a guiding structure.

Chain-of-Thought Reasoning

We formalize the generation process as follows:

$$p_{\theta}(y \mid x) = \sum_{z} p_{\theta}(y \mid x, z) p_{\theta}(z \mid x)$$

where x is the Reddit query (e.g., a post body), z is the expert-informed reasoning chain derived from expert human dialogs, y is the generated response and θ denotes the parameters of the language model. Here, $p_{\theta}(z \mid x)$ denotes the probability distribution over reasoning chains given the query, while $p_{\theta}(y \mid x, z)$ denotes the probability of generating a response conditioned on both the query and reasoning trajectory. The marginalization over z separates reasoning from surface realization, allowing responses to be shaped by expertinformed CoT patterns rather than unconstrained next-token prediction.

The CoT thus captures patterns inherent in the dialog, which are then integrated into the response space. See Figure 2.

Generated outputs can be subsequently passed through the Evaluation Pipeline, where we test whether PCT-informed CoT reasoning shifts verdict distributions (e.g., NTA vs. YTA) and whether responses exhibit statistically significant shifts in values or principles under the selected paradigm.

As in the previous section, for evaluation purposes, T is set to both 0 and 0.7 for the CoT generations as well (see Equation 2).




Figure 2: CoT Generation with personal queries embedded in reasoning dialogs retrieved from expert human transcripts.

3.3 Dataset

Two datasets were constructed for this project using the Pushshift Reddit Archives (Baumgartner et al., 2020), originally collected between 2006 and 2023 through the Pushshift API¹. Posts and comments were extracted from two subreddits: (1) r/AITAH and (2) r/Anxiety. For each post, three components were considered: the body the original post written by the author (OP), the most upvoted human-written comment, and the comment with which the OP engaged the most. Further details regarding data filtering and text preprocessing are provided in Section 4.

3.4 Subreddit Selection

The r/AITAH subreddit (short for "Am I The Asshole") is a community where users seek judgment on personal dilemmas and social interactions. With over three million members, it covers a wide range of topics, including relationships, family dynamics, workplace conflicts, and ethical questions. Users typically describe their situations in detail and ask the community to determine whether they were in the wrong (the "asshole") or not. The crowd-sourced social judgments captured in these posts makes r/AITAH a valuable source for examining behaviors and values expressed in digital discussions of personal matters especially for the Goffman's ToF and Rogerian PCT paradigms.

The r/Anxiety subreddit is a community dedicated to individuals experiencing anxiety and re-

https://github.com/pushshift/api

lated mental health challenges. Membership does not require a formal diagnosis or medical documentation, which enables broad analyses from psychosocial perspectives, particularly within the Rogerian PCT and RVS framework. Posts often center on personal struggles, coping strategies and the impact on daily life.

Demographic information at the subreddit level is not available. However, research indicates that Reddit users overall are predominantly American (49.9%), male (67%), and young (22% aged 18–29 years; 14% aged 30–49 years) (Barthel et al., 2016; Statista, 2025). While this dataset is not representative of the general population, it reflects a demographic more likely to engage with LLMs for personal queries. This demographic is broadly aligned with the WEIRD (Western, Educated, Industrialized, Rich, Democratic) population, and it must therefore be acknowledged that the results of this study are necessarily constrained to this population.

4 Methods

4.1 Data collection and preprocessing

We built a corpus from two public subreddits—AITAH, and Anxiety. For each subreddit, we filtered the top 1,000 most upvoted or most commented posts, excluding weekly megathreads, deleted/removed items, and AutoModerator entries. For every retained post we extracted (i) the most upvoted human-written comment and (ii) the comment that the OP engaged with most; all artifacts were saved to standardized CSVs for downstream analysis.

Text was cleaned with minimal, semanticspreserving preprocessing: we removed non-English items, de-identified obvious personal identifiers (usernames, emails, links), standardized whitespace and Unicode characters, and lightly constrained length (posts 50–500 words; comments 5–300 words) for comparability. We treat each Reddit thread (the post and its comments) as a single analytic unit during sampling, manual checks, and statistic aggregation, so correlated texts don't inflate results. This preserves thread integrity and prevents dependence-induced bias when comparing human and LLM responses drawn from the same conversation. We also removed exact and nearduplicate texts (specifically, crossposts, copypastes and bot repeats) to prevent inflated counts and biased comparisons.

Prompts (provided in the appendices) and model outputs are saved and logged by the codebase for reproducibility.

4.2 Procedures

For each selected post, we first prompt the target language model to generate an open-ended response to the body of the post. This response is appended to a table containing: (i) the model-generated response, (ii) the top upvoted human comment, and (iii) the most engaged human comment (available for approximately half of the posts). The resulting dataset therefore consists of the original post body, paired with both human and AI responses.

Feature Extraction

Features are extracted at the sentence level, consisting of sentences from both the responses and post bodies that map onto psychosocial constructs. Specifically, we operationalize values and behaviors through four distinct paradigms: Rokeach's Value Survey (RVS), Rogers's person-centered therapy (PCT), Goffman's theory of face (ToF), and Anthropic's Value Tree. Next, we apply the LLM-as-a-judge paradigm (Zheng et al., 2023) to annotate features for both the post body and each response. Each text is evaluated for **a. values exhibited** by the author and **b. values incentivized** by the author.

One of the central research questions (RQ2) investigates how the choice of psychosocial framework shapes the interpretation of an LLM's response. Specifically, the same feature may be perceived as sycophantic under Goffman's theory of face, empathic under Rogerian PCT, or as reflecting a terminal or instrumental value under Rokeach's value framework.

To support this inquiry, the system constructs a structured analytical dataset that records: the original post, the set of extracted features for each of the 4 different types of responses (most-upvoted, most engaging, LLM 1, LLM 2) and the values or behaviors either exhibited or incentivized by each feature within any of the four applicable psychosocial paradigm(s).

This analytical dataset forms the basis for the subsequent analyses (see Section 6), where we analyze the differences in distributions of values in the responses obtained from reddit compared to the language model produced responses, within and across paradigms, to address RQ3.

4.3 Experiments

633

635

637

641

642

647

657

664

672

675

678

681

We conduct a series of experiments to investigate how psychosocial frameworks shape the interpretation of human and model-generated responses to personal queries. Our experimental design spans two dimensions: (i) response type (two forms of human responses and three language model responses) and (ii) domain (two distinct subreddits).

The AITAH dataset provides a natural proxy for "ground truth" in two paradigms: Empathy and Sycophancy. Here, crowd-sourced verdicts and their accompanying justifications offer a binary-valued reference point against which LLM behavior is evaluated.

Experiment 1 evaluates the distributions of values and behaviors across the four response categories (human top-voted, human most-engaged, and two LLMs). We compare both the explicit values expressed by the respondent and the implicit values incentivized by the response under the four psychosocial paradigms - Rogerian PCT, Goffman's ToF, Anthropic's Value Tree and RVS.

The focus is on how these models differ in their coverage of values and behaviors relative to human responses. From the analyses obtained, we ascertain the occurrence and co-occurrences of values and behaviours in LLM and human responses to personal queries.

In **Experiment 2**, we evaluate how variations in prompt design influence the breadth of values expressed by the LLM. Specifically, we incorporate prompts that explicitly instruct the model to (i) generate a response most likely to be upvoted, and (ii) generate a response most likely to engage the author.

4.3.1 Generations

A set of targeted experiments are run with DeepReflect's analyses to investigate the efficacy of control mechanisms to align the values in language model outputs more closely with those observed in human responses. The generation experiments are implemented using the following methods:

1. Chain-of-thought reasoning [models: Claude; one of Qwen-3 or LLaMA-3.1; paradigms: Rogers PCT and RVS] Prompt augmentation experiments, where values with low frequency in LLM responses are explicitly introduced and emphasized (e.g., Rogers PCT: Unconditional positive regard,

Psychological freedom; RVS: A comfortable life).

682

683

684

685

686

687

688

689

690

691

692

693

694

695

696

697

698

699

700

701

702

703

704

705

706

707

708

709

710

711

712

713

714

715

716

717

718

719

720

721

722

723

724

725

726

4.4 Construct Validity and Evaluation Metrics

To assess construct validity, one human annotator labeled 100 randomly sampled post–response pairs across all four paradigms for each response type. The PCT framework encompasses 15 behaviors, Goffman's ToF 5, the RVS 36, and Anthropic's Value Tree 18.

Inter-rater reliability reached Cohen's κ above xx for all metrics, with an overall classification accuracy of yy. For the AITAH dataset, verdicts and accompanying statements in responses were used as proxies for Empathy and Sycophancy, each mapped onto five behaviors as defined by their respective theoretical traditions².

For the RVS and Anthropic Value Tree frameworks, which yield categorical distributions rather than binary judgments, pairwise error rates such as False Negative Rate (FNR) and False Positive Rate (FPR) are not directly applicable. To identify significant associations between features annotated under more than one distinct paradigm we construct contingency tables and use chi-square analysis with further details provided in section 6.

5 Results

A no-nonsense report of what happened.

5.1 Subsection

This subsection presents the main results.

Sed gravida lectus ut purus. Morbi laoreet magna. Pellentesque eu wisi. Proin turpis. Integer sollicitudin augue nec dui. Fusce lectus. Vivamus faucibus nulla nec lacus. Integer diam. Pellentesque sodales, enim feugiat cursus volutpat, sem mauris dignissim mauris, quis consequat sem est fermentum ligula. Nullam justo lectus, condimentum sit amet, posuere a, fringilla mollis, felis. Morbi nulla nibh, pellentesque at, nonummy eu, sollicitudin nec, ipsum. Cras neque. Nunc augue. Nullam vitae quam id quam pulvinar blandit. Nunc sit amet orci. Aliquam erat elit, pharetra nec, aliquet a, gravida in, mi. Quisque urna enim, viverra quis, suscipit quis, tincidunt ut, sapien. Cras placerat consequat sem. Curabitur ac diam. Curabitur diam tortor, mollis et, viverra ac, tempus vel, metus.

²This strategy is conceptually aligned with prior work on social sycophancy (Cheng et al., 2025)

Curabitur ac lorem. Vivamus non justo in dui mattis posuere. Etiam accumsan ligula id pede. Maecenas tincidunt diam nec velit. Praesent convallis sapien ac est. Aliquam ullamcorper euismod nulla. Integer mollis enim vel tortor. Nulla sodales placerat nunc. Sed tempus rutrum wisi. Duis accumsan gravida purus. Nunc nunc. Etiam facilisis dui eu sem. Vestibulum semper. Praesent eu eros. Vestibulum tellus nisl, dapibus id, vestibulum sit amet, placerat ac, mauris. Maecenas et elit ut erat placerat dictum. Nam feugiat, turpis et sodales volutpat, wisi quam rhoncus neque, vitae aliquam ipsum sapien vel enim. Maecenas suscipit cursus mi.

Quisque consectetuer. In suscipit mauris a dolor pellentesque consectetuer. Mauris convallis neque

Quisque consectetuer. In suscipit mauris a dolor pellentesque consectetuer. Mauris convallis neque non erat. In lacinia. Pellentesque leo eros, sagittis quis, fermentum quis, tincidunt ut, sapien. Maecenas sem. Curabitur eros odio, interdum eu, feugiat eu, porta ac, nisl. Curabitur nunc. Etiam fermentum convallis velit. Pellentesque laoreet lacus. Quisque sed elit. Nam quis tellus. Aliquam tellus arcu, adipiscing non, tincidunt eleifend, adipiscing quis, augue. Vivamus elementum placerat enim. Suspendisse ut tortor. Integer faucibus adipiscing felis. Aenean consectetuer mattis lectus. Morbi malesuada faucibus dolor. Nam lacus. Etiam arcu libero, malesuada vitae, aliquam vitae, blandit tristique, nisl.

Maecenas accumsan dapibus sapien. Duis pretium iaculis arcu. Curabitur ut lacus. Aliquam vulputate. Suspendisse ut purus sed sem tempor rhoncus. Ut quam dui, fringilla at, dictum eget, ultricies quis, quam. Etiam sem est, pharetra non, vulputate in, pretium at, ipsum. Nunc semper sagittis orci. Sed scelerisque suscipit diam. Ut volutpat, dolor at ullamcorper tristique, eros purus mollis quam, sit amet ornare ante nunc et enim.

Phasellus fringilla, metus id feugiat consectetuer, lacus wisi ultrices tellus, quis lobortis nibh lorem quis tortor. Donec egestas ornare nulla. Mauris mi tellus, porta faucibus, dictum vel, nonummy in, est. Aliquam erat volutpat. In tellus magna, porttitor lacinia, molestie vitae, pellentesque eu, justo. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Sed orci nibh, scelerisque sit amet, suscipit sed, placerat vel, diam. Vestibulum nonummy vulputate orci. Donec et velit ac arcu interdum semper. Morbi pede orci, cursus ac, elementum non, vehicula ut, lacus. Cras volutpat. Nam vel wisi quis libero venenatis

placerat. Aenean sed odio. Quisque posuere purus ac orci. Vivamus odio. Vivamus varius, nulla sit amet semper viverra, odio mauris consequat lacus, at vestibulum neque arcu eu tortor. Donec iaculis tincidunt tellus. Aliquam erat volutpat. Curabitur magna lorem, dignissim volutpat, viverra et, adipiscing nec, dolor. Praesent lacus mauris, dapibus vitae, sollicitudin sit amet, nonummy eget, ligula.

5.2 Subsection

This subsection presents additional results and analysis.

Cras egestas ipsum a nisl. Vivamus varius dolor ut dolor. Fusce vel enim. Pellentesque accumsan ligula et eros. Cras id lacus non tortor facilisis facilisis. Etiam nisl elit, cursus sed, fringilla in, congue nec, urna. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Integer at turpis. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Duis fringilla, ligula sed porta fringilla, ligula wisi commodo felis, ut adipiscing felis dui in enim. Suspendisse malesuada ultrices ante. Pellentesque scelerisque augue sit amet urna. Nulla volutpat aliquet tortor. Cras aliquam, tellus at aliquet pellentesque, justo sapien commodo leo, id rhoncus sapien quam at erat. Nulla commodo, wisi eget sollicitudin pretium, orci orci aliquam orci, ut cursus turpis justo et lacus. Nulla vel tortor. Quisque erat elit, viverra sit amet, sagittis eget, porta sit amet,

In hac habitasse platea dictumst. Proin at est. Curabitur tempus vulputate elit. Pellentesque sem. Praesent eu sapien. Duis elit magna, aliquet at, tempus sed, vehicula non, enim. Morbi viverra arcu nec purus. Vivamus fringilla, enim et commodo malesuada, tortor metus elementum ligula, nec aliquet est sapien ut lectus. Aliquam mi. Ut nec elit. Fusce euismod luctus tellus. Curabitur scelerisque. Nullam purus. Nam ultricies accumsan magna. Morbi pulvinar lorem sit amet ipsum. Donec ut justo vitae nibh mollis congue. Fusce quis diam. Praesent tempus eros ut quam.

Donec in nisl. Fusce vitae est. Vivamus ante ante, mattis laoreet, posuere eget, congue vel, nunc. Fusce sem. Nam vel orci eu eros viverra luctus. Pellentesque sit amet augue. Nunc sit amet ipsum et lacus varius nonummy. Integer rutrum sem eget wisi. Aenean eu sapien. Quisque ornare dignissim mi. Duis a urna vel risus pharetra imperdiet. Suspendisse potenti.

Morbi justo. Aenean nec dolor. In hac habitasse platea dictumst. Proin nonummy porttitor velit. Sed sit amet leo nec metus rhoncus varius. Cras ante. Vestibulum commodo sem tincidunt massa. Nam justo. Aenean luctus, felis et condimentum lacinia, lectus enim pulvinar purus, non porta velit nisl sed eros. Suspendisse consequat. Mauris a dui et tortor mattis pretium. Sed nulla metus, volutpat id, aliquam eget, ullamcorper ut, ipsum. Morbi eu nunc. Praesent pretium. Duis aliquam pulvinar ligula. Ut blandit egestas justo. Quisque posuere metus viverra pede.

5.3 Comparative Findings

Vivamus sodales elementum neque. Vivamus dignissim accumsan neque. Sed at enim. Vestibulum nonummy interdum purus. Mauris ornare velit id nibh pretium ultricies. Fusce tempor pellentesque odio. Vivamus augue purus, laoreet in, scelerisque vel, commodo id, wisi. Duis enim. Nulla interdum, nunc eu semper eleifend, enim dolor pretium elit, ut commodo ligula nisl a est. Vivamus ante. Nulla leo massa, posuere nec, volutpat vitae, rhoncus eu, magna.

Quisque facilisis auctor sapien. Pellentesque gravida hendrerit lectus. Mauris rutrum sodales sapien. Fusce hendrerit sem vel lorem. Integer pellentesque massa vel augue. Integer elit tortor, feugiat quis, sagittis et, ornare non, lacus. Vestibulum posuere pellentesque eros. Quisque venenatis ipsum dictum nulla. Aliquam quis quam non metus eleifend interdum. Nam eget sapien ac mauris malesuada adipiscing. Etiam eleifend neque sed quam. Nulla facilisi. Proin a ligula. Sed id dui eu nibh egestas tincidunt. Suspendisse arcu.

Maecenas dui. Aliquam volutpat auctor lorem. Cras placerat est vitae lectus. Curabitur massa lectus, rutrum euismod, dignissim ut, dapibus a, odio. Ut eros erat, vulputate ut, interdum non, porta eu, erat. Cras fermentum, felis in porta congue, velit leo facilisis odio, vitae consectetuer lorem quam vitae orci. Sed ultrices, pede eu placerat auctor, ante ligula rutrum tellus, vel posuere nibh lacus nec nibh. Maecenas laoreet dolor at enim. Donec molestie dolor nec metus. Vestibulum libero. Sed quis erat. Sed tristique. Duis pede leo, fermentum quis, consectetuer eget, vulputate sit amet, erat.

Donec vitae velit. Suspendisse porta fermentum mauris. Ut vel nunc non mauris pharetra varius. Duis consequat libero quis urna. Maecenas at ante. Vivamus varius, wisi sed egestas tristique, odio wisi luctus nulla, lobortis dictum dolor ligula in lacus. Vivamus aliquam, urna sed interdum porttitor, metus orci interdum odio, sit amet euismod lectus felis et leo. Praesent ac wisi. Nam suscipit vestibulum sem. Praesent eu ipsum vitae pede cursus venenatis. Duis sed odio. Vestibulum eleifend. Nulla ut massa. Proin rutrum mattis sapien. Curabitur dictum gravida ante.

6 Analysis

Discussion of what the results mean, what they don't mean, where they can be improved, etc. These sections vary a lot depending on the nature of the paper. For papers reporting on experiments with multiple datasets, it can be good to repeat Methods/Results/Analysis in separate (sub)sections for each dataset.

The LATEX and BibTEX style files provided roughly follow the American Psychological Association format. If your own bib file is named custom. bib, then placing the following before any appendices in your LATEX file will generate the references section for you:

\bibliographystyle{acl_natbib}
\bibliography{custom}

6.1 Interpretation of Results

Phasellus placerat vulputate quam. Maecenas at tellus. Pellentesque neque diam, dignissim ac, venenatis vitae, consequat ut, lacus. Nam nibh. Vestibulum fringilla arcu mollis arcu. Sed et turpis. Donec sem tellus, volutpat et, varius eu, commodo sed, lectus. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Quisque enim arcu, suscipit nec, tempus at, imperdiet vel, metus. Morbi volutpat purus at erat. Donec dignissim, sem id semper tempus, nibh massa eleifend turpis, sed pellentesque wisi purus sed libero. Nullam lobortis tortor vel risus. Pellentesque consequat nulla eu tellus. Donec velit. Aliquam fermentum, wisi ac rhoncus iaculis, tellus nunc malesuada orci, quis volutpat dui magna id mi. Nunc vel ante. Duis vitae lacus. Cras nec ipsum.

Morbi nunc. Aliquam consectetuer varius nulla. Phasellus eros. Cras dapibus porttitor risus. Maecenas ultrices mi sed diam. Praesent gravida velit at elit vehicula porttitor. Phasellus nisl mi, sagittis ac, pulvinar id, gravida sit amet, erat. Vestibulum est. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Curabitur id sem elementum leo rutrum hendrerit. Ut at mi. Donec tincidunt faucibus

massa. Sed turpis quam, sollicitudin a, hendrerit eget, pretium ut, nisl. Duis hendrerit ligula. Nunc pulvinar congue urna.

Nunc velit. Nullam elit sapien, eleifend eu, commodo nec, semper sit amet, elit. Nulla lectus risus, condimentum ut, laoreet eget, viverra nec, odio. Proin lobortis. Curabitur dictum arcu vel wisi. Cras id nulla venenatis tortor congue ultrices. Pellentesque eget pede. Sed eleifend sagittis elit. Nam sed tellus sit amet lectus ullamcorper tristique. Mauris enim sem, tristique eu, accumsan at, scelerisque vulputate, neque. Quisque lacus. Donec et ipsum sit amet elit nonummy aliquet. Sed viverra nisl at sem. Nam diam. Mauris ut dolor. Curabitur ornare tortor cursus velit.

Morbi tincidunt posuere arcu. Cras venenatis est vitae dolor. Vivamus scelerisque semper mi. Donec ipsum arcu, consequat scelerisque, viverra id, dictum at, metus. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut pede sem, tempus ut, porttitor bibendum, molestie eu, elit. Suspendisse potenti. Sed id lectus sit amet purus faucibus vehicula. Praesent sed sem non dui pharetra interdum. Nam viverra ultrices magna.

6.2 Theoretical Implications

Aenean laoreet aliquam orci. Nunc interdum elementum urna. Quisque erat. Nullam tempor neque. Maecenas velit nibh, scelerisque a, consequat ut, viverra in, enim. Duis magna. Donec odio neque, tristique et, tincidunt eu, rhoncus ac, nunc. Mauris malesuada malesuada elit. Etiam lacus mauris, pretium vel, blandit in, ultricies id, libero. Phasellus bibendum erat ut diam. In congue imperdiet lectus.

Aenean scelerisque. Fusce pretium porttitor lorem. In hac habitasse platea dictumst. Nulla sit amet nisl at sapien egestas pretium. Nunc non tellus. Vivamus aliquet. Nam adipiscing euismod dolor. Aliquam erat volutpat. Nulla ut ipsum. Quisque tincidunt auctor augue. Nunc imperdiet ipsum eget elit. Aliquam quam leo, consectetuer non, ornare sit amet, tristique quis, felis. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque interdum quam sit amet mi. Pellentesque mauris dui, dictum a, adipiscing ac, fermentum sit amet, lorem.

Ut quis wisi. Praesent quis massa. Vivamus egestas risus eget lacus. Nunc tincidunt, risus quis bibendum facilisis, lorem purus rutrum neque, nec porta tortor urna quis orci. Aenean aliquet, libero semper volutpat luctus, pede erat lacinia augue,

quis rutrum sem ipsum sit amet pede. Vestibulum aliquet, nibh sed iaculis sagittis, odio dolor blandit augue, eget mollis urna tellus id tellus. Aenean aliquet aliquam nunc. Nulla ultricies justo eget orci. Phasellus tristique fermentum leo. Sed massa metus, sagittis ut, semper ut, pharetra vel, erat. Aliquam quam turpis, egestas vel, elementum in, egestas sit amet, lorem. Duis convallis, wisi sit amet mollis molestie, libero mauris porta dui, vitae aliquam arcu turpis ac sem. Aliquam aliquet dapibus metus.

6.3 Subsection

The framework is capable of producing several informative plots of research interest. One such summary plot is a heatmap showcasing the values exhibited in the OPs post against the responses to support the investigation of several other potential research questions in this theme of interest (discussed in the future work section). Vivamus commodo eros eleifend dui. Vestibulum in leo eu erat tristique mattis. Cras at elit. Cras pellentesque. Nullam id lacus sit amet libero aliquet hendrerit. Proin placerat, mi non elementum laoreet, eros elit tincidunt magna, a rhoncus sem arcu id odio. Nulla eget leo a leo egestas facilisis. Curabitur quis velit. Phasellus aliquam, tortor nec ornare rhoncus, purus urna posuere velit, et commodo risus tellus quis tellus. Vivamus leo turpis, tempus sit amet, tristique vitae, laoreet quis, odio. Proin scelerisque bibendum ipsum. Etiam nisl. Praesent vel dolor. Pellentesque vel magna. Curabitur urna. Vivamus congue urna in velit. Etiam ullamcorper elementum dui. Praesent non urna. Sed placerat quam non mi. Pellentesque diam magna, ultricies eget, ultrices placerat, adipiscing rutrum, sem.

Morbi sem. Nulla facilisi. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Nulla facilisi. Morbi sagittis ultrices libero. Praesent eu ligula sed sapien auctor sagittis. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Donec vel nunc. Nunc fermentum, lacus id aliquam porta, dui tortor euismod eros, vel molestie ipsum purus eu lacus. Vivamus pede arcu, euismod ac, tempus id, pretium et, lacus. Curabitur sodales dapibus urna. Nunc eu sapien. Donec eget nunc a pede dictum pretium. Proin mauris. Vivamus luctus libero vel nibh.

Fusce tristique risus id wisi. Integer molestie massa id sem. Vestibulum vel dolor. Pellentesque

vel urna vel risus ultricies elementum. Quisque sapien urna, blandit nec, iaculis ac, viverra in, odio. In hac habitasse platea dictumst. Morbi neque lacus, convallis vitae, commodo ac, fermentum eu, velit. Sed in orci. In fringilla turpis non arcu. Donec in ante. Phasellus tempor feugiat velit. Aenean varius massa non turpis. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae;

7 Conclusion

/textcolorblack!40Quickly summarize what the paper did, and then chart out possible future directions that anyone might pursue. Finish with a strong conclusion. Avoid subjective wording such as "unprecedented", "pioneering", or "groundbreaking".

7.1 Summary of Findings

Aliquam tortor. Morbi ipsum massa, imperdiet non, consectetuer vel, feugiat vel, lorem. Quisque eget lorem nec elit malesuada vestibulum. Quisque sollicitudin ipsum vel sem. Nulla enim. Proin nonummy felis vitae felis. Nullam pellentesque. Duis rutrum feugiat felis. Mauris vel pede sed libero tincidunt mollis. Phasellus sed urna rhoncus diam euismod bibendum. Phasellus sed nisl. Integer condimentum justo id orci iaculis varius. Quisque et lacus. Phasellus elementum, justo at dignissim auctor, wisi odio lobortis arcu, sed sollicitudin felis felis eu neque. Praesent at lacus.

Vivamus sit amet pede. Duis interdum, nunc eget rutrum dignissim, nisl diam luctus leo, et tincidunt velit nisl id tellus. In lorem tellus, aliquet vitae, porta in, aliquet sed, lectus. Phasellus sodales. Ut varius scelerisque erat. In vel nibh eu eros imperdiet rutrum. Donec ac odio nec neque vulputate suscipit. Nam nec magna. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Nullam porta, odio et sagittis iaculis, wisi neque fringilla sapien, vel commodo lorem lorem id elit. Ut sem lectus, scelerisque eget, placerat et, tincidunt scelerisque, ligula. Pellentesque non orci.

7.2 Future Directions

Etiam vel ipsum. Morbi facilisis vestibulum nisl. Praesent cursus laoreet felis. Integer adipiscing pretium orci. Nulla facilisi. Quisque posuere bibendum purus. Nulla quam mauris, cursus eget, convallis ac, molestie non, enim. Aliquam congue.

Quisque sagittis nonummy sapien. Proin molestie sem vitae urna. Maecenas lorem. Vivamus viverra consequat enim.

Limitations

API calls incur costs - funding and time limitations - can broaden DeepReflect to include other models (LLMs) and other psychosocial frameworks - especially frameworks on ethics which have been historically used in personal decision-making on which rich literature exists from historic accounts of deep human philosphical thought such as Kantian ethics, Utilitarianism, and Virtue Ethics, Stoicism, Gita -Vedic Philosoph, Buddhism. The Reddit dataset is rich and can be dissected in ways to aid a more nuanced understanding of the social values and influences that shape our personal lives and interactions. ACL 2023 requires all submissions to have a section titled "Limitations", for discussing the limitations of the paper as a complement to the discussion of strengths in the main text. This section should occur after the conclusion, but before the references. It will not count towards the page limit. The discussion of limitations is mandatory. Papers without a limitation section will be desk-rejected without review. While we are open to different types of limitations, just mentioning that a set of results have been shown for English only probably does not reflect what we expect. Mentioning that the method works mostly for languages with limited morphology, like English, is a much better alternative. In addition, limitations such as low scalability to long text, the requirement of large GPU resources, or other things that inspire crucial further investigation are welcome.

Ethics Statement

We encourage all authors to include an explicit ethics statement on the broader impact of the work, or other ethical considerations after the conclusion but before the references.

The ethics statement will not count toward the page limit (8 pages for long, 4 pages for short papers).

Acknowledgements

The authors would like to thank Santa Claus and Rudolph the red nose reindeer who had a very shiny nose. And if you ever saw it, you would even say it glows. All of the reindeer loved him, as

1122 1123	they shouted out with glee, "Rudolph the red nose reindeer, you'll go down in history!"	Technical Papers, page 1, Dublin, Ireland. Dublin City University and Association for Computational Linguistics.	117 117 117
	Defenences	McCain Huang, Durmus et al. 2024. Values in the	117
1124	References	wild: Discovering and analyzing values in real-	117
1125	Rie Kubota Ando and Tong Zhang. 2005. A framework	world language model interactions. arXiv preprint	118
1126	for learning predictive structures from multiple tasks	arXiv:2401.00095.	118
1127	and unlabeled data. Journal of Machine Learning	Zhijing Jin, Sydney Levine, Fernando Adauto Gonza-	118
1128	Research, 6:1817–1853.	lez, Ojasv Kamal, Maarten Sap, Mrinmaya Sachan,	118
1129	Galen Andrew and Jianfeng Gao. 2007. Scalable train-	Rada Mihalcea, Joshua B. Tenenbaum, and Bernhard	118
1130	ing of L_1 -regularized log-linear models. In <i>Proceed</i> -	Schölkopf. 2022. When to make exceptions: Explor-	118
1131	ings of the 24th International Conference on Machine	ing language models as accounts of human moral	118
1132	Learning, pages 33–40.	judgment. In Advances in Neural Information Pro-	118
	V . V	cessing Systems 35 (NeurIPS 2022). NeurIPS 2022	118
1133	Anthropic. 2025. How people use Claude	conference paper; OpenReview version available at OpenReview.	118 119
1134	for support, advice, and companion-	Openiceview.	113
1135	ship. https://www.anthropic.com/news/	Cinoo Lee, Yifan Fang, Yifan Zhang, Yang Liu, Xiaojun	119
1136 1137	Accessed: 2025-08-25.	Cinoo Lee, Yifan Fang, Yifan Zhang, Yang Liu, Xiaojun d-companionship Li, and Jie Zhang. 2024. Empathic	119
1137	Accessed, 2025-00-25.	responses in llms: A study of user perceptions. arXiv	119
1138	Isabelle Augenstein, Tim Rocktäschel, Andreas Vla-	preprint arXiv:2505.13995, 1(1).	119
1139	chos, and Kalina Bontcheva. 2016. Stance detection	Jason Phang, Michael Lampe, Lama Ahmad, Sand-	119
1140	with bidirectional conditional encoding. In <i>Proceed</i> -	hini Agarwal, Cathy Mengying Fang, Auren R. Liu,	119
1141	ings of the 2016 Conference on Empirical Methods	Valdemar Danry, Eunhae Lee, Samantha W.T. Chan,	119
1142	in Natural Language Processing, pages 876–885,	Pat Pataranutaporn, and Pattie Maes. 2025. Inves-	119
1143 1144	Austin, Texas. Association for Computational Lin-	tigating affective use and emotional well-being on	119
1144	guistics.	ChatGPT. Technical report / preprint, OpenAI &	120
1145	Michael Barthel, Galen Stocking, Jesse Holcomb, and	MIT Media Lab. Accessed: 2025-08-25.	120
1146	Amy Mitchell. 2016. Reddit news users more likely	Mohammad Sadegh Rasooli and Joel R. Tetreault. 2015.	120
1147	to be male, young and digital in their news prefer-	Yara parser: A fast and accurate dependency parser.	120
1148	ences. Pew Research Center Report.	Computing Research Repository, arXiv:1503.06733.	120
1149	Jason Baumgartner, Savvas Zannettou, Brian Kee-	Version 2.	120
1150	gan, Megan Squire, and Jeremy Blackburn. 2020.		
1151	The pushshift reddit dataset. arXiv preprint	Carl Rogers. 1989. Session with gloria. In Howard	120
1152	arXiv:2001.08435.	Kirschenbaum and Valerie Land Henderson, editors, The Carl Rogers Reader, pages 198–215. Houghton	120 120
		Mifflin. Transcript of Carl Rogers's counseling ses-	120
1153	Myra Cheng, Sunny Yu, Cinoo Lee, Pranav Khadpe,	sion with Gloria, originally filmed in 1965.	121
1154	Lujain Ibrahim, and Dan Jurafsky. 2025. Social syco-		
1155	phancy: A broader understanding of llm sycophancy.	V. Sorin, D. Brin, Y. Barash, E. Konen, A. Charney,	121
1156	arXiv preprint arXiv:2505.13995.	G. Nadkarni, and E. Klang. 2024. Large language	121
1157	Cathy Mengying Fang, Auren R. Liu, Danry Valdemar,	models and empathy: Systematic review. <i>J Med</i>	121
1158	Eunhae Lee, Samantha W. T. Chan, Pat Pataranuta-	Internet Res, 26:e52597.	121
1159	porn, and Pattie Maes. 2025. How ai and human	Statista. 2025. Reddit global active user distribution.	121
1160	behaviors shape psychosocial effects of chatbot use:	Statista Statistics Portal. Accessed: 2025-08-24.	121
1161	A longitudinal randomized controlled study. <i>arXiv</i>	A LD WITTER A LD W. T. C.	
1162	preprint arXiv:2503.17473, 1(1).	Anvesh Rao Vijjini, Rakesh R. Menon, Jiayi Fu,	121
1163	James Goodman, Andreas Vlachos, and Jason Narad-	Shashank Srivastava, and Snigdha Chaturvedi. 2024. Socialgaze: Improving the integration of human so-	121 121
1164	owsky. 2016. Noise reduction and targeted explo-	cial norms in large language models. arXiv preprint	122
1165	ration in imitation learning for Abstract Meaning	arXiv:2410.08698. Submitted October 11, 2024.	122
1166	Representation parsing. In Proceedings of the 54th		
1167	Annual Meeting of the Association for Computational	Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten	122
1168	Linguistics (Volume 1: Long Papers), pages 1–11,	Bosma, Brian Ichter, Fei Xia, Ed Chi, Quoc Le, and	122
1169	Berlin, Germany. Association for Computational Linguistics	Denny Zhou. 2022. Chain-of-thought prompting	122
1170	guistics.	elicits reasoning in large language models. arXiv preprint arXiv:2201.11903.	122 122
1171	Mary Harper. 2014. Learning from 26 languages: Pro-	proprint arxiv.2201.11703.	1 44
1172	gram management and science in the babel program.	Yutong Zhang, Dora Zhao, Jeffrey T. Hancock, Robert	122
1173	In Proceedings of COLING 2014, the 25th Inter-	Kraut, and Diyi Yang. 2025. The rise of ai com-	122
1174	national Conference on Computational Linguistics:	panions: How human-chatbot relationships influence	122

well-being. arXiv preprint arXiv:2506.12605. Version 2, submitted on June 14 and revised June 17, 2025.
Lianwen Zheng, Yizhou Wang, Xiaoyang Liu, Haoran Zhang, Mingjie Li, and Jie Zhang. 2023. Judging Ilm-as-a-judge with mt-bench and chatbot arena. In Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing (EMNLP).

Association for Computational Linguistics.

A Example Appendix

This is a section in the appendix.