

COULD THIS BE THE NEXT HOMERUN? WATCH BLLB LIKE A HAWK
STARTING MONDAY, JULY 23rd!

Trade Date: Monday, July 23rd, 2007
Company: Bell Buckle Holdings, Inc.
Symbol: BLLB.PK
Current Price: 0.245
5-day Target: 1
Current Market: Extremely Bullish
Rating: 10+
Recommendation: Strong Buy

About Bell Buckle Holdings, Inc.

Bell Buckle Country Store, Inc. was founded in 1995 as a family owned and operated business, dedicated to producing the finest all-natural gourmet food products on the market. This dedication to excellence has garnered them recognition throughout the industry and many national awards for both taste and packaging. Through the years, the company has grown to include 5 brands, 239 products, sold in all 50 States and overseas through grocery stores, specialty gourmet & gift shops and big box retailers.

Bell Buckle Country Store, Inc. products are sold under the brands:
Captain Rodney's, Rose & Ivy, Simplify, Bell Buckle Country Store
and Bainbridge Festive Foods!

MEMBERS SHOULD PICK UP BLLB AS EARLY AS POSSIBLE ON MONDAY!
THIS ANNOUNCEMENT IS GOING TO SEND IT OFF THE CHARTS!
WE ALL KNOW THAT IN THIS BUSINESS IT'S THE BIG ANNOUNCEMENTS
THAT MAKE THESE STOCKS EXPLODE!!!

lobbying group said the information the FDA was aiming to publicize "is too vague and preliminary to be of any value in making informed treatment and prescribing decisions.

The six companies involved in manufacturing the generic drugs are also expected to face charges in what would be an unprecedented prosecution.

Meridia returned to the spotlight last fall when FDA safety officer Dr.

gov, that it wanted to make sure patients "have quick access to the most up-to-date and emerging product information" for making treatment decisions.

Institute researchers are studying ways to make aspirin safer, such as by combining it with drugs that protect the stomach or with other drugs that seem to combat cancer growth, Hawk says.

The combined menopause therapy was previously said to be "possibly" cancer causing, but the agency said women should not automatically stop using it.

See more articles and news on diabetesTrack news on diabetes at DiseaseWatch.

This is the first study to evaluate the importance of using age at diabetes diagnosis as an indicator for pancreatic cancer and suggests a new population to be tested for pancreatic cancer.

The information on this site is provided for educational and entertainment purposes only.

Advance preparation cuts down on morning rush.

These cheeses come in resealable plastic bags, and will save your hands from strenuous grating.

"These are real bacteria that, when taken in sufficient numbers, promote good health," said Dr.

Use a large plastic pitcher or a bowl with a spout at one end for mixing cake batter.

Roll your shoulders in a circle, and flex your ankles, hands and fingers.

These cheeses come in resealable plastic bags, and will save your hands from strenuous grating.

There also are a number of catalog and Web site companies that sell easy-to-use cooking items.

A suitcase with fewer items is easier to carry, and clothing stays fresher.

Don't wait until the last minute to pack for a trip.

However, recent controversy about the safety of pain medications for arthritis has left patients and health care professionals alike uncertain about which medications are safe to use.

But if a task can wait until the next day, leave it until then.

Bags of frozen vegetables can double as a handy ice pack for stiff, painful joints.

Take clothing items that can be mixed and matched to cut down on the amount you pack in your suitcase.

Sit on a low step-stool or a turned-over metal basin instead.

gov, that it wanted to make sure patients "have quick access to the most up-to-date and emerging product information" for making treatment decisions.

FDA officials promised to release more information sooner, including posting it on the Drug Watch page.

Then, fill a glass, small pitcher, watering can or kettle and pour water into the pot until you have the amount needed.

Buy gardening tools with adaptive handles that are easy to grasp, or build up handles yourself by wrapping them with electrical tape, bubble wrap or foam padding.

Or, try placing it in a shallow drawer.

"This decision is good news for obese patients and their physicians who are considering pharmacotherapy who may have been alarmed by Public Citizen," said Dr.

And they said use of the combined estrogen-progestogen contraceptive pill slightly increased the risk of breast, cervix and liver cancer.

Close the drawer enough to squeeze the jar between drawer and countertop, then use both hands to twist the lid open.

Get to the theater early, so you can choose an aisle seat or a handicapped-accessible seat that allows you to stretch your legs periodically.

This puts you both at the same height and makes dressing easier.

See more articles and news on drug companies Track news on drug companies at PharmaceuticalNation.

Or, try placing it in a shallow drawer.

Fast - Easy - Effective!

He found salicylic acid inhibited the production and activity of surface-associated molecules in *Pseudomonas aeruginosa*, essential for adhesion.

Build up the croquet mallet handles with padding to make them easier to grip.

A level, well-mowed back yard can be a great place for light exercise.

Your joints may become stiff during a long movie.

But some doctors say that is overzealous marketing and that more research needs to be done.

They agreed to co-operate with the prosecution under a novel "witness accomplice" programme, the first such strategy in a large-scale fraud investigation.

The scientists say such practices must be stopped or mankind will face a shrinking pool of antibiotics that work.

You may feel stressed, depressed, tired and angry at your pain and loss of independence.

If you find it difficult to handle playing cards or game pieces, play games with your friends or family in a team format.

Pick an easy, beginner's trail that is well-marked.

The low sides make it easier to turn food with a spatula, or to slide it off the griddle and onto a platter.

It also said the plan may exceed the FDA's authority.

The FDA said on its Web site, www.

All trademarks, registered trademarks and servicemarks mentioned on this site are the property of their respective owners.

PhRMA also voiced concern that the FDA may not provide companies with adequate notice of new information for the Web site or a chance for input.

They will mutate, use all means to get around it," said microbiology professor Margaret Ip at the Prince of Wales Hospital in Hong Kong.

The drug has been shown to elevate blood pressure in patients, something Abbott says is clearly spelled out on the FDA-approved label.

Consider building a greenhouse with raised shelves and tables to hold pots of flowers and plants.

And they said use of the combined estrogen-progestogen contraceptive pill slightly increased the risk of breast, cervix and liver cancer.

Using both hands, place the pot on the stove.

Try opening jars with a rubber jar opener.

Divide into twos and let your partner handle cards, dice, play money or game pieces while you help with strategy.

Investigate any hiking trails before you embark on your hike.

Take an extra watch with you that is set to your home time, so that you can take your pills at the appropriate time.

Fast - Easy - Effective!

regulators to release preliminary information about potential drug side effects could lead to unnecessary confusion and "irrational fears" about medicines, drug makers said on Monday.

Use this method for bottles as well.

All trademarks, registered trademarks and servicemarks mentioned on this site are the property of their respective owners.

Create an assembly line in the kitchen for food preparation and clean-up.

In essence, doctors can make their own jobs easier by prescribing antibiotics more judiciously, thus slowing the spread of superbugs.

Get to the theater early, so you can choose an aisle seat or a handicapped-accessible seat that allows you to stretch your legs periodically.

Keep the container in your purse, carry-on bag or suit pocket where you won't lose it and can access it easily during your trip.

Or, try placing it in a shallow drawer.

Graham said the FDA should consider whether the drug's benefits outweigh the risks of high blood pressure and stroke, indicating patients didn't stay on the drug because of such risks.

John Leonard, Abbott's vice president of global medical affairs.

See more articles and news on diabetesTrack news on diabetes at DiseaseWatch.

And they said use of the combined estrogen-progestogen contraceptive pill slightly increased the risk of breast, cervix and liver cancer.

Don't just walk to the refrigerator and back.

Schedule time for the unexpected.

In essence, doctors can make their own jobs easier by prescribing antibiotics more judiciously, thus slowing the spread of superbugs.

The drug has been shown to elevate blood pressure in patients, something Abbott says is clearly spelled out on the FDA-approved label.

Hike with friends - never alone - and bring a cellular phone and identification card with you.

"This means the FDA has made another mistake," said Dr.

In essence, doctors can make their own jobs easier by prescribing antibiotics more judiciously, thus slowing the spread of superbugs.

If the watch has an alarm, set it for dosage times.

However, recent controversy about the safety of pain medications for arthritis has left patients and health care professionals alike uncertain about which medications are safe to use.

Don't just walk to the refrigerator and back.

All of us are lucky to have you out there not only fighting for our rights but protecting us, informing us, educating us and making it a better place to live.

"Many of them are minor but at times they can be very severe and lead to a permanent loss of sight," Prof Taylor said.

FDA officials promised to release more information sooner, including posting it on the Drug Watch page.

When traveling, use a small, compartmented pill container to organize your daily medications.

If patients have questions, they should consult their health care professional about which treatment option is most appropriate.

In essence, doctors can make their own jobs easier by prescribing antibiotics more

re judiciously, thus slowing the spread of superbugs.

If you are spending a long evening with family or friends at a restaurant, sitting for a long period of time may make your joints stiff.

You may feel stressed, depressed, tired and angry at your pain and loss of independence.

See more articles and news on drug companiesTrack news on drug companies at PharmaceuticalNation.

Use a large plastic pitcher or a bowl with a spout at one end for mixing cake batters.

Use a wheeled cart or basket to carry bulbs and gardening tools around your yard.

Sit on a low step-stool or a turned-over metal basin instead.

All trademarks, registered trademarks and servicemarks mentioned on this site are the property of their respective owners.

He found salicylic acid inhibited the production and activity of surface-associated molecules in *Pseudomonas aeruginosa*, essential for adhesion.

UK experts said the HRT findings did not add anything to what is known.

"Many of them are minor but at times they can be very severe and lead to a permanent loss of sight," Prof Taylor said.

The six companies involved in manufacturing the generic drugs are also expected to face charges in what would be an unprecedented prosecution.

Chan says his findings confirm the results of the Women's Health Study, published in the same journal last month.

Use a wheeled cart or basket to carry bulbs and gardening tools around your yard.

If you put a lot of pressure using particular antibiotics, they will become resistant and continue to live.

Don't just walk to the refrigerator and back.

Available by prescription only, they became widely used in recent years to reduce joint pain and swelling.

You can take control of your arthritis and achieve good living simply by modifying the ways in which you participate in your favorite activities.

Robert Burakoff, of Brigham and Women's Hospital in Boston.

"These are real bacteria that, when taken in sufficient numbers, promote good health," said Dr.

Graham said the FDA should consider whether the drug's benefits outweigh the risks of high blood pressure and stroke, indicating patients didn't stay on the drug because of such risks.

If you need to fill a large pot with water, don't fill it in the sink.

Create an assembly line in the kitchen for food preparation and clean-up.

See more articles and news on cancerTrack news on cancer at DiseaseWatch.

The drug has been shown to elevate blood pressure in patients, something Abbott says is clearly spelled out on the FDA-approved label.

If the watch has an alarm, set it for dosage times.

See more articles and news on weight lossTrack news on weight loss at WeightLossHeadlines.

Create an assembly line in the kitchen for food preparation and clean-up.

"Releasing early information may violate a law requiring data released by federal agencies to be useful, PhRMA argued.

Related article:Drug Industry, Sen.

"More research is needed to determine if using increased sugar levels as an indicator of pancreatic cancer is feasible," said Dr.

When washing dishes, using a mitt made of sponge material may be more comfortable than trying to hold a sponge or scouring pad.

Use a wheeled cart or basket to carry bulbs and gardening tools around your yard.

"Many of them are minor but at times they can be very severe and lead to a permanent loss of sight," Prof Taylor said.

"Releasing early information may violate a law requiring data released by federal agencies to be useful, PhRMA argued.

These cheeses come in resealable plastic bags, and will save your hands from strenuous grating.

"If you could coat the contact lens with this and stop or reduce the risk of infection, that'd be a major breakthrough.

Don't transfer a cooked dish from the pot to a serving dish.

"This decision is good news for obese patients and their physicians who are considering pharmacotherapy who may have been alarmed by Public Citizen," said Dr.

Sit on a low step-stool or a turned-over metal basin instead.

At times, you may have to stay longer to get your job done.

gov, that it wanted to make sure patients "have quick access to the most up-to-date and emerging product information" for making treatment decisions.

It also said the plan may exceed the FDA's authority.

"Dr Anne Szarewski, clinical consultant for Cancer Research UK, said: "We are unaware of any studies that have shown that the contraceptive pill causes breast or cervical cancer.

Consider building a greenhouse with raised shelves and tables to hold pots of flowers and plants.

They will mutate, use all means to get around it," said microbiology professor Margaret Ip at the Prince of Wales Hospital in Hong Kong.

If you like flower gardening but can't sit on the ground or stoop to low flower beds, try planting flowers in window-box containers or clay pots that sit on tables outside your house.

Ernest Hawk, a prevention expert at the National Cancer Institute, notes that previous studies have found that smaller doses of aspirin reduced the risk of colon polyps in only one to three years.

The scientists also warned the combined contraceptive pill slightly increased the risk of a greater number of cancers than originally thought.

When washing dishes, one person can wash, one can rinse, one can dry and stack, and one can put away dishes.

You can take control of your arthritis and achieve good living simply by modifying the ways in which you participate in your favorite activities.

Agency official Vincent Cogliano said: "It's a complicated picture.

However, recent controversy about the safety of pain medications for arthritis has left patients and health care professionals alike uncertain about which medications are safe to use.

But you don't have to let the stiffness, pain, swelling and fatigue associated with arthritis keep you from doing what you need and love to do.

See more articles and news on drug companiesTrack news on drug companies at PharmaceuticalNation.

Abbott and researchers in the medical community say they are happy the FDA supported Meridia, given the high levels of obesity in the United States and the few available treatments.

Many doctors also prescribe antibiotics that cover a wide range of bacteria without doing proper lab tests.

Former New England Journal of Medicine Editor Marcia.

Croquet might be another entertaining exercise.

Abbott and researchers in the medical community say they are happy the FDA supported Meridia, given the high levels of obesity in the United States and the few available treatments.

The six companies involved in manufacturing the generic drugs are also expected to face charges in what would be an unprecedented prosecution.

Sit on a low step-stool or a turned-over metal basin instead.

When you're having a flare, it may be too difficult for you to do certain tasks, and you may be able to trade for less strenuous duties.

Take an extra watch with you that is set to your home time, so that you can take your pills at the appropriate time.

Build up the croquet mallet handles with padding to make them easier to grip.

Past studies have already linked the pill to liver cancer, but only in hepatitis B-endemic countries.

John Leonard, Abbott's vice president of global medical affairs.

Make sure the seat is low enough that you can bend over easily to do your gardening.

The companies are Kent Pharmaceuticals, Norton Healthcare, the Goldshield Group, Generics UK, Ranbaxy Laboratories UK Unit and Regent-GM Laboratories Ltd.

FDA officials promised to release more information sooner, including posting it on the Drug Watch page.

Bags of frozen vegetables can double as a handy ice pack for stiff, painful joints.

The scientists also warned the combined contraceptive pill slightly increased the risk of a greater number of cancers than originally thought.

Microbiologist Mahesh Bandara found in laboratory studies the salicylic acid in aspirin can prevent bacteria taking hold on biopolymers - plastics designed to be compatible with the human body.