

CS542600 Distributed System

Lab: Kubernetes Report

112062665 林珈民

screenshot of kubectl get nodes

```
● student@ds-student18:~/NTHU-K8S$ kubectl get nodes
NAME                STATUS    ROLES    AGE   VERSION
kind-control-plane  Ready    control-plane   15d   v1.29.2
kind-worker         Ready    <none>        15d   v1.29.2
kind-worker2        Ready    <none>        15d   v1.29.2
```

1. screenshot of passing all the unit tests

```
?      my-scheduler-plugins/cmd/scheduler      [no test files]
=== RUN    TestCustomScheduler_Prefilter
=== RUN    TestCustomScheduler_Prefilter/pod_is_accepted
finish adding2024/06/15 14:11:38 Pod  is in Prefilter phase.
=== RUN    TestCustomScheduler_Prefilter/pod_is_just_accepted
finish adding2024/06/15 14:11:38 Pod  is in Prefilter phase.
=== RUN    TestCustomScheduler_Prefilter/pod_is_rejected
finish adding2024/06/15 14:11:38 Pod  is in Prefilter phase.
--- PASS: TestCustomScheduler_Prefilter (0.11s)
    --- PASS: TestCustomScheduler_Prefilter/pod_is_accepted (0.11s)
    --- PASS: TestCustomScheduler_Prefilter/pod_is_just_accepted (0.00s)
    --- PASS: TestCustomScheduler_Prefilter/pod_is_rejected (0.00s)
=== RUN    TestCustomScheduler_Score
=== RUN    TestCustomScheduler_Score/least_mode
2024/06/15 14:11:38 Custom scheduler runs with the mode: Least.
2024/06/15 14:11:38 Pod  is in Score phase. Calculate the score of Node m1.
2024/06/15 14:11:38 Pod  is in Score phase. Calculate the score of Node m2.
=== RUN    TestCustomScheduler_Score/most_mode
2024/06/15 14:11:38 Custom scheduler runs with the mode: Least.
2024/06/15 14:11:38 Pod  is in Score phase. Calculate the score of Node m1.
2024/06/15 14:11:38 Pod  is in Score phase. Calculate the score of Node m2.
--- PASS: TestCustomScheduler_Score (0.00s)
    --- PASS: TestCustomScheduler_Score/least_mode (0.00s)
    --- PASS: TestCustomScheduler_Score/most_mode (0.00s)
=== RUN    TestCustomScheduler_NormalizeScore
=== RUN    TestCustomScheduler_NormalizeScore/scores_in_range
=== RUN    TestCustomScheduler_NormalizeScore/scores_out_of_range
=== RUN    TestCustomScheduler_NormalizeScore/negative_score
--- PASS: TestCustomScheduler_NormalizeScore (0.00s)
    --- PASS: TestCustomScheduler_NormalizeScore/scores_in_range (0.00s)
    --- PASS: TestCustomScheduler_NormalizeScore/scores_out_of_range (0.00s)
    --- PASS: TestCustomScheduler_NormalizeScore/negative_score (0.00s)
PASS
ok      my-scheduler-plugins/pkg/plugins      0.297s
```

3.

- Prefilter:

Pod 0, 1, 2 的 group 為 A, pod 3, 4 為 B

將 Pod 0, 1, 2 的 minAvailable 設為 3，因此只有 pod 2 能通過 prefilter phase

Pod 的 minAvailable 設定為 2，因此只有 pod4 為 running, pod3 為 pending

```
student@eds-student18:~/NTHU-Scheduler-Plugin$ kubectl get po -o wide
```

NAME	READY	STATUS	RESTARTS	AGE	IP	NODE	NOMINATED NODE	READINESS GATES
existing-pod-0	0/1	Pending	0	20s	<none>	<none>	<none>	<none>
existing-pod-1	0/1	Pending	0	19s	<none>	<none>	<none>	<none>
existing-pod-2	1/1	Running	0	19s	10.244.2.75	kind-worker	<none>	<none>
existing-pod-3	0/1	Pending	0	19s	<none>	<none>	<none>	<none>
existing-pod-4	1/1	Running	0	19s	10.244.2.76	kind-worker	<none>	<none>
my-scheduler-69cfc986c7-4crlf	1/1	Running	0	39s	10.244.2.74	kind-worker	<none>	<none>

- Most mode:

從 log 可以看到在初始狀態，kind-worker 2 剩餘的記憶體大於 kind-worker 剩餘的記憶體，因此 pod 0 分配給 kind-worker 2。

接著，kind-worker 2 剩餘的記憶體減少了 pod 0 的用量 200MB，此時 kind-worker 擁有更多記憶體，所以將 pod 1 分配給 kind-worker。

由於 pod 1 占去了 300MB 的記憶體，此時 kind-worker 2 剩餘記憶體又大於 kind-worker，因此將 pod2 分配給 kind-worker 2

```
I0618 02:19:15.041056 1 log.go:194] Pod existing-pod-0 is in Prefilter phase.
W0618 02:19:15.041097 1 listers.go:63] can not retrieve list of objects using index : Index with name namespace does not exist
I0618 02:19:15.042168 1 log.go:194] Pod existing-pod-0 is in Score phase. Calculate the score of Node kind-worker2.
I0618 02:19:15.042202 1 log.go:194] kind-worker2 remaining memory: 1305540KB, the score: 1336872960
I0618 02:19:15.042238 1 log.go:194] Pod existing-pod-0 is in Score phase. Calculate the score of Node kind-worker.
I0618 02:19:15.042255 1 log.go:194] kind-worker remaining memory: 1293252KB, the score: 1324290048
I0618 02:19:15.119231 1 schedule_one.go:252] "Successfully bound pod to node" pod="default/existing-pod-0" nodes="kind-worker2" eval
uatedNodes=3 feasibleNodes=2
I0618 02:19:15.151433 1 log.go:194] Pod existing-pod-1 is in Prefilter phase.
W0618 02:19:15.151770 1 listers.go:63] can not retrieve list of objects using index : Index with name namespace does not exist
I0618 02:19:15.152601 1 log.go:194] Pod existing-pod-1 is in Score phase. Calculate the score of Node kind-worker.
I0618 02:19:15.152644 1 log.go:194] kind-worker remaining memory: 1293252KB, the score: 1324290048
I0618 02:19:15.152658 1 log.go:194] Pod existing-pod-1 is in Score phase. Calculate the score of Node kind-worker2.
I0618 02:19:15.152672 1 log.go:194] kind-worker2 remaining memory: 1100740KB, the score: 1127157760
I0618 02:19:15.168553 1 schedule_one.go:252] "Successfully bound pod to node" pod="default/existing-pod-1" nodes="kind-worker" evalu
atedNodes=3 feasibleNodes=2
I0618 02:19:15.257196 1 log.go:194] Pod existing-pod-2 is in Prefilter phase.
W0618 02:19:15.257448 1 listers.go:63] can not retrieve list of objects using index : Index with name namespace does not exist
I0618 02:19:15.257940 1 log.go:194] Pod existing-pod-2 is in Score phase. Calculate the score of Node kind-worker.
I0618 02:19:15.257961 1 log.go:194] kind-worker remaining memory: 986052KB, the score: 1009717248
I0618 02:19:15.257971 1 log.go:194] Pod existing-pod-2 is in Score phase. Calculate the score of Node kind-worker2.
I0618 02:19:15.257976 1 log.go:194] kind-worker2 remaining memory: 1100740KB, the score: 1127157760
I0618 02:19:15.284060 1 schedule_one.go:252] "Successfully bound pod to node" pod="default/existing-pod-2" nodes="kind-worker2" eval
uatedNodes=3 feasibleNodes=2
```

- Least mode:

從 log 可以看到在初始狀態，kind-worker 剩餘的記憶體小於 kind-worker2 剩餘的記憶體，因此 kind-worker 擁有較高的分數，將 pod 0 分配給 kind-worker。

在 pod 0 用去 1000MB 後，kind-worker 還是比 kind-worker2 擁有較少的記憶體，因此分數較高，將 pod 1 分配給 kind-worker。

在 pod 0 和 pod 1 分配完後，kind-worker 剩餘的記憶體容量不足以容納 pod 2 的 300MB 記憶體用量，因此分配給 kind-worker2。

```
I0618 02:22:33.591299 1 log.go:194] Pod existing-pod-0 is in Prefilter phase.
W0618 02:22:33.591554 1 listers.go:63] can not retrieve list of objects using index : Index with name namespace does not exist
I0618 02:22:33.592083 1 log.go:194] Pod existing-pod-0 is in Score phase. Calculate the score of Node kind-worker.
I0618 02:22:33.592105 1 log.go:194] kind-worker remaining memory: 1293252KB, the score: -1324290048
I0618 02:22:33.592119 1 log.go:194] Pod existing-pod-0 is in Score phase. Calculate the score of Node kind-worker2.
I0618 02:22:33.592126 1 log.go:194] kind-worker2 remaining memory: 1305540KB, the score: -1336872960
I0618 02:22:33.608262 1 schedule_one.go:252] "Successfully bound pod to node" pod="default/existing-pod-0" nodes="kind-worker" evalu
atedNodes=3 feasibleNodes=2
I0618 02:22:33.690823 1 log.go:194] Pod existing-pod-1 is in Prefilter phase.
W0618 02:22:33.690870 1 listers.go:63] can not retrieve list of objects using index : Index with name namespace does not exist
I0618 02:22:33.691152 1 log.go:194] Pod existing-pod-1 is in Score phase. Calculate the score of Node kind-worker.
I0618 02:22:33.691179 1 log.go:194] kind-worker2 remaining memory: 1305540KB, the score: -1336872960
I0618 02:22:33.691205 1 log.go:194] Pod existing-pod-1 is in Score phase. Calculate the score of Node kind-worker.
I0618 02:22:33.691214 1 log.go:194] kind-worker remaining memory: 269252KB, the score: -275714048
I0618 02:22:33.723532 1 schedule_one.go:252] "Successfully bound pod to node" pod="default/existing-pod-1" nodes="kind-worker" evalu
atedNodes=3 feasibleNodes=2
I0618 02:22:33.773713 1 log.go:194] Pod existing-pod-2 is in Prefilter phase.
W0618 02:22:33.773778 1 listers.go:63] can not retrieve list of objects using index : Index with name namespace does not exist
I0618 02:22:33.865392 1 schedule_one.go:252] "Successfully bound pod to node" pod="default/existing-pod-2" nodes="kind-worker2" eval
uatedNodes=3 feasibleNodes=1
```