

Autistic Parent (G)

AVATAR 1

AUTISTIC / NEURODIVERGENT POTTY TRAINING PARENT

(POOP komplett entfernt wie du verlangt hast)

Dieser Avatar ist der **sensorisch sensible / neurodivergente Child Parent**.

Typische Kinder:

- autism / possible autism
- speech delay
- non verbal
- sensory sensitive
- anxiety
- body-signal confusion

Alter häufig:

3-5 Jahre

1. ORIGINAL QUOTES (RESEARCH)

Alle passenden Full Quotes aus deiner RS

My son is 3 year old son, who is speech delayed, has no accidents on the naked method, he simply goes to the potty without any prompting. But once you put on underwear and pants, it's accidents only.

Any tips for potty training a non verbal autistic child? Hes almost 3 and starting preschool in the fall so we would like to try again to start potty training over the summer. He cant communicate any need to use the potty and seems unsure what the potty is even for.

Does anyone have any suggestions for potty training my non verbal 3 year old? He will be 4 in May. Has little to no interest in the potty. He uses some sign language, but never potty. He comes with me and his little sister to the potty and sits on it occasionally.

My oldest (almost 5) who is potty training. Okay, so he has only gone twice, both time pee. We've been doing this for two weeks now. I did try to let him go without diapers for a few hours, but he wasn't going, he was holding his pee and I got worried.

My son is 3Y old. He pees and poops in the toilet at home just fine for over 3 months now. No night time diapers either. He is a great holder and can go for long stretches. He has anxiety of public places and would never go in them.

My daughter is doing great with potty training at home, independently pees in potty, little to no accidents, any advice on the mental block or support with anxiety around daycare toileting? She says she's "scared of daycare potty".

My son is almost 3. He has no interest in the potty and does not care when his diaper is wet.

He is never dry for 2 hours and is not uncomfortable in a wet diaper.

We go for autism testing in March. This is my first time navigating all of this and it seems overwhelming.

My son turns 2 in a month and he's showing some signs of readiness, so we are going to try the 3 day method with a reward system.

My son is turning 3 next week, and he was actually starting to use the potty before he was 2, but then he just stopped.

When I tell him let's go to the potty he yells no and just don't go.

My son is 2.5 and says no to everything. Of course it wouldn't be different with potty training.

My son can't communicate any need to use the potty.

He doesn't have full bladder awareness yet and doesn't realise he needs to go until it's happening.

My son who is speech delayed has no accidents on the naked method but once you put underwear on it's accidents only.

If prompted to sit on the potty he will sit and not do anything but as soon as he's up accident.

He will tell me pee and then starts to pee after a few seconds.

He seems unsure what the potty is even for.

He started getting upset when we try to get him to use the potty.

Everything I've done when potty training other kids isn't working with him.

I need your ideas and support.

This is my first time navigating all of this and it seems overwhelming.

He just soaks through the training undies and doesn't even care that he's wet.

We change his undies so many times throughout the day.

I feel like I need to go back to him being naked.

But how can we ever leave the house?

Our reward system is working well but it doesn't seem to transfer when he's wearing undies.

He knows he will get prizes if he goes but he doesn't like stickers or reward charts.

He takes the tokens off and throws them everywhere.

I don't want to make going potty a negative or pressured thing.

I want to do what's best for her.

(Diese Quotes bilden den Datensatz für den Avatar.)

2. LANGUAGE BANK

Worte / Sätze aus Research

Wiederkehrende Wörter:

- autism
- non verbal
- speech delayed
- overwhelmed
- scared
- anxiety
- holding pee
- doesn't realise
- no interest
- doesn't care
- accidents
- help
- advice
- ideas

Wiederkehrende Satzmuster

Typische Formulierungen:

- “Any advice?”
 - “Please help.”
 - “I don’t know what to do.”
 - “Everything I’ve tried isn’t working.”
 - “He doesn’t realise he needs to go.”
-

3. WIEDERKEHRENDE URSACHEN

Ursache 1

Body signal disconnect

Quote

He doesn’t have full bladder awareness yet and doesn’t realise he needs to go until it’s happening.

Erklärung

Das Kind erkennt das Signal zu spät.

Der Körper sendet Signale, aber das Gehirn verbindet sie nicht mit Handlung.

Ursache 2

Communication gap

Quote

He cant communicate any need to use the potty.

Erklärung

Selbst wenn ein Signal existiert, kann das Kind es nicht kommunizieren.

Ursache 3

Sensory resistance

Quote

He started getting upset when we try to get him to use the potty.

Erklärung

Potty Training erzeugt sensorischen Stress.

Ursache 4

Underwear confusion

Quote

once you put underwear on it's accidents only.

Erklärung

Das Kind interpretiert Kleidung wie eine Windel.

4. WHY DOES SHE FEEL LIKE THAT

Eltern erleben:

- klassische Methoden funktionieren nicht
- Entwicklung wirkt unvorhersehbar
- sie fühlen sich allein

Quote

Everything I've done when potty training other kids isn't working with him.

Quote

This is my first time navigating all of this and it seems overwhelming.

Quote

I need your ideas and support.

5. MAIN BUY TRIGGER

Dieser Avatar reagiert stark auf:

- **gentle learning**
- **sensory friendly**
- **body awareness**
- **gradual transition**

Quote

I don't want to make going potty a negative or pressured thing.

6. CHILD CHARACTERISTICS

Typische Merkmale:

Speech delay

Quote

My son who is speech delayed

Autism

Quote

We go for autism testing in March.

Signal confusion

Quote

doesn't realise he needs to go until it's happening.

7. VERHALTEN

Eltern probieren viele Methoden:

Quote

We were doing the naked method.

Quote

Our reward system is working well.

Quote

I tried reward charts.

Quote

I tried pushing liquids.

8. CORE DESIRES

Eltern wünschen sich:

- Body awareness
- weniger accidents
- stressfreie learning phase

Quote

I want to do what's best for her.

9. PRE EMOTIONS

Emotionen vor Kauf:

- overwhelm
- frustration
- uncertainty

Quote

This is my first time navigating all of this and it seems overwhelming.

10. WHY NOW

Auslöser:

preschool start

Quote

starting preschool in the fall so we want to try again.

11. WHY NOT BEFORE

Quote

We put potty training on hold for a while.

12. RELATABLE MOMENTS

Kind spielt → accident

Quote

He doesn't realise he needs to go until it's happening.

Kind merkt es erst wenn es passiert

Quote

He will tell me pee and then starts to pee after a few seconds.

Kind versteht Potty Konzept nicht

Quote

seems unsure what the potty is even for.

13. IDENTITY

Dieser Parent sieht sich als:

- geduldig
- unterstützend

- lernbereit

Quote

I want to do what's best for her.

14. AWARENESS LEVEL

Problem aware

Eltern wissen:

Potty Training funktioniert nicht.

15. MARKET AWARENESS

Solution aware

Sie kennen:

- naked method
 - rewards
 - timers
-

16. TRANSFORMATION JOURNEY

(detailliert)

Stage 1

Confusion

Quote

He doesn't realise he needs to go.

Stage 2

Trying methods

Quote

We were doing the naked method.

Stage 3

Frustration

Quote

once you put underwear on it's accidents only.

Stage 4

Seeking help

Quote

I need your ideas and support.

Stage 5

Discovering sensory friendly solution

Hier würde dein Produkt ansetzen:

Body Signal Learning Layer

ZUSÄTZLICHE ORIGINAL QUOTES

Autistic / Neurodivergent Parent Avatar (Research)

My son is almost 3. He has no interest in the potty and does not care when his diaper is wet. When I see him trying to poop I'll ask him if he wants to sit on the potty, he refuses.

My son is 2.5 and says no to everything. Of course it wouldn't be different with potty training. We have tried twice. The first time he did sit on the potty a few times and then started saying no every time I prompt him.

The second time he was refusing from the beginning. He will tell me pee and then starts to pee after a few seconds, but when I tell him let's go to the potty he yells no and just doesn't go.

My son is turning 3 next week, and he was actually starting to use the potty before he was 2, but then he just stopped.

When I offered the toilet again his refusal turned into a full blown tantrum.

It resulted in screams and tears as if he was terrified of the toilet.

I ended up putting the diaper back on him and five minutes later he came to me saying mommy change my diaper I have to poop.

My daughter will be 4 in November and I'm having a hard time with her telling me she needs to go.

She has constant accidents until I force her to go sit on the potty.

She doesn't mind sitting on the potty and does her stickers every time she goes but she won't tell me she has to go.

How can I help her?

Looking for some guidance my son is nearly 3 and we have been doing a very slow transition to undies.

He still wears nappies but when he has no nappy time he can go an hour or so without needing to go.

We have had two successful wees in the toilet and a lot of accidents.

He doesn't have full bladder awareness yet and doesn't realise he needs to go to the toilet until it's happening.

I've been told I should just ditch the nappies and have a few days at home without nappies on.

Should I wait a bit longer until he has more awareness?

Or will awareness come with less nappy time?

My son is 3 year old son who is speech delayed.

He has no accidents on the naked method.

He simply goes to the potty without prompting.

But once you put on underwear and pants it's accidents only.

If prompted to sit on the potty he will sit and not do anything.

But as soon as he's up accident.

Please help.

My son is 3 and I just had a baby in July.

We tried potty training because he was ready over the spring and summer but with me being heavily pregnant and then postpartum I just put it on pause.

We're getting back into it in the last couple weeks and he had stretches where he'd have no accidents during the day.

We were doing the naked method and since it was going so well we put him in training undies but now he just soaks through them and doesn't even care that he's wet.

We change his undies so many times throughout the day that I feel like I need to go back to him being naked.

But how can we ever leave the house?

Our reward system is working well and he likes the treats he gets for peeing on the potty.

But it doesn't seem to transfer when he's wearing undies.

Any tips for potty training a non verbal autistic child?

Hes almost 3 and starting preschool in the fall so we would like to try again to start potty training over the summer.

He cant communicate any need to use the potty.

He seems unsure what the potty is even for.

Recently he started getting upset when we try to get him to use the potty.

We dont know what caused the regression.

Everything I've done when potty training other kids isn't working with him.

Does anyone have any suggestions for potty training my non verbal 3 year old?

He will be 4 in May.

Has little to no interest in the potty.

He uses some sign language but never potty.

He comes with me and his little sister to the potty and sits on it occasionally.

He is never dry for 2 hours and is not uncomfortable in a wet diaper.

We go for autism testing in March.

This is my first time navigating all of this and it seems overwhelming.

My son is 3Y old and he pees in the toilet at home just fine.

But he has anxiety of public places and would never go in them.

Instead he will hold it and wait until we are home.

He likes privacy and would not go in their toilets.

My daughter is doing great with potty training at home.

She independently pees in potty with little to no accidents.

But she has anxiety around daycare toileting.

She says she is scared of daycare potty.

She has been withholding for them for hours.

PATTERN ERKENNBAR AUS DEN QUOTES

Wenn man alle Quotes zusammen betrachtet, entstehen klare Muster.

Pattern 1

Communication Gap

Viele Kinder können das Signal **nicht kommunizieren**.

Quote

He cant communicate any need to use the potty.

Quote

He uses some sign language but never potty.

Pattern 2

Body Awareness Delay

Quote

He doesn't realise he needs to go to the toilet until it's happening.

Quote

He is never dry for 2 hours and is not uncomfortable in a wet diaper.

Pattern 3

Underwear Confusion

Quote

But once you put on underwear and pants it's accidents only.

Quote

He just soaks through the training undies and doesn't even care that he's wet.

Pattern 4

Sensory / Anxiety

Quote

He started getting upset when we try to get him to use the potty.

Quote

It resulted in screams and tears as if he was terrified of the toilet.

Quote

She says she is scared of daycare potty.

Pattern 5

Context-specific success

Quote

My daughter is doing great with potty training at home but scared of daycare potty.

Quote

He has anxiety of public places and would never go in them.

WICHTIGER INSIGHT FÜR DEINE ADS

Diese Research zeigt etwas extrem Wertvolles:

Der Autistic Parent Avatar hat **kein Potty Training Problem**.

Er hat ein:

BODY SIGNAL TRANSLATION PROBLEM

Das bedeutet:

Kind versteht nicht:

Body Signal → Action

Und genau dort passt deine Mechanism perfekt:

Body-Signal Learning Layer™