

Cambridge International AS & A Level

CANDIDATE NAME							
CENTRE NUMBER				CANDIDA NUMBER	ΤE		



MATHEMATICS 9709/41

Paper 4 Mechanics May/June 2020

1 hour 15 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS


- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.
- Where a numerical value for the acceleration due to gravity (g) is needed, use 10 m s⁻².

INFORMATION

- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].

This document has 16 pages. Blank pages are indicated.

BLANK PAGE




Three coplanar forces of magnitudes 100 N, 50 N and 50 N act at a point A, as shown in the diagram. The value of $\cos \alpha$ is $\frac{4}{5}$.

Find the magnitude of the resultant of the three forces and state its direction.	[3]
	••••••
	•••••
	•••••
	•••••

esi		
(a)	Find the tension in the tow-bar.	[
		••••••
		•••••
(b)	Find the power of the engine of the car at the instant when the speed is $20 \mathrm{m s^{-1}}$	
(b)	Find the power of the engine of the car at the instant when the speed is $20 \mathrm{m s^{-1}}$	
(b)	Find the power of the engine of the car at the instant when the speed is $20 \mathrm{ms^{-1}}$	
(b)	Find the power of the engine of the car at the instant when the speed is 20 m s ⁻¹ .	
(b)	Find the power of the engine of the car at the instant when the speed is $20 \mathrm{ms^{-1}}$	
(b)	Find the power of the engine of the car at the instant when the speed is 20 m s ⁻¹	
(b)	Find the power of the engine of the car at the instant when the speed is $20 \mathrm{ms^{-1}}$.	
(b)	Find the power of the engine of the car at the instant when the speed is 20 m s ⁻¹	
(b)	Find the power of the engine of the car at the instant when the speed is 20 m s ⁻¹ .	
(b)	Find the power of the engine of the car at the instant when the speed is $20 \mathrm{ms^{-1}}$	
(b)	Find the power of the engine of the car at the instant when the speed is $20 \mathrm{ms^{-1}}$.	


a)	Find the greatest height above the ground reached by P . [3]
(b)	Find the length of time for which P is at a height of more than 3.6 m above the ground. [4]
b)	Find the length of time for which P is at a height of more than 3.6 m above the ground. [4]
b)	
(b)	



The diagram shows a ring of mass $0.1 \, \text{kg}$ threaded on a fixed horizontal rod. The rod is rough and the coefficient of friction between the ring and the rod is 0.8. A force of magnitude $T \, \text{N}$ acts on the ring in a direction at 30° to the rod, downwards in the vertical plane containing the rod. Initially the ring is at rest.

•••••	•••••	••••••	•••••	• • • • • • • • • • • • • • • • • • • •	••••••	•••••	•••••
••••••		••••••	••••••	• • • • • • • • • • • • • • • • • • • •	•••••	•••••	•••••
			•••••				
			•••••				
				•••••			
•••••		••••••	•••••	•••••	••••••	•••••	•••••
			•••••				
•••••	•••••	••••••	•••••••	•••••••	•••••••	•••••••	••••••
			•••••				

Find the acceleration of the ring when $T = 3$.	[3
	•••••
	••••••
	••••••
	••••••



A child of mass 35 kg is swinging on a rope. The child is modelled as a particle P and the rope is modelled as a light inextensible string of length 4 m. Initially P is held at an angle of 45° to the vertical (see diagram).


(a)	Given that there is no resistance force, find the speed of P when it has travelled half way along the circular arc from its initial position to its lowest point. [4]

	P travels from its initial position to its lowest point is X J. The speed of P at its lowest 4 m s^{-1} .
Fii	ad X .
••••	
••••	
••••	
••••	
••••	
••••	
••••	
••••	
••••	
••••	
••••	
••••	
••••	

A particle moves in a straight line AB. The velocity $v \, \text{m s}^{-1}$ of the particle $t \, \text{s}$ after leaving A is given by $v = k(t^2 - 10t + 21)$, where k is a constant. The displacement of the particle from A, in the direction

Find the value of k . Hence find an expression, in terms of t , for the displacement of the p from A .

		•••••
		•••••
		•••••
		•••••
)	Find the displacement of the particle from A when its velocity is a minimum.	[4
		••••
		••••
		••••
		•••••
		••••
		•••••
		••••
		••••
		•••••
		••••
		••••



A particle P of mass 0.3 kg, lying on a smooth plane inclined at 30° to the horizontal, is released from rest. P slides down the plane for a distance of 2.5 m and then reaches a horizontal plane. There is no change in speed when P reaches the horizontal plane. A particle Q of mass 0.2 kg lies at rest on the horizontal plane 1.5 m from the end of the inclined plane (see diagram). P collides directly with Q.

(a) It is given that the horizontal plane is smooth and that, after the collision, P continues moving in the same direction, with speed $2 \,\mathrm{m \, s}^{-1}$.

Find the speed of Q after the collision.	[5]

Find the coefficient of friction between P and the horizontal plane.	
	•••••

Additional Page

If you use the following lined page to complete the answer(s) to any question(s), the question number(s) must be clearly shown.

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.