## Cambridge International AS & A Level

MATHEMATIC	cs		9709/43
CENTRE NUMBER		CANDIDATE NUMBER	
CANDIDATE NAME			

Paper 4 Mechanics

October/November 2023

1 hour 15 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

## **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.
- Where a numerical value for the acceleration due to gravity (g) is needed, use  $10 \,\mathrm{m\,s^{-2}}$ .

## **INFORMATION**


- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [ ].

This document has 12 pages.

A particle is projected vertically upwards from horizontal ground with a speed of  $u \, \text{m s}^{-1}$ . The particle

ind the value of $u$ and the value of $s$ .	[3

2




A machine for driving a nail into a block of wood causes a hammerhead to drop vertically onto the top of a nail. The mass of the hammerhead is  $1.2 \,\mathrm{kg}$  and the mass of the nail is  $0.004 \,\mathrm{kg}$  (see diagram). The hammerhead hits the nail with speed  $v \,\mathrm{m\,s}^{-1}$  and remains in contact with the nail after the impact. The combined hammerhead and nail move immediately after the impact with speed  $40 \,\mathrm{m\,s}^{-1}$ .

(a)	Calculate <i>v</i> , giving your answer as an exact fraction.	[2]
		•••••
		•••••
		•••••
<b>(b)</b>	The nail is driven 4 cm into the wood.	
	Find the constant force resisting the motion.	[3]
		•••••
		•••••
		•••••
		•••••

A block of mass 8 kg slides down a rough plane inclined at 30° to the horizontal, starting from rest.

Draw a diagram showing the forces acting on the block	[1]
Draw a diagram showing the forces acting on the block.	[1]
Find the value of $\mu$ .	[4]
Find the speed of the block after it has moved 3 m down the plane.	[1]
	Find the value of μ.  Find the value of the block after it has moved 3 m down the plane.

A c	ar has mass 1600 kg.
(a)	The car is moving along a straight horizontal road at a constant speed of $24 \mathrm{ms^{-1}}$ and is subject to a constant resistance of magnitude $480 \mathrm{N}$ .
	Find, in kW, the rate at which the engine of the car is working. [2]
eng	e car now moves down a hill inclined at an angle of $\theta$ to the horizontal, where $\sin \theta = 0.09$ . The ine of the car is working at a constant rate of 12 kW. The speed of the car is $24 \mathrm{m  s^{-1}}$ at the top o hill. Ten seconds later the car has travelled 280 m down the hill and has speed $32 \mathrm{m  s^{-1}}$ .
(b)	Given that the resistance is not constant, use an energy method to find the total work done against the resistance during the ten seconds.



A light string AB is fixed at A and has a particle of weight 80 N attached at B. A horizontal force of magnitude P N is applied at B such that the string makes an angle  $\theta$ ° to the vertical (see diagram).


(a) It is given that P = 32 and the system is in equilibrium.

Find the tension in the string and the value of $\theta$ .	[4]
	••••••
	•••••
	•••••

F	Find the value of $P$ and the value of $\theta$ .	
•		••••••
		•••••
		•••••
•		•••••
		•••••
•		
		•••••
		•••••
•		
•		•••••
•		•••••
		•••••

Fi	ind the values of t when the particle is at instantaneous rest.	
	and the values of v when the particle is at instantaneous rest.	
•••		
•••		••••••
•••		•••••
•••		
•••		
•••		••••••
•••		•••••
•••		
•••		
		•••••
•••		••••••
•••		

 •••••
 •••••
•••••
•••••
 •••••
•••••
 •••••
•••••
•••••
 •••••



Particles A and B, of masses 2.4 kg and 3.3 kg respectively, are connected by a light inextensible string that passes over a smooth pulley which is fixed to the top of a rough plane. The plane makes an angle of  $\theta^{\circ}$  with horizontal ground. Particle A is on the plane and the section of the string between A and the pulley is parallel to a line of greatest slope of the plane. Particle B hangs vertically below the pulley and is 1 m above the ground (see diagram). The coefficient of friction between the plane and A is  $\mu$ .

(a) It is given that  $\theta = 30$  and the system is in equilibrium with A on the point of moving directly up the plane.

Show that $\mu = 1.01$ correct to 3 significant figures.	[5]

F A	Find the total distance travelled by $A$ before coming to instantaneous rest. You may assume that does not reach the pulley and that $B$ remains at rest after it hits the ground. [8]
••	
••	
••	
••	
••	
• •	
• •	
•	
•	
•	
• •	
• •	
• •	
••	

## **Additional Page**

must be clearly shown.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.