



Cambridge International AS & A Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

MATHEMATICS 9709/13

Paper 1 Pure Mathematics 1

October/November 2024

1 hour 50 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [].

This document has 20 pages. Any blank pages are indicated.

www.dynamicpapers.com

1 An arithmetic progression has fourth term 15 and eighth term 25.

Find the 30th term of the progression.	[3]

2 Find the exact solution of the equation


	$\cos\frac{1}{6}\pi + \tan$	$2x + \frac{\sqrt{3}}{2} = 0$	for $-\frac{1}{2}\pi$	$r < \frac{1}{\pi}$	[2]
	6	2 2	4"	4".	[2]
	•••••			•••••	
•••••				• • • • • • • • • • • • • • • • • • • •	
•••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	••••••
•••••	•			• • • • • • • • • • • • • • • • • • • •	
				• • • • • • • • • • • • • • • • • • • •	
			• • • • • • • • • • • • • • • • • • • •	•••••	
	•••••	•••••	•••••	• • • • • • • • • • • • • • • • • • • •	
•••••	••••••••	•••••••••	•••••	•••••	•••••••••••
	•••••			• • • • • • • • • • • • • • • • • • • •	
•••••				• • • • • • • • • • • • • • • • • • • •	
	••••••	••••••	•••••	• • • • • • • • • • • • • • • • • • • •	
				• • • • • • • • • • • • • • • • • • • •	
•••••	•••••	•••••	•••••	• • • • • • • • • • • • • • • • • • • •	
	••••••	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	••••••
			•••••		
	•••••	•••••	•••••		
•••••	•••••	•••••	•••••	• • • • • • • • • • • • • • • • • • • •	



	answers in terms of a .	
		•••
		•••
		•••
		•••
		•••
		•••
		•••
(b)	Given that the coefficient of x^4 in the expansion of $(ax+7)(3-ax)^5$ is 240, find the p value of a.	
(b)		
(b)	value of a.	
(b)	value of <i>a</i> .	
(b)	value of a.	



Solve the equation $4\sin^4\theta + 12\sin^2\theta - 7 = 0$ for $0^\circ \le \theta \le 360^\circ$.	[4]
	•••••
	•••••
	•••••
	••••••
	••••••
	••••••
	• • • • • • • • • • • • • • • • • • • •



In the diagram, the graph with equation y = f(x) is shown with solid lines and the graph with equation y = g(x) is shown with broken lines.

(a) Describe fully a sequence of three transformations which transforms the graph of y = f(x) to the


	graph of $y = g(x)$.	[6]
(b)	Find an expression for $g(x)$ in the form $af(bx+c)$, where a , b and c are integers.	[2]

* 0000800000007 *

www.dynamicpapers.com

The first term of a convergent geometric progression is 10. The sum of the first 4 terms of the progression is p and the sum of the first 8 terms of the progression is q. It is given that $\frac{q}{p} = \frac{17}{16}$. Find the two possible values of the sum to infinity. [5]

3



The diagram shows a metal plate ABCDEF consisting of five parts. The parts BCD and DEF are semicircles. The part BAFO is a sector of a circle with centre O and radius $20\,\mathrm{cm}$, and D lies on this circle. The parts OBD and ODF are triangles. Angles BOD and DOF are both θ radians.

Given that $\theta = 1.2$, find the area of the metal plate. Give your answer correct to 3 significantly figures.


		www.dynamicpapers.com
(b)	Given instead that the area of each seplate.	emicircle is $50\pi \mathrm{cm}^2$, find the exact perimeter of the metal [5]

	Express $3x^2 - 12x + 14$ in the form $3(x+a)^2 + b$, where a and b are constants to be found.	[2
		•••••
•		
	2	•••••
Γhe f	function $f(x) = 3x^2 - 12x + 14$ is defined for $x \ge k$, where k is a constant.	
(b) I	Find the least value of k for which the function f^{-1} exists.	[
		••••
•		••••
		• • • • •
For th	he rest of this question, you should assume that k has the value found in part (b).	
(c) 1	Find an expression for $f^{-1}(x)$.	[
		•••••

(d)

* (0000800000		
		•••••	
	•••••	••••	

	•••••
	•••••
	•••••
Hence or otherwise solve the equation $ff(x) = 29$.	[3]
	•••••
	•••••
	,
	,
	•••••
	•••••
	•••••
	•••••
	•••••
	•••••
	•••••
	•••••
	•••••



The diagram shows the curves with equations $y = x^3 - 3x + 3$ and $y = 2x^3 - 4x^2 + 3$.

(a) Find the x-coordinates of the points of intersection of the curves.

Find the <i>x</i> -coordinates of the points of intersection of the curves.	[3]
	· • • • •
	••••
	·•••
	· • • • •
	· • • • •
	· • • • •
	· • • • •
	.
	· • • • •
	· • • • •
	· • • • •
	· • • •
	••••

* 0000800000013 *	
(b) Find the area of the shaded region	

This the area of the shaded region.	[4]
	•••••
	•••••
	•••••
	•••••
	•••••
	•••••
	•••••
	•••••
	•••••
	•••••

4

10 Points A and B have coordinates (4, 3) and (8, -5) respectively. A circle with radius 10 passes through the points A and B.

a)	Show that the centre of the circle lies on the line $y = \frac{1}{2}x - 4$.	[4]
		••••
		••••
		••••
		••••
		••••
		••••
		•••••
		••••
		••••
		••••
		••••
		•••••
		••••
		••••
		••••
		••••

 000800000015 *	

•	
	•••••
	•••••
	•••••
	•••••
	•••••
	•••••
	••••••
	•••••



11 The equation of a curve is $y = kx^{\frac{1}{2}} - 4x^2 + 2$, where k is a constant.

(a)	Find $\frac{dy}{dx}$ and $\frac{d^2y}{dx^2}$ in terms of k.	[2]
(b)	It is given that $k = 2$.	
	Find the coordinates of the stationary point and determine its nature.	[4]

* 000080000017 *

Points <i>A</i> and <i>B</i> on the curve have <i>x</i> -coordinates 0.25 and 1 the tangents to the curve at the points <i>A</i> and <i>B</i> meet at a point <i>A</i> and <i>B</i>	respectively. For a different value of k bint with x -coordinate 0.6.
Find this value of k .	[6]

www.dynamicpapers.com

Additional page

If you use the following lined page to complete the answer(s) to any question(s), the question number(s) must be clearly shown.		

* 000080000019 *

www.dynamicpapers.com

BLANK PAGE





DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

www.dynamicpapers.com

20

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

