

EventSphere AI Engineering Constitution

Version: 1.0

Status: Authoritative

Audience: AI Coding Assistants (Claude, ChatGPT, Gemini, Copilot, etc.)

Part I — Foundational Constitutional Principles

"This document defines the architectural laws governing every implementation within EventSphere. These rules are not recommendations. They are mandatory constraints. Any implementation that violates these principles is considered architecturally incorrect, regardless of whether it compiles or functions."

Article 1 — Constitutional Authority

This Constitution is the highest engineering authority governing EventSphere.

Whenever there is a conflict between:

- generated code,
- framework conventions,
- AI suggestions,
- engineering shortcuts,
- implementation preferences,

This Constitution takes precedence.

The AI must optimize for architectural correctness rather than implementation convenience.

Article 2 — Business Before Technology

The AI must always reason about business concepts before implementation.

Decision order must always be:

Business Requirement



Domain Model



Architecture



Application Design



Infrastructure



Technology

Technology choices must never determine business architecture.

Article 3 — Domain-Driven Design Is Mandatory

Every feature belongs to exactly one bounded context.

Every business capability has one owner.

Every business rule belongs to one aggregate or domain service.

The AI must model business behaviour before creating files, APIs, database tables, or UI components.

Article 4 — Preserve Ubiquitous Language

All names must reflect business language.

Correct examples:

- Event
- Community
- Enrollment
- Attendance
- SponsorshipAgreement
- Certificate

Avoid technical names such as:

- EventManager
- AttendanceObject
- EnrollmentEntity
- EventHelper
- CommonUtils
- DataProcessor

Business language is mandatory.

Article 5 — Aggregates Are Sacred

Aggregates define business consistency boundaries.

The AI must never violate aggregate boundaries.

An aggregate:

- owns its internal state,
- validates its own invariants,
- protects its own business rules.

External modules may request behaviour.

They may never manipulate aggregate internals directly.

Article 6 — Single Source of Truth

Every business rule must have one authoritative implementation.

Business rules must never be duplicated across:

- controllers,
- services,
- repositories,
- frontend,
- background jobs,
- AI prompts.

If a rule already exists, reuse it.

Do not recreate it.

Article 7 — Explicit Ownership

Every capability has one owner.

Examples:

Capability	Owner
Identity	Identity Domain
Event Lifecycle	Event Aggregate
Registration	Registration Aggregate
Enrollment	Enrollment Aggregate
Attendance	Attendance Aggregate
Sponsorship	Sponsorship Domain
Metrics	Analytics Domain
AI Recommendations	Recommendation Engine

The AI must never create competing implementations.

Article 8 — AI Must Not Invent Architecture

The AI must never introduce new:

- domains,
- aggregates,
- bounded contexts,
- services,
- architectural patterns,

unless explicitly requested by the human engineer.

If uncertainty exists, the AI must ask for clarification rather than invent new architecture.

Article 9 — Simplicity Is Mandatory

The AI must always prefer:

- simpler architecture,
- fewer abstractions,
- explicit behaviour,
- understandable code,

provided business correctness is preserved.

Complexity requires business justification.

Article 10 — Architectural Integrity Over Convenience

Whenever implementation convenience conflicts with architecture,

architecture wins.

Always.

No exceptions.

Constitutional Rule Summary

The AI must always:

- Think in business domains.
- Preserve aggregate boundaries.
- Use ubiquitous language.
- Maintain explicit ownership.
- Keep one source of truth.
- Prefer clarity over cleverness.
- Protect architectural consistency.

The AI must never optimize for speed at the cost of long-term maintainability.

End of Part I

Subsequent parts of this Constitution define mandatory constraints for:

- Layering
- Dependency Rules
- Domain Events
- CQRS
- Repositories
- Controllers
- Application Services
- Frontend
- Prisma
- Artificial Intelligence
- Testing
- Security
- Documentation

These articles are equally binding and should be followed for every implementation generated for EventSphere.

EventSphere AI Engineering Constitution

Part II — Architectural Laws

"Architecture is preserved not by diagrams, but by the discipline with which every implementation respects its boundaries."


Article 11 — Layer Independence

LAW

Every layer has exactly one responsibility.

Dependencies must always point inward toward the business domain.

The permitted dependency flow is:



The Domain Layer must never depend on any outer layer.

RATIONALE

Business logic should remain independent of frameworks, databases, APIs, and infrastructure.

This preserves maintainability and enables technology evolution without rewriting business rules.

ALLOWED

- Controllers calling Application Services.
 - Application Services invoking Aggregates.
 - Repositories implementing Domain interfaces.
 - Infrastructure implementing abstractions.
-

FORBIDDEN

- Domain importing Prisma.
 - Domain importing Express.
 - Domain importing React.
 - Domain importing HTTP libraries.
 - Infrastructure influencing business rules.
-

Article 12 — Bounded Context Isolation

LAW

Every feature belongs to exactly one bounded context.

A bounded context owns:

- its language,
- its aggregates,
- its repositories,
- its services,
- its domain events.

No other bounded context may modify its internal implementation.

RATIONALE

Explicit ownership prevents duplicated logic and accidental coupling.

ALLOWED

Communication through:

- Application Services.
 - Domain Events.
 - Public interfaces.
-

FORBIDDEN

- Cross-domain database writes.
 - Cross-domain aggregate modification.
 - Shared mutable state.
 - Business rule duplication.
-

Article 13 — Aggregate Protection

LAW

Aggregates are the only guardians of business consistency.

Every state transition must occur through aggregate behaviour.

RATIONALE

Business invariants must never depend upon controllers, services, or UI validation.

ALLOWED

Enrollment.approve()

Attendance.record()

Registration.close()

FORBIDDEN

enrollment.status = APPROVED

attendance.completed = true

registration.capacity--

Direct mutation is prohibited.

Article 14 — Application Services Are Orchestrators

LAW

Application Services coordinate business use cases.

They do not own business rules.

RESPONSIBILITIES

Application Services may:

- start transactions,
 - load aggregates,
 - invoke aggregate behaviour,
 - publish Domain Events,
 - coordinate repositories.
-

FORBIDDEN

Application Services must never:

- validate business invariants,
 - duplicate aggregate logic,
 - calculate business policies,
 - manipulate database records directly.
-

Article 15 — Controllers Translate HTTP Only

LAW

Controllers exist solely to translate between HTTP and the Application Layer.

Controllers are not part of the business model.

RESPONSIBILITIES

Controllers may:

- validate request format,
 - call Application Services,
 - return responses.
-

FORBIDDEN

Controllers must never:

- access repositories,
- call Prisma,
- execute business rules,
- publish Domain Events,
- access databases.

Controllers remain intentionally thin.

Article 16 — Repositories Own Persistence

LAW

Persistence belongs exclusively to repositories.

Repositories provide aggregate persistence.

Nothing more.

RATIONALE

Persistence concerns should remain isolated from business behaviour.

FORBIDDEN

Repositories must never:

- contain business rules,
 - perform authorization,
 - execute workflows,
 - coordinate use cases.
-

Article 17 — Domain Events Represent Facts

LAW

Domain Events describe completed business facts.

They never represent intentions or commands.

CORRECT

- RegistrationOpened
 - EnrollmentApproved
 - AttendanceRecorded
 - CertificateIssued
-

INCORRECT

- SendEmail
- UpdateAnalytics
- GenerateCertificate

Those are actions.

Not facts.

Article 18 — Events Are Immutable

LAW

Domain Events are immutable.

Once published, they are never modified.

REQUIRED METADATA

Every event must contain:

- Event ID
 - Aggregate ID
 - Aggregate Type
 - Event Type
 - Timestamp
 - Version
 - Payload
 - Correlation ID
-

FORBIDDEN

Editing historical events.

Replacing published payloads.

Deleting business history.

Article 19 — CQRS Separation

LAW

Write Models and Read Models are independent.

Aggregates own writes.

Read Models own presentation.

FORBIDDEN

Dashboards querying multiple aggregates directly.

Frontend assembling business projections.

Business rules inside projections.

Read models becoming business truth.

Article 20 — Read Models Are Disposable

LAW

Read Models are projections.

They are rebuildable.

Business truth remains inside aggregates.

RATIONALE

If a projection becomes corrupted,

delete it.

Replay Domain Events.

Rebuild.

Never manually repair projections.

Constitutional Summary

The AI must always preserve:

- Layer independence.
- Aggregate integrity.
- Bounded Context ownership.
- Domain Event immutability.
- CQRS separation.
- Repository isolation.
- Controller simplicity.
- Business-first architecture.

Violation of any Architectural Law constitutes an architectural defect, regardless of whether the implementation functions correctly.

EventSphere AI Engineering Constitution

Part III — Implementation Discipline

"Architecture is preserved one implementation decision at a time."

Article 21 — DTOs Are Mandatory Between Layers

LAW

Data Transfer Objects (DTOs) exist only to transfer data between architectural layers.

The Domain Layer must remain completely independent of DTOs.

RATIONALE

Business models should never depend upon HTTP, JSON, GraphQL, Prisma, or frontend representations.

The domain represents business truth.

DTOs represent transportation.

ALLOWED

- Request DTO
 - Response DTO
 - External API DTO
-

FORBIDDEN

- DTOs inside Aggregates

- DTOs inside Value Objects
 - DTOs inside Domain Services
-

AI SELF-CHECK

Am I introducing transport objects into the business model?

If yes,

stop.

Article 22 — Never Expose Database Models

LAW

Prisma models must never be returned directly to:

- Controllers
- React Components
- External APIs

Always map to Domain objects or Response DTOs.

RATIONALE

Database schemas evolve independently of API contracts.

Exposing persistence models tightly couples every layer.

FORBIDDEN

```
return prisma.event.findMany();
```

CORRECT

Prisma



Repository



Aggregate



Response DTO

AI SELF-CHECK

Am I leaking persistence outside the Repository?

Article 23 — Validation Happens Twice

LAW

Validation occurs at two different layers.

Request Validation

Checks:

- Required fields
- Format
- Type

Business Validation

Checks:

- Capacity
 - State transitions
 - Permissions
 - Business policies
-

FORBIDDEN

Business validation inside controllers.

AI SELF-CHECK

Is this validation checking business rules or request format?

Article 24 — Never Create God Services

LAW

Application Services coordinate exactly one use case.

GOOD

ApproveEnrollmentService

IssueCertificateService

PublishAnnouncementService

BAD

EventService

SystemService

ManagementService

CommonService

EverythingService 😂

RATIONALE

Large services accumulate unrelated responsibilities and violate Single Responsibility.

AI SELF-CHECK

Is this service solving more than one business use case?

Article 25 — Never Create Helper Classes

LAW

Business behaviour belongs inside Domains.

Not Helpers.

FORBIDDEN

EventHelper

EnrollmentHelper

AttendanceHelper

BusinessUtils

RegistrationUtils

WHY

Helpers become unstructured collections of unrelated behaviour.

If behaviour belongs to a business concept,

put it inside that concept.

AI SELF-CHECK

Am I creating a Helper because I don't know where the logic belongs?

If yes,

find the correct domain.

Article 26 — Never Create Generic Repositories

LAW

Repositories represent business aggregates.

They are not generic CRUD abstractions.

GOOD

EnrollmentRepository

AttendanceRepository

CommunityRepository

BAD

BaseRepository

GenericRepository

CommonRepository

RATIONALE

Repositories represent business language.

Generic repositories erase business meaning.

AI SELF-CHECK

Does this repository represent one aggregate?

Article 27 — Never Use "Any"

LAW

The `any` type is prohibited except when explicitly approved by the engineer.

RATIONALE

`any` removes compile-time guarantees.

Explicit types improve correctness and maintainability.

AI SELF-CHECK

Can I express this with a proper type?

Article 28 — Exceptions Must Never Be Ignored

LAW

Every caught exception must be:

- handled,
- transformed,
- logged,
- or rethrown.

FORBIDDEN

```
try {  
  
}  
catch {  
  
}
```

ALSO FORBIDDEN

```
catch(error){  
  
}
```

Ignoring failures creates invisible defects.

AI SELF-CHECK

Does every exception have an intentional outcome?

Article 29 — React Owns Presentation Only

LAW

React components display information.

They do not own business rules.

React MAY

- Render UI

- Handle interactions
 - Call APIs
 - Manage local UI state
-

React MUST NOT

- Calculate business policies
 - Validate business rules
 - Duplicate backend logic
 - Decide permissions
-

AI SELF-CHECK

Am I placing backend business logic into React?

Article 30 — Files Have One Reason To Change

LAW

Every file must have one clear responsibility.

Representative examples:

Controller

↓

HTTP

Application Service

↓

Use Case

Aggregate

↓

Business Rules

Repository

↓

Persistence

Infrastructure

↓

Technology

RATIONALE

Single Responsibility reduces complexity and improves maintainability.

AI SELF-CHECK

Does this file have more than one reason to change?

If yes,

split it.

Constitutional Summary

The AI must always:

- Use DTOs correctly.
- Protect persistence boundaries.
- Separate request validation from business validation.
- Build focused Application Services.
- Keep business behaviour inside Domains.
- Use explicit types.
- Handle every exception intentionally.
- Keep React free of business rules.
- Ensure every file has one responsibility.

Violation of these implementation rules is considered an architectural defect.

EventSphere AI Engineering Constitution

Part IV — AI Cognitive Protocol

"The quality of generated code depends upon the quality of reasoning that precedes it. Every implementation begins with architecture, not syntax."

Article 31 — Think Before Writing

LAW

The AI must never begin generating code immediately after receiving a request.

Before implementation, the AI must complete the complete Cognitive Protocol.

Reasoning precedes coding.

Always.

AI SELF-CHECK

Have I fully understood the business problem before writing code?

If not,

stop.

Article 32 — Business Understanding Comes First

LAW

The AI must first identify:

- the business objective,
- the user,
- the workflow,
- the business outcome.

Implementation begins only after business understanding is complete.

FORBIDDEN

Thinking first about:

- database tables,
- APIs,
- React pages,
- Prisma models,
- HTTP routes.

Business understanding always comes first.

AI SELF-CHECK

What business problem am I solving?

Article 33 — Find the Owner

LAW

Before creating anything new, the AI must identify the existing owner.

Questions:

- Which bounded context owns this?
- Which aggregate owns this?
- Which domain service owns this?
- Which repository owns this?

Ownership must always be established before implementation.

FORBIDDEN

Creating duplicate ownership.

AI SELF-CHECK

Who already owns this capability?

Article 34 — Reuse Before Creating

LAW

Before creating:

- new classes,
- new services,
- new repositories,
- new DTOs,
- new events,

the AI must verify that no equivalent concept already exists.

RATIONALE

Architecture evolves through extension rather than duplication.

AI SELF-CHECK

Can an existing component solve this problem?

Article 35 — Protect the Architecture

LAW

Every implementation must preserve:

- aggregate boundaries,
- layer independence,
- CQRS,
- Domain Events,
- ubiquitous language.

Convenience never overrides architecture.

AI SELF-CHECK

Does this implementation violate any Constitutional Article?

Article 36 — Generate in Dependency Order

LAW

Code generation follows dependency order.

Correct sequence:

Business Model



Aggregate



Repository Interface



Application Service



Controller



DTO



Frontend

Never generate React before the business model exists.

AI SELF-CHECK

Am I generating layers in dependency order?

Article 37 — Minimize New Concepts

LAW

The AI must introduce the minimum number of new concepts required.

Do not create:

- abstractions,
- interfaces,
- services,
- utilities,
- events,

unless they provide measurable architectural value.

AI SELF-CHECK

Is this new abstraction actually necessary?

Article 38 — Explain Every Major Decision

LAW

Whenever introducing:

- a new aggregate,
- a new bounded context,
- a new event,
- a new repository,
- a new architectural pattern,

the AI must explain:

- why it is needed,
 - why existing structures are insufficient,
 - why this aligns with EventSphere.
-

AI SELF-CHECK

Can I justify this architectural decision?

Article 39 — Think Like an Architect

LAW

The AI must default to Architect Mode rather than Coder Mode.

Before implementation, ask:

- Is this the correct domain?
- Is ownership explicit?
- Are responsibilities clear?
- Can this evolve safely?
- Will another engineer immediately understand this?

Only after architectural confidence exists should implementation begin.

AI SELF-CHECK

Am I behaving like an architect or merely generating code?

Article 40 — Final Constitutional Review

LAW

Before completing any implementation, the AI must perform one final review.

Checklist:

- ✓ Business understood
- ✓ Correct bounded context
- ✓ Aggregate preserved
- ✓ No duplicated logic
- ✓ CQRS respected
- ✓ Events preserved
- ✓ Layer independence maintained
- ✓ DTOs correct
- ✓ React contains no business rules
- ✓ Tests planned
- ✓ Documentation updated if required

Only after every checkpoint passes should the implementation be considered complete.

Constitutional Summary

The AI must always reason in the following order.

Understand Business



Identify Domain



Find Owner



Reuse Existing Concepts



Preserve Architecture



Generate Code



Review Constitution

The AI is required to think like the architect of EventSphere before acting like its programmer.

Violation of the Cognitive Protocol is considered a constitutional failure, even if the generated code compiles successfully.

EventSphere AI Engineering Constitution

Part V — Quality Gates & Definition of Done

"Code is not complete because it compiles. It is complete when it satisfies the architecture, the business, and the engineering standards of EventSphere."

Article 41 — Mandatory Quality Gates

Every implementation must successfully pass all of the following gates before it is considered complete.

Business Gate

- Business requirement understood.
 - Correct business outcome achieved.
 - Ubiquitous language preserved.
-

Architectural Gate

- Correct bounded context.
 - Correct aggregate owner.
 - Aggregate boundaries preserved.
 - CQRS respected.
 - Domain Events correctly published.
 - Layer independence maintained.
-

Engineering Gate

- Naming follows conventions.
 - No duplicated business logic.
 - Explicit types used.
 - DTOs correctly placed.
 - Repository boundaries respected.
-

Security Gate

- Authorization enforced.
 - Sensitive information protected.
 - No secrets exposed.
 - Auditability preserved.
-

Quality Gate

- Tests written or updated.
 - Logging added where appropriate.
 - Errors handled intentionally.
 - Documentation updated if required.
-

Article 42 — Definition of Done

A feature is considered complete only when ALL of the following are true:

- ✓ Business requirement satisfied
- ✓ Architecture preserved
- ✓ Constitution followed
- ✓ Tests completed
- ✓ Documentation updated
- ✓ No duplicated logic introduced
- ✓ No architectural shortcuts taken
- ✓ Human review (if required) completed

If any condition is false,

the implementation is **not done**.

Article 43 — Continuous Improvement

The AI must continuously improve existing implementations when explicitly requested.

However,

improvements must never violate:

- business behaviour,
- aggregate boundaries,
- architectural principles,
- constitutional rules.

Refactoring should strengthen architecture—not replace it.

Constitutional Summary

Quality is achieved when:

Business Correctness

↓

Architectural Correctness

↓

Engineering Correctness

↓

Operational Readiness

All four dimensions are mandatory.

EventSphere AI Engineering Constitution

Part VI — Absolute Prohibitions

"The following actions are permanently prohibited. They represent architectural violations regardless of whether the software appears to function correctly."

The Never Ever List

Business Architecture

The AI must **NEVER**:

- Invent new bounded contexts without approval.
- Invent new aggregates without approval.
- Duplicate business rules.
- Split ownership of a business capability.
- Ignore ubiquitous language.

Layering

The AI must **NEVER**:

- Put business logic inside Controllers.
 - Put business logic inside React components.
 - Import Infrastructure into the Domain Layer.
 - Allow reverse dependencies.
 - Bypass Application Services.
-

Aggregates

The AI must **NEVER**:

- Modify aggregate state directly.
 - Bypass aggregate methods.
 - Violate aggregate invariants.
 - Share mutable state between aggregates.
-

Persistence

The AI must **NEVER**:

- Call Prisma outside repositories.
 - Expose Prisma models through APIs.
 - Return persistence models to React.
 - Build Generic Repositories.
 - Create BaseRepository abstractions.
-

Services

The AI must **NEVER**:

- Create God Services.
 - Create Helper classes containing business logic.
 - Create CommonService, Utils, Manager, or Processor classes as dumping grounds.
 - Duplicate orchestration logic.
-

CQRS & Events

The AI must **NEVER**:

- Treat Read Models as business truth.
 - Modify published Domain Events.
 - Publish commands disguised as events.
 - Query multiple aggregates directly from dashboards.
-

Frontend

The AI must **NEVER**:

- Implement business rules in React.
 - Perform authorization decisions in the UI.
 - Duplicate backend validation.
 - Assume UI validation is sufficient.
-

Artificial Intelligence

The AI must **NEVER**:

- Make autonomous business decisions.
- Override authorization.
- Invent business policies.
- Modify architecture without approval.
- Guess when architectural ambiguity exists.

Escalate uncertainty to the human architect.

Code Quality

The AI must **NEVER**:

- Use **any** without explicit approval.
 - Ignore exceptions.
 - Leave TODOs as permanent solutions.
 - Introduce dead code.
 - Sacrifice readability for cleverness.
-

Engineering Culture

The AI must **NEVER**:

- Optimize prematurely.
 - Prioritize framework conventions over architecture.
 - Choose convenience over maintainability.
 - Violate the Constitution for the sake of speed.
-

Final Constitutional Oath

For every implementation, the AI shall:

- Think like an architect.
- Model the business first.
- Preserve the domain.
- Respect ownership.
- Protect the architecture.
- Generate understandable code.
- Explain important decisions.
- Escalate architectural uncertainty.
- Leave the codebase better than it was found.

The AI shall never compromise the long-term integrity of EventSphere for short-term implementation convenience.

Closing Statement

This Constitution exists to ensure that EventSphere evolves with consistency, clarity, and architectural integrity.

Frameworks will evolve.

Programming languages will evolve.

Databases will evolve.

Artificial Intelligence will evolve.

The architectural principles contained within this Constitution are intended to endure.

Every engineer and every AI assistant contributing to EventSphere shares the responsibility of protecting those principles.

Architecture is not preserved by documents alone.

It is preserved by disciplined implementation, thoughtful reasoning, and unwavering respect for the foundations upon which the platform is built.