

Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]
[Timestamps]
[Time since first frame in this TCP stream: 0.000120114 seconds]
[Time since previous frame in this TCP stream: 0.000081709 seconds]
TCP payload (1 byte)

Telnet

Data: \a

No.	Time	Source	Destination	Protocol	Length	Info
4	2021-12-07 04:18:16.976054472	10.9.0.6	10.9.0.5	TCP	66	40276 → 23 [ACK]

Seq=196255085 Ack=137309990 Win=501 Len=0 TSval=684289289 TSecr=714607160
Frame 4: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:06 (02:42:0a:09:00:06), Dst: 02:42:0a:09:00:05 (02:42:0a:09:00:05)
Internet Protocol Version 4, Src: 10.9.0.6, Dst: 10.9.0.5
Transmission Control Protocol, Src Port: 40276, Dst Port: 23, Seq: 196255085, Ack: 137309990, Len: 0
Source Port: 40276
Destination Port: 23
[Stream index: 0]
[TCP Segment Len: 0]
Sequence number: 196255085
[Next sequence number: 196255085]
Acknowledgment number: 137309990
1000 = Header Length: 32 bytes (8)
Flags: 0x010 (ACK)
Window size value: 501
[Calculated window size: 501]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x1443 [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]
[Timestamps]
[Time since first frame in this TCP stream: 0.000127127 seconds]
[Time since previous frame in this TCP stream: 0.00007013 seconds]

No.	Time	Source	Destination	Protocol	Length	Info
5	2021-12-07 04:19:50.941420614	02:42:b7:db:cb:bc	Broadcast	ARP	42	Who has 10.9.0.5?

Tell 10.9.0.1

Frame 5: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (request)

No.	Time	Source	Destination	Protocol	Length	Info
6	2021-12-07 04:19:50.941445479	02:42:0a:09:00:05	02:42:b7:db:cb:bc	ARP	42	10.9.0.5 is at 02:42:0a:09:00:05

Frame 6: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc)
Address Resolution Protocol (reply)

No.	Time	Source	Destination	Protocol	Length	Info
7	2021-12-07 04:19:50.950340277	10.9.0.6	10.9.0.5	TELNET	55	Telnet Data ...

Frame 7: 55 bytes on wire (440 bits), 55 bytes captured (440 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: 02:42:0a:09:00:05 (02:42:0a:09:00:05)
Internet Protocol Version 4, Src: 10.9.0.6, Dst: 10.9.0.5

Transmission Control Protocol, Src Port: 40276, Dst Port: 23, Seq: 196255085, Ack: 137309990, Len: 1

Source Port: 40276
Destination Port: 23
[Stream index: 0]
[TCP Segment Len: 1]
Sequence number: 196255085
[Next sequence number: 196255086]
Acknowledgment number: 137309990
0101 = Header Length: 20 bytes (5)
Flags: 0x010 (ACK)
Window size value: 8192
[Calculated window size: 8192]
[Window size scaling factor: -1 (unknown)]
Checksum: 0xf0d6 [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
[SEQ/ACK analysis]
[Timestamps]
[Time since first frame in this TCP stream: 93.974412932 seconds]
[Time since previous frame in this TCP stream: 93.974285805 seconds]
TCP payload (1 byte)

Telnet

Data: \r

No.	Time	Source	Destination	Protocol	Length	Info
8	2021-12-07 04:19:50.950381312	10.9.0.5	10.9.0.6	TCP	66	23 → 40276 [ACK]

Seq=137309990 Ack=196255086 Win=509 Len=0 TSval=714701134 TSecr=684289289
Frame 8: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)
Internet Protocol Version 4, Src: 10.9.0.5, Dst: 10.9.0.6
Transmission Control Protocol, Src Port: 23, Dst Port: 40276, Seq: 137309990, Ack: 196255086, Len: 0
Source Port: 23
Destination Port: 40276
[Stream index: 0]
[TCP Segment Len: 0]
Sequence number: 137309990
[Next sequence number: 137309990]
Acknowledgment number: 196255086
1000 = Header Length: 32 bytes (8)
Flags: 0x010 (ACK)
Window size value: 509
[Calculated window size: 509]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x1443 [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]
[Timestamps]
[Time since first frame in this TCP stream: 93.974453967 seconds]
[Time since previous frame in this TCP stream: 0.000041035 seconds]

No.	Time	Source	Destination	Protocol	Length	Info
9	2021-12-07 04:19:50.950560930	10.9.0.5	10.9.0.6	TELNET	89	Telnet Data ...

Frame 9: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)
Internet Protocol Version 4, Src: 10.9.0.5, Dst: 10.9.0.6
Transmission Control Protocol, Src Port: 23, Dst Port: 40276, Seq: 137309990, Ack: 196255086, Len: 23
Source Port: 23
Destination Port: 40276
[Stream index: 0]
[TCP Segment Len: 23]
Sequence number: 137309990
[Next sequence number: 137310013]
Acknowledgment number: 196255086
1000 = Header Length: 32 bytes (8)
Flags: 0x018 (PSH, ACK)
Window size value: 509
[Calculated window size: 509]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x145a [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]
[Timestamps]
[Time since first frame in this TCP stream: 93.974633585 seconds]
[Time since previous frame in this TCP stream: 0.000179618 seconds]
TCP payload (23 bytes)
Telnet
Data: \r\n
Data: seed@b441cc771dba:~\$

No.	Time	Source	Destination	Protocol	Length	Info
10	2021-12-07 04:19:51.158180696	10.9.0.5	10.9.0.6	TCP	89	[TCP

Retransmission] 23 → 40276 [PSH, ACK] Seq=137309990 Ack=196255086 Win=509 Len=23 TSval=714701342 TSecr=684289289
Frame 10: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)
Internet Protocol Version 4, Src: 10.9.0.5, Dst: 10.9.0.6
Transmission Control Protocol, Src Port: 23, Dst Port: 40276, Seq: 137309990, Ack: 196255086, Len: 23
Source Port: 23
Destination Port: 40276
[Stream index: 0]
[TCP Segment Len: 23]
Sequence number: 137309990
[Next sequence number: 137310013]
Acknowledgment number: 196255086
1000 = Header Length: 32 bytes (8)
Flags: 0x018 (PSH, ACK)
Window size value: 509
[Calculated window size: 509]
[Window size scaling factor: -1 (unknown)]

Checksum: 0x145a [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]
[Timestamps]
[Time since first frame in this TCP stream: 94.182253351 seconds]
[Time since previous frame in this TCP stream: 0.207619766 seconds]
TCP payload (23 bytes)
Retransmitted TCP segment data (23 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
11	2021-12-07 04:19:51.366186444	10.9.0.5	10.9.0.6	TCP	89	[TCP Retransmission] 23 → 40276 [PSH, ACK] Seq=137309990 Ack=196255086 Win=509 Len=23 TSval=714701550 TSecr=684289289

Frame 11: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)
Internet Protocol Version 4, Src: 10.9.0.5, Dst: 10.9.0.6
Transmission Control Protocol, Src Port: 23, Dst Port: 40276, Seq: 137309990, Ack: 196255086, Len: 23
Source Port: 23
Destination Port: 40276
[Stream index: 0]
[TCP Segment Len: 23]
Sequence number: 137309990
[Next sequence number: 137310013]
Acknowledgment number: 196255086
1000 = Header Length: 32 bytes (8)
Flags: 0x018 (PSH, ACK)
Window size value: 509
[Calculated window size: 509]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x145a [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]
[Timestamps]
[Time since first frame in this TCP stream: 94.390259099 seconds]
[Time since previous frame in this TCP stream: 0.208005748 seconds]
TCP payload (23 bytes)
Retransmitted TCP segment data (23 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
12	2021-12-07 04:19:51.778189046	10.9.0.5	10.9.0.6	TCP	89	[TCP Retransmission] 23 → 40276 [PSH, ACK] Seq=137309990 Ack=196255086 Win=509 Len=23 TSval=714701962 TSecr=684289289

Frame 12: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)
Internet Protocol Version 4, Src: 10.9.0.5, Dst: 10.9.0.6
Transmission Control Protocol, Src Port: 23, Dst Port: 40276, Seq: 137309990, Ack: 196255086, Len: 23
Source Port: 23
Destination Port: 40276
[Stream index: 0]
[TCP Segment Len: 23]
Sequence number: 137309990
[Next sequence number: 137310013]
Acknowledgment number: 196255086
1000 = Header Length: 32 bytes (8)
Flags: 0x018 (PSH, ACK)
Window size value: 509
[Calculated window size: 509]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x145a [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]
[Timestamps]
[Time since first frame in this TCP stream: 94.802261701 seconds]
[Time since previous frame in this TCP stream: 0.412002602 seconds]
TCP payload (23 bytes)
Retransmitted TCP segment data (23 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
13	2021-12-07 04:19:52.610187229	10.9.0.5	10.9.0.6	TCP	89	[TCP Retransmission] 23 → 40276 [PSH, ACK] Seq=137309990 Ack=196255086 Win=509 Len=23 TSval=714702794 TSecr=684289289

Frame 13: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)
Internet Protocol Version 4, Src: 10.9.0.5, Dst: 10.9.0.6
Transmission Control Protocol, Src Port: 23, Dst Port: 40276, Seq: 137309990, Ack: 196255086, Len: 23
Source Port: 23

Destination Port: 40276
[Stream index: 0]
[TCP Segment Len: 23]
Sequence number: 137309990
[Next sequence number: 137310013]
Acknowledgment number: 196255086
1000 = Header Length: 32 bytes (8)
Flags: 0x018 (PSH, ACK)
Window size value: 509
[Calculated window size: 509]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x145a [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]
[Timestamps]
 [Time since first frame in this TCP stream: 95.634259884 seconds]
 [Time since previous frame in this TCP stream: 0.831998183 seconds]

TCP payload (23 bytes)

Retransmitted TCP segment data (23 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
14	2021-12-07 04:19:54.274173428	10.9.0.5	10.9.0.6	TCP	89	[TCP Retransmission] 23 → 40276 [PSH, ACK] Seq=137309990 Ack=196255086 Win=509 Len=23 TSval=714704458 TSecr=684289289

Frame 14: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)
Internet Protocol Version 4, Src: 10.9.0.5, Dst: 10.9.0.6
Transmission Control Protocol, Src Port: 23, Dst Port: 40276, Seq: 137309990, Ack: 196255086, Len: 23

Source Port: 23

Destination Port: 40276

[Stream index: 0]

[TCP Segment Len: 23]

Sequence number: 137309990

[Next sequence number: 137310013]

Acknowledgment number: 196255086

1000 = Header Length: 32 bytes (8)

Flags: 0x018 (PSH, ACK)

Window size value: 509

[Calculated window size: 509]

[Window size scaling factor: -1 (unknown)]

Checksum: 0x145a [unverified]

[Checksum Status: Unverified]

Urgent pointer: 0

Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps

[SEQ/ACK analysis]

[Timestamps]

 [Time since first frame in this TCP stream: 97.298246083 seconds]

 [Time since previous frame in this TCP stream: 1.663986199 seconds]

TCP payload (23 bytes)

Retransmitted TCP segment data (23 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
15	2021-12-07 04:19:56.162167286	02:42:0a:09:00:05	02:42:0a:09:00:06	ARP	42	Who has 10.9.0.6?

Tell 10.9.0.5
Frame 15: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)
Address Resolution Protocol (request)

No.	Time	Source	Destination	Protocol	Length	Info
16	2021-12-07 04:19:56.162200509	02:42:0a:09:00:06	02:42:0a:09:00:05	ARP	42	10.9.0.6 is at 02:42:0a:09:00:06

Frame 16: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:06 (02:42:0a:09:00:06), Dst: 02:42:0a:09:00:05 (02:42:0a:09:00:05)
Address Resolution Protocol (reply)

No.	Time	Source	Destination	Protocol	Length	Info
17	2021-12-07 04:19:57.698176765	10.9.0.5	10.9.0.6	TCP	89	[TCP Retransmission] 23 → 40276 [PSH, ACK] Seq=137309990 Ack=196255086 Win=509 Len=23 TSval=714707882 TSecr=684289289

Frame 17: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)
Internet Protocol Version 4, Src: 10.9.0.5, Dst: 10.9.0.6
Transmission Control Protocol, Src Port: 23, Dst Port: 40276, Seq: 137309990, Ack: 196255086, Len: 23

Source Port: 23

Destination Port: 40276

[Stream index: 0]

[TCP Segment Len: 23]

Sequence number: 137309990

[Next sequence number: 137310013]

Acknowledgment number: 196255086

```

1000 .... = Header Length: 32 bytes (8)
Flags: 0x018 (PSH, ACK)
Window size value: 509
[Calculated window size: 509]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x145a [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]
[Timestamps]
    [Time since first frame in this TCP stream: 100.722249420 seconds]
    [Time since previous frame in this TCP stream: 3.424003337 seconds]
TCP payload (23 bytes)
Retransmitted TCP segment data (23 bytes)

```

No.	Time	Source	Destination	Protocol	Length	Info
18	2021-12-07 04:20:04.354187152	10.9.0.5	10.9.0.6	TCP	89	[TCP
Retransmission] 23 → 40276 [PSH, ACK] Seq=137309990 Ack=196255086 Win=509 Len=23 TSval=714714538 TSecr=684289289						
Frame 18: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface br-924914ab3c0d, id 0						
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)						
Internet Protocol Version 4, Src: 10.9.0.5, Dst: 10.9.0.6						
Transmission Control Protocol, Src Port: 23, Dst Port: 40276, Seq: 137309990, Ack: 196255086, Len: 23						

```

Source Port: 23
Destination Port: 40276
[Stream index: 0]
[TCP Segment Len: 23]
Sequence number: 137309990
[Next sequence number: 137310013]
Acknowledgment number: 196255086
1000 .... = Header Length: 32 bytes (8)
Flags: 0x018 (PSH, ACK)
Window size value: 509
[Calculated window size: 509]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x145a [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]
[Timestamps]
    [Time since first frame in this TCP stream: 107.378259807 seconds]
    [Time since previous frame in this TCP stream: 6.656010387 seconds]
TCP payload (23 bytes)
Retransmitted TCP segment data (23 bytes)

```

No.	Time	Source	Destination	Protocol	Length	Info
19	2021-12-07 04:20:17.666212415	10.9.0.5	10.9.0.6	TCP	89	[TCP
Retransmission] 23 → 40276 [PSH, ACK] Seq=137309990 Ack=196255086 Win=509 Len=23 TSval=714727850 TSecr=684289289						
Frame 19: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface br-924914ab3c0d, id 0						
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)						
Internet Protocol Version 4, Src: 10.9.0.5, Dst: 10.9.0.6						
Transmission Control Protocol, Src Port: 23, Dst Port: 40276, Seq: 137309990, Ack: 196255086, Len: 23						

```
Source Port: 23
Destination Port: 40276
[Stream index: 0]
[TCP Segment Len: 23]
Sequence number: 137309990
[Next sequence number: 137310013]
Acknowledgment number: 196255086
1000 .... = Header Length: 32 bytes (8)
Flags: 0x018 (PSH, ACK)
Window size value: 509
[Calculated window size: 509]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x145a [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]
[Timestamps]
    [Time since first frame in this TCP stream: 120.690285070 seconds]
    [Time since previous frame in this TCP stream: 13.312025263 seconds]
TCP payload (23 bytes)
Retransmitted TCP segment data (23 bytes)
```

No.	Time	Source	Destination	Protocol	Length	Info
20	2021-12-07 04:20:22.786179074	02:42:0a:09:00:05	02:42:0a:09:00:06	ARP	42	Who has 10.9.0.6?
Tell	10.9.0.5					

Frame 20: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface br-924914ab3c0d, id 0							
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)							
Address Resolution Protocol (request)							
No.	Time	Source	Destination	Protocol	Length	Info	
21	2021-12-07 04:20:22.786247380	02:42:0a:09:00:06	02:42:0a:09:00:05	ARP	42	10.9.0.6 is at 02:42:0a:09:00:06	
Frame 21: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface br-924914ab3c0d, id 0							
Ethernet II, Src: 02:42:0a:09:00:06 (02:42:0a:09:00:06), Dst: 02:42:0a:09:00:05 (02:42:0a:09:00:05)							
Address Resolution Protocol (reply)							
No.	Time	Source	Destination	Protocol	Length	Info	
22	2021-12-07 04:20:38.501734560	10.9.0.6	10.9.0.5	TCP	67	[TCP Keep-Alive]	
40276 → 23 [PSH, ACK] Seq=196255085 Ack=137309990 Win=501 Len=1 TSval=684430815 TSecr=714607160							
Frame 22: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface br-924914ab3c0d, id 0							
Ethernet II, Src: 02:42:0a:09:00:06 (02:42:0a:09:00:06), Dst: 02:42:0a:09:00:05 (02:42:0a:09:00:05)							
Internet Protocol Version 4, Src: 10.9.0.6, Dst: 10.9.0.5							
Transmission Control Protocol, Src Port: 40276, Dst Port: 23, Seq: 196255085, Ack: 137309990, Len: 1							
Source Port: 40276							
Destination Port: 23							
[Stream index: 0]							
[TCP Segment Len: 1]							
Sequence number: 196255085							
[Next sequence number: 196255086]							
Acknowledgment number: 137309990							
1000 = Header Length: 32 bytes (8)							
Flags: 0x018 (PSH, ACK)							
Window size value: 501							
[Calculated window size: 501]							
[Window size scaling factor: -1 (unknown)]							
Checksum: 0x1444 [unverified]							
[Checksum Status: Unverified]							
Urgent pointer: 0							
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps							
[SEQ/ACK analysis]							
[Timestamps]							
[Time since first frame in this TCP stream: 141.525807215 seconds]							
[Time since previous frame in this TCP stream: 20.835522145 seconds]							
TCP payload (1 byte)							
Data (1 byte)							
0000	66	f					
No.	Time	Source	Destination	Protocol	Length	Info	
23	2021-12-07 04:20:38.501767838	10.9.0.5	10.9.0.6	TCP	78	[TCP Keep-Alive]	
ACK] 23 → 40276 [ACK] Seq=137310013 Ack=196255086 Win=509 Len=0 TSval=714748686 TSecr=684430815 SLE=196255085							
SRE=196255086							
Frame 23: 78 bytes on wire (624 bits), 78 bytes captured (624 bits) on interface br-924914ab3c0d, id 0							
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)							
Internet Protocol Version 4, Src: 10.9.0.5, Dst: 10.9.0.6							
Transmission Control Protocol, Src Port: 23, Dst Port: 40276, Seq: 137310013, Ack: 196255086, Len: 0							
Source Port: 23							
Destination Port: 40276							
[Stream index: 0]							
[TCP Segment Len: 0]							
Sequence number: 137310013							
[Next sequence number: 137310013]							
Acknowledgment number: 196255086							
1011 = Header Length: 44 bytes (11)							
Flags: 0x010 (ACK)							
Window size value: 509							
[Calculated window size: 509]							
[Window size scaling factor: -1 (unknown)]							
Checksum: 0x144f [unverified]							
[Checksum Status: Unverified]							
Urgent pointer: 0							
Options: (24 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps, No-Operation (NOP), No-Operation (NOP), No-Operation (NOP)							
SACK							
[SEQ/ACK analysis]							
[Timestamps]							
[Time since first frame in this TCP stream: 141.525840493 seconds]							
[Time since previous frame in this TCP stream: 0.000033278 seconds]							
No.	Time	Source	Destination	Protocol	Length	Info	
24	2021-12-07 04:20:43.522165937	02:42:0a:09:00:06	02:42:0a:09:00:05	ARP	42	Who has 10.9.0.5?	
Tell 10.9.0.6							
Frame 24: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface br-924914ab3c0d, id 0							
Ethernet II, Src: 02:42:0a:09:00:06 (02:42:0a:09:00:06), Dst: 02:42:0a:09:00:05 (02:42:0a:09:00:05)							
Address Resolution Protocol (request)							
No.	Time	Source	Destination	Protocol	Length	Info	

25 2021-12-07 04:20:43.522198023 02:42:0a:09:00:05 02:42:0a:09:00:06 ARP 42 10.9.0.5 is at 02:42:0a:09:00:05

Frame 25: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)
Address Resolution Protocol (reply)

No.	Time	Source	Destination	Protocol	Length	Info
26	2021-12-07 04:20:45.314192308	10.9.0.5	10.9.0.6	TCP	89	[TCP Retransmission] 23 → 40276 [PSH, ACK] Seq=137309990 Ack=196255086 Win=509 Len=23 TSval=714755498 TSecr=684430815

Frame 26: 89 bytes on wire (712 bits), 89 bytes captured (712 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)
Internet Protocol Version 4, Src: 10.9.0.5, Dst: 10.9.0.6

Transmission Control Protocol, Src Port: 23, Dst Port: 40276, Seq: 137309990, Ack: 196255086, Len: 23

Source Port: 23

Destination Port: 40276

[Stream index: 0]

[TCP Segment Len: 23]

Sequence number: 137309990

[Next sequence number: 137310013]

Acknowledgment number: 196255086

1000 = Header Length: 32 bytes (8)

Flags: 0x018 (PSH, ACK)

Window size value: 509

[Calculated window size: 509]

[Window size scaling factor: -1 (unknown)]

Checksum: 0x145a [unverified]

[Checksum Status: Unverified]

Urgent pointer: 0

Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps

[SEQ/ACK analysis]

[Timestamps]

[Time since first frame in this TCP stream: 148.338264963 seconds]

[Time since previous frame in this TCP stream: 6.812424470 seconds]

TCP payload (23 bytes)

Retransmitted TCP segment data (23 bytes)

No.	Time	Source	Destination	Protocol	Length	Info
27	2021-12-07 04:20:45.314269139	10.9.0.6	10.9.0.5	TCP	66	40276 → 23 [ACK] Seq=196255086 Ack=137310013 Win=501 Len=0 TSval=684437627 TSecr=714755498

Frame 27: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:06 (02:42:0a:09:00:06), Dst: 02:42:0a:09:00:05 (02:42:0a:09:00:05)
Internet Protocol Version 4, Src: 10.9.0.6, Dst: 10.9.0.5

Transmission Control Protocol, Src Port: 40276, Dst Port: 23, Seq: 196255086, Ack: 137310013, Len: 0

Source Port: 40276

Destination Port: 23

[Stream index: 0]

[TCP Segment Len: 0]

Sequence number: 196255086

[Next sequence number: 196255086]

Acknowledgment number: 137310013

1000 = Header Length: 32 bytes (8)

Flags: 0x010 (ACK)

Window size value: 501

[Calculated window size: 501]

[Window size scaling factor: -1 (unknown)]

Checksum: 0x1443 [unverified]

[Checksum Status: Unverified]

Urgent pointer: 0

Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps

[SEQ/ACK analysis]

[Timestamps]

[Time since first frame in this TCP stream: 148.338341794 seconds]

[Time since previous frame in this TCP stream: 0.000076831 seconds]

No.	Time	Source	Destination	Protocol	Length	Info
28	2021-12-07 04:20:50.434175656	02:42:0a:09:00:05	02:42:0a:09:00:06	ARP	42	Who has 10.9.0.6? Tell 10.9.0.5

Frame 28: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)
Address Resolution Protocol (request)

No.	Time	Source	Destination	Protocol	Length	Info
29	2021-12-07 04:20:50.434232910	02:42:0a:09:00:06	02:42:0a:09:00:05	ARP	42	10.9.0.6 is at 02:42:0a:09:00:06

Frame 29: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:06 (02:42:0a:09:00:06), Dst: 02:42:0a:09:00:05 (02:42:0a:09:00:05)
Address Resolution Protocol (reply)

No.	Time	Source	Destination	Protocol	Length	Info
30	2021-12-07 04:21:34.504943088	10.9.0.6	10.9.0.5	TELNET	67	Telnet Data ...

Frame 30: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface br-924914ab3c0d, id 0

Ethernet II, Src: 02:42:0a:09:00:06 (02:42:0a:09:00:06), Dst: 02:42:0a:09:00:05 (02:42:0a:09:00:05)
Internet Protocol Version 4, Src: 10.9.0.6, Dst: 10.9.0.5
Transmission Control Protocol, Src Port: 40276, Dst Port: 23, Seq: 196255086, Ack: 137310013, Len: 1
Source Port: 40276
Destination Port: 23
[Stream index: 0]
[TCP Segment Len: 1]
Sequence number: 196255086
[Next sequence number: 196255087]
Acknowledgment number: 137310013
1000 = Header Length: 32 bytes (8)
Flags: 0x018 (PSH, ACK)
Window size value: 501
[Calculated window size: 501]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x1444 [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]
[Timestamps]
[Time since first frame in this TCP stream: 197.529015743 seconds]
[Time since previous frame in this TCP stream: 49.190673949 seconds]
TCP payload (1 byte)
Telnet
Data: f

No.	Time	Source	Destination	Protocol	Length	Info
31	2021-12-07 04:21:34.504981574	10.9.0.5	10.9.0.6	TCP	66	23 → 40276 [ACK]

Seq=137310013 Ack=196255087 Win=509 Len=0 TSval=714804689 TSecr=684486818
Frame 31: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)
Internet Protocol Version 4, Src: 10.9.0.5, Dst: 10.9.0.6
Transmission Control Protocol, Src Port: 23, Dst Port: 40276, Seq: 137310013, Ack: 196255087, Len: 0
Source Port: 23
Destination Port: 40276
[Stream index: 0]
[TCP Segment Len: 0]
Sequence number: 137310013
[Next sequence number: 137310013]
Acknowledgment number: 196255087
1000 = Header Length: 32 bytes (8)
Flags: 0x010 (ACK)
Window size value: 509
[Calculated window size: 509]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x1443 [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]
[Timestamps]
[Time since first frame in this TCP stream: 197.529054229 seconds]
[Time since previous frame in this TCP stream: 0.000038486 seconds]

No.	Time	Source	Destination	Protocol	Length	Info
32	2021-12-07 04:21:34.505107507	10.9.0.5	10.9.0.6	TELNET	67	Telnet Data ...

Frame 32: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)
Internet Protocol Version 4, Src: 10.9.0.5, Dst: 10.9.0.6
Transmission Control Protocol, Src Port: 23, Dst Port: 40276, Seq: 137310013, Ack: 196255087, Len: 1
Source Port: 23
Destination Port: 40276
[Stream index: 0]
[TCP Segment Len: 1]
Sequence number: 137310013
[Next sequence number: 137310014]
Acknowledgment number: 196255087
1000 = Header Length: 32 bytes (8)
Flags: 0x018 (PSH, ACK)
Window size value: 509
[Calculated window size: 509]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x1444 [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]

```
[Timestamps]
  [Time since first frame in this TCP stream: 197.529180162 seconds]
  [Time since previous frame in this TCP stream: 0.000125933 seconds]
TCP payload (1 byte)
Telnet
  Data: f
No.      Time                               Source                               Destination                               Protocol Length Info
  33 2021-12-07 04:21:34.505115599 10.9.0.6                               10.9.0.5                               TCP          66      40276 → 23 [ACK]
Seq=196255087 Ack=137310014 Win=501 Len=0 TSval=684486818 TSecr=714804689
Frame 33: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:06 (02:42:0a:09:00:06), Dst: 02:42:0a:09:00:05 (02:42:0a:09:00:05)
Internet Protocol Version 4, Src: 10.9.0.6, Dst: 10.9.0.5
Transmission Control Protocol, Src Port: 40276, Dst Port: 23, Seq: 196255087, Ack: 137310014, Len: 0
  Source Port: 40276
  Destination Port: 23
  [Stream index: 0]
  [TCP Segment Len: 0]
  Sequence number: 196255087
  [Next sequence number: 196255087]
  Acknowledgment number: 137310014
  1000 .... = Header Length: 32 bytes (8)
  Flags: 0x010 (ACK)
  Window size value: 501
  [Calculated window size: 501]
  [Window size scaling factor: -1 (unknown)]
  Checksum: 0x1443 [unverified]
  [Checksum Status: Unverified]
  Urgent pointer: 0
  Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
  [SEQ/ACK analysis]
  [Timestamps]
    [Time since first frame in this TCP stream: 197.529188254 seconds]
    [Time since previous frame in this TCP stream: 0.000008092 seconds]
No.      Time                               Source                               Destination                               Protocol Length Info
  34 2021-12-07 04:21:36.122067674 10.9.0.6                               10.9.0.5                               TELNET       67      Telnet Data ...
Frame 34: 67 bytes on wire (536 bits), 67 bytes captured (536 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:06 (02:42:0a:09:00:06), Dst: 02:42:0a:09:00:05 (02:42:0a:09:00:05)
Internet Protocol Version 4, Src: 10.9.0.6, Dst: 10.9.0.5
Transmission Control Protocol, Src Port: 40276, Dst Port: 23, Seq: 196255087, Ack: 137310014, Len: 1
  Source Port: 40276
  Destination Port: 23
  [Stream index: 0]
  [TCP Segment Len: 1]
  Sequence number: 196255087
  [Next sequence number: 196255088]
  Acknowledgment number: 137310014
  1000 .... = Header Length: 32 bytes (8)
  Flags: 0x018 (PSH, ACK)
  Window size value: 501
  [Calculated window size: 501]
  [Window size scaling factor: -1 (unknown)]
  Checksum: 0x1444 [unverified]
  [Checksum Status: Unverified]
  Urgent pointer: 0
  Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
  [SEQ/ACK analysis]
  [Timestamps]
    [Time since first frame in this TCP stream: 199.146140329 seconds]
    [Time since previous frame in this TCP stream: 1.616952075 seconds]
TCP payload (1 byte)
Telnet
  Data: \177
No.      Time                               Source                               Destination                               Protocol Length Info
  35 2021-12-07 04:21:36.122109011 10.9.0.5                               10.9.0.6                               TCP          66      23 → 40276 [ACK]
Seq=137310014 Ack=196255088 Win=509 Len=0 TSval=714806306 TSecr=684488435
Frame 35: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)
Internet Protocol Version 4, Src: 10.9.0.5, Dst: 10.9.0.6
Transmission Control Protocol, Src Port: 23, Dst Port: 40276, Seq: 137310014, Ack: 196255088, Len: 0
  Source Port: 23
  Destination Port: 40276
  [Stream index: 0]
  [TCP Segment Len: 0]
  Sequence number: 137310014
  [Next sequence number: 137310014]
  Acknowledgment number: 196255088
```

1000 = Header Length: 32 bytes (8)
Flags: 0x010 (ACK)
Window size value: 509
[Calculated window size: 509]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x1443 [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]
[Timestamps]
[Time since first frame in this TCP stream: 199.146181666 seconds]
[Time since previous frame in this TCP stream: 0.000041337 seconds]

No.	Time	Source	Destination	Protocol	Length	Info
36	2021-12-07 04:21:36.122223031	10.9.0.5	10.9.0.6	TELNET	69	Telnet Data ...

Frame 36: 69 bytes on wire (552 bits), 69 bytes captured (552 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:0a:09:00:06 (02:42:0a:09:00:06)
Internet Protocol Version 4, Src: 10.9.0.5, Dst: 10.9.0.6
Transmission Control Protocol, Src Port: 23, Dst Port: 40276, Seq: 137310014, Ack: 196255088, Len: 3

Source Port: 23
Destination Port: 40276
[Stream index: 0]
[TCP Segment Len: 3]
Sequence number: 137310014
[Next sequence number: 137310017]
Acknowledgment number: 196255088
1000 = Header Length: 32 bytes (8)
Flags: 0x018 (PSH, ACK)
Window size value: 509
[Calculated window size: 509]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x1446 [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]
[Timestamps]
[Time since first frame in this TCP stream: 199.146295686 seconds]
[Time since previous frame in this TCP stream: 0.000114020 seconds]
TCP payload (3 bytes)

Telnet
Data: \b \b

No.	Time	Source	Destination	Protocol	Length	Info
37	2021-12-07 04:21:36.122230964	10.9.0.6	10.9.0.5	TCP	66	40276 → 23 [ACK]

Seq=196255088 Ack=137310017 Win=501 Len=0 TSval=684488435 TSecr=714806306
Frame 37: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:0a:09:00:06 (02:42:0a:09:00:06), Dst: 02:42:0a:09:00:05 (02:42:0a:09:00:05)
Internet Protocol Version 4, Src: 10.9.0.6, Dst: 10.9.0.5
Transmission Control Protocol, Src Port: 40276, Dst Port: 23, Seq: 196255088, Ack: 137310017, Len: 0

Source Port: 40276
Destination Port: 23
[Stream index: 0]
[TCP Segment Len: 0]
Sequence number: 196255088
[Next sequence number: 196255088]
Acknowledgment number: 137310017
1000 = Header Length: 32 bytes (8)
Flags: 0x010 (ACK)
Window size value: 501
[Calculated window size: 501]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x1443 [unverified]
[Checksum Status: Unverified]
Urgent pointer: 0
Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
[SEQ/ACK analysis]
[Timestamps]
[Time since first frame in this TCP stream: 199.146303619 seconds]
[Time since previous frame in this TCP stream: 0.000007933 seconds]

No.	Time	Source	Destination	Protocol	Length	Info
38	2021-12-07 04:27:14.434415726	02:42:b7:db:cb:bc	Broadcast	ARP	42	Who has 10.9.0.5?

Tell 10.9.0.1
Frame 38: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface br-924914ab3c0d, id 0
Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
Address Resolution Protocol (request)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

39 2021-12-07 04:27:14.434452776 02:42:0a:09:00:05 02:42:b7:db:cb:bc ARP 42 10.9.0.5 is at 02:42:0a:09:00:05

Frame 39: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface br-924914ab3c0d, id 0
 Ethernet II, Src: 02:42:0a:09:00:05 (02:42:0a:09:00:05), Dst: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc)
 Address Resolution Protocol (reply)

No.	Time	Source	Destination	Protocol	Length	Info
40	2021-12-07 04:27:14.437389630	10.9.0.6	10.9.0.5	TCP	54	[TCP Window Update] 40276 → 23 [ACK] Seq=196255088 Ack=137310017 Win=8192 Len=0

Frame 40: 54 bytes on wire (432 bits), 54 bytes captured (432 bits) on interface br-924914ab3c0d, id 0
 Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: 02:42:0a:09:00:05 (02:42:0a:09:00:05)
 Internet Protocol Version 4, Src: 10.9.0.6, Dst: 10.9.0.5
 Transmission Control Protocol, Src Port: 40276, Dst Port: 23, Seq: 196255088, Ack: 137310017, Len: 0

Source Port: 40276
 Destination Port: 23
 [Stream index: 0]
 [TCP Segment Len: 0]
 Sequence number: 196255088
 [Next sequence number: 196255088]
 Acknowledgment number: 137310017
 0101 = Header Length: 20 bytes (5)
 Flags: 0x010 (ACK)
 Window size value: 8192
 [Calculated window size: 8192]
 [Window size scaling factor: -1 (unknown)]
 Checksum: 0xfdb9 [unverified]
 [Checksum Status: Unverified]
 Urgent pointer: 0
 [SEQ/ACK analysis]
 [Timestamps]

[Time since first frame in this TCP stream: 537.461462285 seconds]
 [Time since previous frame in this TCP stream: 338.315158666 seconds]

No.	Time	Source	Destination	Protocol	Length	Info
41	2021-12-07 04:50:39.458484639	10.9.0.1	224.0.0.251	MDNS	87	Standard query

0x0000 PTR _ipps._tcp.local, "QM" question PTR _ipp._tcp.local, "QM" question
 Frame 41: 87 bytes on wire (696 bits), 87 bytes captured (696 bits) on interface br-924914ab3c0d, id 0
 Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv4mcast_fb (01:00:5e:00:00:fb)
 Internet Protocol Version 4, Src: 10.9.0.1, Dst: 224.0.0.251
 User Datagram Protocol, Src Port: 5353, Dst Port: 5353
 Multicast Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
42	2021-12-07 04:50:40.855379818	fe80::42:b7ff:fedb:cbbc	ff02::fb	MDNS	107	Standard query

0x0000 PTR _ipps._tcp.local, "QM" question PTR _ipp._tcp.local, "QM" question
 Frame 42: 107 bytes on wire (856 bits), 107 bytes captured (856 bits) on interface br-924914ab3c0d, id 0
 Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv6mcast_fb (33:33:00:00:00:fb)
 Internet Protocol Version 6, Src: fe80::42:b7ff:fedb:cbbc, Dst: ff02::fb
 User Datagram Protocol, Src Port: 5353, Dst Port: 5353
 Multicast Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
43	2021-12-07 05:04:44.829102895	10.9.0.1	10.9.0.255	NBNS	92	Name query NB

WORKGROUP<1d>
 Frame 43: 92 bytes on wire (736 bits), 92 bytes captured (736 bits) on interface br-924914ab3c0d, id 0
 Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
 Internet Protocol Version 4, Src: 10.9.0.1, Dst: 10.9.0.255
 User Datagram Protocol, Src Port: 35766, Dst Port: 137
 NetBIOS Name Service

No.	Time	Source	Destination	Protocol	Length	Info
44	2021-12-07 05:04:45.080036494	10.9.0.1	10.9.0.255	NBNS	92	Name query NB

WORKGROUP<1b>
 Frame 44: 92 bytes on wire (736 bits), 92 bytes captured (736 bits) on interface br-924914ab3c0d, id 0
 Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
 Internet Protocol Version 4, Src: 10.9.0.1, Dst: 10.9.0.255
 User Datagram Protocol, Src Port: 41192, Dst Port: 137
 NetBIOS Name Service

No.	Time	Source	Destination	Protocol	Length	Info
45	2021-12-07 05:04:45.331237978	10.9.0.1	10.9.0.255	NBNS	92	Name query NB

WORKGROUP<20>
 Frame 45: 92 bytes on wire (736 bits), 92 bytes captured (736 bits) on interface br-924914ab3c0d, id 0
 Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: Broadcast (ff:ff:ff:ff:ff:ff)
 Internet Protocol Version 4, Src: 10.9.0.1, Dst: 10.9.0.255
 User Datagram Protocol, Src Port: 51958, Dst Port: 137
 NetBIOS Name Service

No.	Time	Source	Destination	Protocol	Length	Info
46	2021-12-07 05:04:45.700921779	fe80::42:b7ff:fedb:cbbc	ff02::fb	MDNS	180	Standard query

0x0000 PTR _ftp._tcp.local, "QM" question PTR _nfs._tcp.local, "QM" question PTR _afpovertcp._tcp.local, "QM" question PTR _smb._tcp.local, "QM" question PTR _sftp-ssh._tcp.local, "QM" question PTR _webdav._tcp.local, "QM" question
 Frame 46: 180 bytes on wire (1440 bits), 180 bytes captured (1440 bits) on interface br-924914ab3c0d, id 0

Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv6mcast_fb (33:33:00:00:00:fb)

Internet Protocol Version 6, Src: fe80::42:b7ff:fedb:cbbc, Dst: ff02::fb

User Datagram Protocol, Src Port: 5353, Dst Port: 5353

Multicast Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
47	2021-12-07 05:04:45.700974634	10.9.0.1	224.0.0.251	MDNS	160	Standard query
0x0000 PTR ftp.tcp.local, "QM" question PTR nfs.tcp.local, "QM" question PTR afpovertcp.tcp.local, "QM" question PTR smb.tcp.local, "QM" question PTR sftp-ssh.tcp.local, "QM" question PTR webdavs.tcp.local, "QM" question PTR webdav.tcp.local, "QM" question						

Frame 47: 160 bytes on wire (1280 bits), 160 bytes captured (1280 bits) on interface br-924914ab3c0d, id 0

Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv4mcast_fb (01:00:5e:00:00:fb)

Internet Protocol Version 4, Src: 10.9.0.1, Dst: 224.0.0.251

User Datagram Protocol, Src Port: 5353, Dst Port: 5353

Multicast Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
48	2021-12-07 05:04:46.701814078	fe80::42:b7ff:fedb:cbbc	ff02::fb	MDNS	180	Standard query
0x0000 PTR ftp.tcp.local, "QM" question PTR nfs.tcp.local, "QM" question PTR afpovertcp.tcp.local, "QM" question PTR smb.tcp.local, "QM" question PTR sftp-ssh.tcp.local, "QM" question PTR webdavs.tcp.local, "QM" question PTR webdav.tcp.local, "QM" question						

Frame 48: 180 bytes on wire (1440 bits), 180 bytes captured (1440 bits) on interface br-924914ab3c0d, id 0

Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv6mcast_fb (33:33:00:00:00:fb)

Internet Protocol Version 6, Src: fe80::42:b7ff:fedb:cbbc, Dst: ff02::fb

User Datagram Protocol, Src Port: 5353, Dst Port: 5353

Multicast Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
49	2021-12-07 05:04:46.701860833	10.9.0.1	224.0.0.251	MDNS	160	Standard query
0x0000 PTR ftp.tcp.local, "QM" question PTR nfs.tcp.local, "QM" question PTR afpovertcp.tcp.local, "QM" question PTR smb.tcp.local, "QM" question PTR sftp-ssh.tcp.local, "QM" question PTR webdavs.tcp.local, "QM" question PTR webdav.tcp.local, "QM" question						

Frame 49: 160 bytes on wire (1280 bits), 160 bytes captured (1280 bits) on interface br-924914ab3c0d, id 0

Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv4mcast_fb (01:00:5e:00:00:fb)

Internet Protocol Version 4, Src: 10.9.0.1, Dst: 224.0.0.251

User Datagram Protocol, Src Port: 5353, Dst Port: 5353

Multicast Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
50	2021-12-07 05:04:48.703519142	fe80::42:b7ff:fedb:cbbc	ff02::fb	MDNS	180	Standard query
0x0000 PTR ftp.tcp.local, "QM" question PTR nfs.tcp.local, "QM" question PTR afpovertcp.tcp.local, "QM" question PTR smb.tcp.local, "QM" question PTR sftp-ssh.tcp.local, "QM" question PTR webdavs.tcp.local, "QM" question PTR webdav.tcp.local, "QM" question						

Frame 50: 180 bytes on wire (1440 bits), 180 bytes captured (1440 bits) on interface br-924914ab3c0d, id 0

Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv6mcast_fb (33:33:00:00:00:fb)

Internet Protocol Version 6, Src: fe80::42:b7ff:fedb:cbbc, Dst: ff02::fb

User Datagram Protocol, Src Port: 5353, Dst Port: 5353

Multicast Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
51	2021-12-07 05:04:48.703570707	10.9.0.1	224.0.0.251	MDNS	160	Standard query
0x0000 PTR ftp.tcp.local, "QM" question PTR nfs.tcp.local, "QM" question PTR afpovertcp.tcp.local, "QM" question PTR smb.tcp.local, "QM" question PTR sftp-ssh.tcp.local, "QM" question PTR webdavs.tcp.local, "QM" question PTR webdav.tcp.local, "QM" question						

Frame 51: 160 bytes on wire (1280 bits), 160 bytes captured (1280 bits) on interface br-924914ab3c0d, id 0

Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv4mcast_fb (01:00:5e:00:00:fb)

Internet Protocol Version 4, Src: 10.9.0.1, Dst: 224.0.0.251

User Datagram Protocol, Src Port: 5353, Dst Port: 5353

Multicast Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
52	2021-12-07 05:04:52.708197629	fe80::42:b7ff:fedb:cbbc	ff02::fb	MDNS	180	Standard query
0x0000 PTR ftp.tcp.local, "QM" question PTR nfs.tcp.local, "QM" question PTR afpovertcp.tcp.local, "QM" question PTR smb.tcp.local, "QM" question PTR sftp-ssh.tcp.local, "QM" question PTR webdavs.tcp.local, "QM" question PTR webdav.tcp.local, "QM" question						

Frame 52: 180 bytes on wire (1440 bits), 180 bytes captured (1440 bits) on interface br-924914ab3c0d, id 0

Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv6mcast_fb (33:33:00:00:00:fb)

Internet Protocol Version 6, Src: fe80::42:b7ff:fedb:cbbc, Dst: ff02::fb

User Datagram Protocol, Src Port: 5353, Dst Port: 5353

Multicast Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
53	2021-12-07 05:04:52.708249655	10.9.0.1	224.0.0.251	MDNS	160	Standard query
0x0000 PTR ftp.tcp.local, "QM" question PTR nfs.tcp.local, "QM" question PTR afpovertcp.tcp.local, "QM" question PTR smb.tcp.local, "QM" question PTR sftp-ssh.tcp.local, "QM" question PTR webdavs.tcp.local, "QM" question PTR webdav.tcp.local, "QM" question						

Frame 53: 160 bytes on wire (1280 bits), 160 bytes captured (1280 bits) on interface br-924914ab3c0d, id 0

Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv4mcast_fb (01:00:5e:00:00:fb)

Internet Protocol Version 4, Src: 10.9.0.1, Dst: 224.0.0.251

User Datagram Protocol, Src Port: 5353, Dst Port: 5353

Multicast Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
-----	------	--------	-------------	----------	--------	------

54 2021-12-07 05:05:00.715138412 fe80::42:b7ff:fedb:cbbc ff02::fb MDNS 180 Standard query
 0x0000 PTR ftp.tcp.local, "QM" question PTR nfs.tcp.local, "QM" question PTR afpovertcp.tcp.local, "QM"
 question PTR smb.tcp.local, "QM" question PTR _sftp-ssh.tcp.local, "QM" question PTR _webdav.tcp.local, "QM"
 question PTR _webdav.tcp.local, "QM" question
 Frame 54: 180 bytes on wire (1440 bits), 180 bytes captured (1440 bits) on interface br-924914ab3c0d, id 0
 Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv6mcast_fb (33:33:00:00:00:fb)
 Internet Protocol Version 6, Src: fe80::42:b7ff:fedb:cbbc, Dst: ff02::fb
 User Datagram Protocol, Src Port: 5353, Dst Port: 5353
 Multicast Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
55	2021-12-07 05:05:00.715189148	10.9.0.1	224.0.0.251	MDNS	160	Standard query

0x0000 PTR ftp.tcp.local, "QM" question PTR nfs.tcp.local, "QM" question PTR afpovertcp.tcp.local, "QM"
 question PTR smb.tcp.local, "QM" question PTR _sftp-ssh.tcp.local, "QM" question PTR _webdav.tcp.local, "QM"
 question PTR _webdav.tcp.local, "QM" question
 Frame 55: 160 bytes on wire (1280 bits), 160 bytes captured (1280 bits) on interface br-924914ab3c0d, id 0
 Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv4mcast_fb (01:00:5e:00:00:fb)
 Internet Protocol Version 4, Src: 10.9.0.1, Dst: 224.0.0.251
 User Datagram Protocol, Src Port: 5353, Dst Port: 5353
 Multicast Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
56	2021-12-07 05:05:16.716916363	fe80::42:b7ff:fedb:cbbc ff02::fb		MDNS	180	Standard query

0x0000 PTR ftp.tcp.local, "QM" question PTR nfs.tcp.local, "QM" question PTR afpovertcp.tcp.local, "QM"
 question PTR smb.tcp.local, "QM" question PTR _sftp-ssh.tcp.local, "QM" question PTR _webdav.tcp.local, "QM"
 question PTR _webdav.tcp.local, "QM" question
 Frame 56: 180 bytes on wire (1440 bits), 180 bytes captured (1440 bits) on interface br-924914ab3c0d, id 0
 Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv6mcast_fb (33:33:00:00:00:fb)
 Internet Protocol Version 6, Src: fe80::42:b7ff:fedb:cbbc, Dst: ff02::fb
 User Datagram Protocol, Src Port: 5353, Dst Port: 5353
 Multicast Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
57	2021-12-07 05:05:16.716965690	10.9.0.1	224.0.0.251	MDNS	160	Standard query

0x0000 PTR ftp.tcp.local, "QM" question PTR nfs.tcp.local, "QM" question PTR afpovertcp.tcp.local, "QM"
 question PTR smb.tcp.local, "QM" question PTR _sftp-ssh.tcp.local, "QM" question PTR _webdav.tcp.local, "QM"
 question PTR _webdav.tcp.local, "QM" question
 Frame 57: 160 bytes on wire (1280 bits), 160 bytes captured (1280 bits) on interface br-924914ab3c0d, id 0
 Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv4mcast_fb (01:00:5e:00:00:fb)
 Internet Protocol Version 4, Src: 10.9.0.1, Dst: 224.0.0.251
 User Datagram Protocol, Src Port: 5353, Dst Port: 5353
 Multicast Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
58	2021-12-07 05:05:48.728706393	fe80::42:b7ff:fedb:cbbc ff02::fb		MDNS	180	Standard query

0x0000 PTR ftp.tcp.local, "QM" question PTR nfs.tcp.local, "QM" question PTR afpovertcp.tcp.local, "QM"
 question PTR smb.tcp.local, "QM" question PTR _sftp-ssh.tcp.local, "QM" question PTR _webdav.tcp.local, "QM"
 question PTR _webdav.tcp.local, "QM" question
 Frame 58: 180 bytes on wire (1440 bits), 180 bytes captured (1440 bits) on interface br-924914ab3c0d, id 0
 Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv6mcast_fb (33:33:00:00:00:fb)
 Internet Protocol Version 6, Src: fe80::42:b7ff:fedb:cbbc, Dst: ff02::fb
 User Datagram Protocol, Src Port: 5353, Dst Port: 5353
 Multicast Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
59	2021-12-07 05:05:48.728774593	10.9.0.1	224.0.0.251	MDNS	160	Standard query

0x0000 PTR ftp.tcp.local, "QM" question PTR nfs.tcp.local, "QM" question PTR afpovertcp.tcp.local, "QM"
 question PTR smb.tcp.local, "QM" question PTR _sftp-ssh.tcp.local, "QM" question PTR _webdav.tcp.local, "QM"
 question PTR _webdav.tcp.local, "QM" question
 Frame 59: 160 bytes on wire (1280 bits), 160 bytes captured (1280 bits) on interface br-924914ab3c0d, id 0
 Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv4mcast_fb (01:00:5e:00:00:fb)
 Internet Protocol Version 4, Src: 10.9.0.1, Dst: 224.0.0.251
 User Datagram Protocol, Src Port: 5353, Dst Port: 5353
 Multicast Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
60	2021-12-07 05:06:52.736653994	fe80::42:b7ff:fedb:cbbc ff02::fb		MDNS	180	Standard query

0x0000 PTR ftp.tcp.local, "QM" question PTR nfs.tcp.local, "QM" question PTR afpovertcp.tcp.local, "QM"
 question PTR smb.tcp.local, "QM" question PTR _sftp-ssh.tcp.local, "QM" question PTR _webdav.tcp.local, "QM"
 question PTR _webdav.tcp.local, "QM" question
 Frame 60: 180 bytes on wire (1440 bits), 180 bytes captured (1440 bits) on interface br-924914ab3c0d, id 0
 Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv6mcast_fb (33:33:00:00:00:fb)
 Internet Protocol Version 6, Src: fe80::42:b7ff:fedb:cbbc, Dst: ff02::fb
 User Datagram Protocol, Src Port: 5353, Dst Port: 5353
 Multicast Domain Name System (query)

No.	Time	Source	Destination	Protocol	Length	Info
61	2021-12-07 05:06:52.736723093	10.9.0.1	224.0.0.251	MDNS	160	Standard query

0x0000 PTR ftp.tcp.local, "QM" question PTR nfs.tcp.local, "QM" question PTR afpovertcp.tcp.local, "QM"
 question PTR smb.tcp.local, "QM" question PTR _sftp-ssh.tcp.local, "QM" question PTR _webdav.tcp.local, "QM"
 question PTR _webdav.tcp.local, "QM" question
 Frame 61: 160 bytes on wire (1280 bits), 160 bytes captured (1280 bits) on interface br-924914ab3c0d, id 0
 Ethernet II, Src: 02:42:b7:db:cb:bc (02:42:b7:db:cb:bc), Dst: IPv4mcast_fb (01:00:5e:00:00:fb)
 Internet Protocol Version 4, Src: 10.9.0.1, Dst: 224.0.0.251
 User Datagram Protocol, Src Port: 5353, Dst Port: 5353

Multicast Domain Name System (query)