Lab: SCO-30, Sector-16, Faridabad-121002, Haryana, Tel: 0129-3988505

Regd. Office/National Reference Lab: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085

Tel: +91-11-30258-600, 3988-5050, Fax: +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com

Web: www.lalpathlabs.com, CIN No.: L74899DL1995PLC065388

S16 - GEETA DEVI-FPSC SECTOR-8-FARIDABAD SHOP NO 165, NEAR AXIS ATM MAIN HUDA MARKET SEC 8 FARIDABAD,Ph No-



Name : Ms. DIVYA

9871623294

A/c Status

Lab No. : 300165761

DOB: 11/10/93

SELF

Ref By:

Female

Collected Received : 9/12/2020 2:40:00PM

Received : 9/12/2020 2:57:08PM Reported : 11/12/2020 7:25:09PM

Report Status : Final

| Test Name | Results | Units | Bio. Ref. Interval |
|---|---------|-------|--------------------|
| MEASLES (RUBEOLA) ANTIBODY, IgG,SERUM @ | 58.90 | AU/mL | <13.5 |
| (CLIA) | | | |

Gender:

Interpretation:

| | RESULT IN AU/mL | REMARKS |
|-----------|-----------------|-----------|
| - | <13.5 | Negative |
| | 13.5-16.5 | Equivocal |
| | >=16.5 | Positive |
| | | |

Note: Equivocal results should be retested after 2-4 weeks.

Comments

Measles is a highly contagious viral disease clinically characterized by fever, cough and rash. It's expression in younger or undernourished children leads to more complications. A positive result for IgG antibodies to measles virus generally indicates past exposure to measles virus or development of immunity post vaccination. A single specimen can only help estimate the serological status of the individual.

Dr Ritu Nayar MD, Microbiology Deputy HOD - Microbiology & Serology

Ritu

Deputy HOD - Microbiology & Serology NRL - Dr Lal PathLabs Ltd

Dr Shalabh Malik MD, Microbiology

National Head - Microbiology &

Shalath Molik

Serology

NRL - Dr Lal PathLabs Ltd

-----End of report -----

Lab: SCO-30, Sector-16, Faridabad-121002, Haryana, Tel: 0129-3988505
Regd. Office/National Reference Lab: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085
Tel: +91-11-30258-600, 3988-5050, Fax: +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com
Web: www.lalpathlabs.com, CIN No.: L74899DL1995PLC065388

S16 - GEETA DEVI-FPSC
SECTOR-8-FARIDABAD
SHOP NO 165, NEAR AXIS ATM MAIN HUDA
MARKET SEC 8 FARIDABAD,Ph No9871623294



Name : Ms. DIVYA

Lab No.

A/c Status

300165761

DOB: 11/10/93

Ref By: SELF

Female

Collected

: 9/12/2020 2:40:00PM

Received Reported

: 9/12/2020 2:57:08PM : 11/12/2020 7:25:09PM

Report Status : Final

Test Name Results Units Bio. Ref. Interval

Gender:

IMPORTANT INSTRUCTIONS

*Test results released pertain to the specimen submitted .*All test results are dependent on the quality of the sample received by the Laboratory .

*Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician.*Sample repeats are accepted on request of Referring Physician within 7 days post reporting.*Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted.*Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting.*Test results may show interlaboratory variations.*The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s).*Test results are not valid for medico legal purposes. * Contact customer care Tel No. +91-11-39885050 for all queries related to test results.

(#) Sample drawn from outside source.