



Manvi Tyagi

DC motor driver interface


*DC_Motor_Driver_Interface — Schematic Editor
File Edit View Place Inspect Tools Preferences Help
Schematic Hierarchy
Root (page 1)
Selection Filter
All items
Symbols
Wires
Graphics
Text
Rule Areas
Pins
Labels
Images
Other items
PWR_FLAG
U1
L293D
VCC1
VCC2
1A
2A
EN1,2
3A
4A
EN3,4
1Y
2Y
3Y
4Y
GND
J_Power1
Conn_01x03
J_Ctrl_1
Conn_01x04
J_Ctrl_2
Conn_01x04
J_Motors1
Conn_01x02
J_Motors_2
Conn_01x02
R4
10k
C1
100n
C2
100n
R1
1k
D1
Green LED
R2
1k
R3
1k
R5
1k
R6
1k
R7
10k
D2
Yellow LED
D3
Red LED
D4
Yellow LED
D5
Red LED
Reference D4
Value Yellow LED
Name LED
Library Device
Footprint LED_THT:LED_D5.0mm
Description: Light emitting diode
Keywords: LED diode
Z 2.22
X 7600 Y 5000
dx 7600 dy 5000 dist 9097
grid 50
mils
Select item(s)
ENG
IN
10:50 PM
30-10-2026


Assign Footprints
File Edit Preferences Help
Footprint Filters:
Footprint Libraries
Audio_Module
Battery
Button_Switch_Keyboard
Button_Switch_SMD
Button_Switch_THT
Buzzer_Beeper
Calibration_Scale
Capacitor_SMD
Capacitor_Tantalum_SMD
Capacitor_THT
Connector
Connector_AMASS
Connector_Amphenol
Connector_Audio
Connector_BarrelJack
Connector_Card
Connector_Coaxial
Connector_DIN
Connector_Dsub
Connector_FFC-FPC
Connector_Harting
Connector_Harwin
Connector_Hirose
Connector_Hirose_DF40
Connector_Hirose_FX8
Connector_IDC
Connector_JAE
Connector_JAE_WP7B
Connector_JST
Connector_Molex
Symbol : Footprint Assignments
1 C1 - 100n : Capacitor_THT:C_Disc_D5.0mm_W2.5mm_
2 C2 - 100n : Capacitor_THT:C_Disc_D5.0mm_W2.5mm_
3 D1 - Green LED : LED_THT:LED_D5.0mm
4 D2 - Yellow LED : LED_THT:LED_D5.0mm
5 D3 - Red LED : LED_THT:LED_D5.0mm
6 D4 - Yellow LED : LED_THT:LED_D5.0mm
7 D5 - Red LED : LED_THT:LED_D5.0mm
8 J_Ctrl_1 - Conn_01x04 : Connector_PinHeader_2.54mm:PinHeade
9 J_Ctrl_2 - Conn_01x04 : Connector_PinHeader_2.54mm:PinHeade
10 J_Motors1 - Conn_01x02 : TerminalBlock_Phoenix:TerminalBloc
11 J_Motors_2 - Conn_01x02 : TerminalBlock_Phoenix:TerminalBlo
12 J_Power1 - Conn_01x03 : TerminalBlock_Phoenix:TerminalBlock
13 R1 - 1k : Resistor_THT:R_Axial_DIN0207_L6.3mm
14 R2 - 1k : Resistor_THT:R_Axial_DIN0207_L6.3mm
15 R3 - 1k : Resistor_THT:R_Axial_DIN0207_L6.3mm
16 R4 - 10k : Resistor_THT:R_Axial_DIN0207_L6.3mm
17 R5 - 1k : Resistor_THT:R_Axial_DIN0207_L6.3mm
18 R6 - 1k : Resistor_THT:R_Axial_DIN0207_L6.3mm
19 R7 - 10k : Resistor_THT:R_Axial_DIN0207_L6.3mm
20 U1 - L293D : Package_DIP:DIP-16_W7.62mm
Filtered Footprints
1 Audio_Module:Reverb_BTDR-1H
2 Audio_Module:Reverb_BTDR-1V
3 Battery:BatteryClip_Keystone_54_D16-19mm
4 Battery:BatteryHolder_Bulgin_BX0034_1xAAA
5 Battery:BatteryHolder_Bulgin_BX0036_1xC
6 Battery:BatteryHolder_Bulgin_BX0123_1xCR123
7 Battery:BatteryHolder_ComfortableElectronic_C
8 Battery:BatteryHolder_Eagle_12BH611-GR
9 Battery:BatteryHolder_Keystone_103_1x20mm
10 Battery:BatteryHolder_Keystone_104_1x23mm
11 Battery:BatteryHolder_Keystone_105_1x2430
12 Battery:BatteryHolder_Keystone_106_1x20mm
13 Battery:BatteryHolder_Keystone_107_1x23mm
14 Battery:BatteryHolder_Keystone_500
15 Battery:BatteryHolder_Keystone_590
16 Battery:BatteryHolder_Keystone_1042_1x18650
17 Battery:BatteryHolder_Keystone_1057_1x2032
18 Battery:BatteryHolder_Keystone_1058_1x2032
19 Battery:BatteryHolder_Keystone_1060_1x2032
20 Battery:BatteryHolder_Keystone_2460_1xAA
21 Battery:BatteryHolder_Keystone_2462_2xAA
22 Battery:BatteryHolder_Keystone_2466_1xAAA
23 Battery:BatteryHolder_Keystone_2468_2xAAA
24 Battery:BatteryHolder_Keystone_2479_3xAAA
25 Battery:BatteryHolder_Keystone_2993
26 Battery:BatteryHolder_Keystone_2998_1x6.8mm
27 Battery:BatteryHolder_Keystone_3000_1x12mm
28 Battery:BatteryHolder_Keystone_3001_1x12mm
Filtered by Library: 15450 matching footprints
Description: Digital Reverberation Unit, http://www.belton.co.kr/inc/downfile.php?seq=17file=pdf (footprint from http://www.uk-electronic.de/PDF/BTDR-1.pdf); Keywords: audio belton reverb
Library location: ${KICAD10_FOOTPRINT_DIR}/Audio_Module.pretty
Apply, Save Schematic & Continue
OK
Cancel
ENG
IN
10:55 PM
30-10-2026


*DC_Motor_Driver_Interface — PCB Editor
File Edit View Place Route Inspect Tools Preferences Help
< Default >
Track: use netclass width
Via: use netclass sizes
F.Cu (PgUp)
0.5000 mm (19.69 mils)
Zoom 3.50
Override locks
Properties
No objects selected
J_Motors1
Conn_01x02
Conn_01x04
J_Ctrl_1
C2
100n
R2
1k
R3
1k
D2
Yellow LED
D3
Red LED
R1
1k
U1
L293D
D1
Green LED
J_Power1
Conn_01x03
R5
1k
R6
1k
D4
Yellow LED
D5
Red LED
R4
10k
R7
10k
C1
100n
J_Motors_2
J_Ctrl_2
Appearance
Layers Objects Nets
F.Cu
B.Cu
F.Adhesive
B.Adhesive
F.Paste
B.Paste
F.Silkscreen
B.Silkscreen
F.Mask
B.Mask
User.Drawings
User.Comments
Layer Display Options
Presets (Ctrl+Tab):
Viewports (Shift+Tab):
Selection Filter
All items
Locked items
Footprints
Text
Tracks
Vias
Pads
Graphics
Zones
Rule Areas
Dimensions
Other items
Points
Pads 59
Vias 0
Track Segments 0
Nets 18
Unrouted 41
Z 3.50
X 170.0000 Y 120.5000
dx 170.0000 dy 120.5000 dist 208.3753
grid 0.5000
mm
Route Single Track
ENG IN
10:49 PM
30-10-2026


3D Viewer
File
Edit
View
Preferences
Help
Board outline is missing or malformed. Run DRC for a full analysis.
R2
R3
D2
D3
C2
J_Ctrl_1
R1
U1
J_Power1
D1
R5
R6
D4
D5
R4
R7
C1
J_Motors_2
J_Ctrl_2
Appearance
Board Body
Plated Barrels
F.Cu
B.Cu
Adhesive
Solder Paste
F.Silkscreen
B.Silkscreen
F.Mask
B.Mask
User.Drawings
User.Comments
User.Eco1
User.Eco2
User.1
User.2
User.3
User.4
Through-hole Models
SMD Models
Virtual Models
Models not in POS File
Models marked DNP
Model Bounding Boxes
Use board stackup colors
Use PCB editor copper colors
Presets (Ctrl+Tab):
Follow PCB Plot Settings
Viewports (Shift+Tab):

Reload time 0.135 s
ENG
IN
10:45 PM
30-10-2026

Re1,fC2enceQty	2	Y10aYe LEEDL	D1LpoHDpT_HHTBiseB5.0mm_W2.5mm_P5.00mm							
D1	2	Rdoewn	Tc	0mmmm						
D2,D	2		EDDiecatT:LLElorEl_Pi_							
J_C;D4tr5ol_to1	3	Cmm_DDx	011x0x04o023Hoeemnri_2er4m							
J 3	1	0	RTeratoger__T_THDHIPTh:RtRhapkkdeTeN7kZ4n5xXB2a5P4-m,m							
er,J_1C,J	2									
RJ __ M1 P, Ro 2w, R r1s			Reenskinnoarl_PDvPATwINN.t02m0in7nLlB6B.loo _					5.	m	zoonnttaall
		11koL209k3D			e			nttaal0l		
3,R5										
UR41,R7										