

## MAE5803 - HW#5 Part 3b Adaptive Controller


```
function HW5P3b()
% Given
qFlaq = [1 2];
pFlag = [1 2 3];
[A,B] = meshgrid(qFlag,pFlag);
c = cat(2,A',B');
caseFlag = reshape(c,[],2);
% Given
m1 = 1; l1 = 1; me = 2; de = pi/6; l1 = 0.12; lc1 = .5; le = .25; lce
a(1) = I1 + m1*lc1^2 + Ie + me*lce^2 + me*l1^2;
a(2) = Ie + me*lce^2;
a(3) = me*11*lce*cos(de);
a(4) = me*11*lce*sin(de);
Lambda = 20*eye(2);
Kd = 100 * eye(2);
P{1} = diag([0.6,0.1,0.1,0.06]);
P{2} = 200*P{1};
P{3} = 0.1*P{1};
% Initial Conditions
tspan = [0 1];
X0 = [0,0,0,0,0,0,0,0];
for i1 = 1:length(caseFlag)
    [T{i1}, X{i1}] = ode45(@EOM, tspan, X0,
[],a,Lambda,Kd,P,caseFlag(i1,:));
for i2 = 1:length(T{i1})
    [-, tau{i1}(:,i2), q err{i1}(:,i2)] = EOM(T{i1}(i2), X{i1})
(i2,:)',a,Lambda,Kd,P,caseFlag(i1,:));
end
fh = figure(i1);
set(fh, 'Position', [0 0 799 789])
suptitle(['HW5 Problem #3b qd' num2str(caseFlag(i1,1)) ' P'
 num2str(caseFlag(i1,2))])
subplot(221)
plot(T{i1},rad2deg(q_err{i1}(1,:)))
ylabel('Position Error 1 (deg)'); xlabel('Time (s)')
subplot(222)
plot(T{i1}, rad2deg(q err{i1}(1,:)))
ylabel('Position Error 2 (deg)'); xlabel('Time (s)')
subplot(223)
plot(T{i1},tau{i1}(1,:))
ylabel('Control Torque 1'); xlabel('Time (s)')
subplot(224)
plot(T{i1},tau{i1}(1,:))
```

```
ylabel('Control Torque 1'); xlabel('Time (s)')
figureName = ['HW5P3b gd' num2str(caseFlag(i1,1)) ' P'
 num2str(caseFlag(i1,2))];
print(['HW5P3b_pdfs\' figureName],'-dpdf','-fillpage')
end
end
function [dx,tau,q err] = EOM(t,x,a,Lambda,Kd,Ps,caseFlag)
dx = zeros(size(x));
q = [x(1); x(2)];
q d = [x(3); x(4)];
a_hat = x(5:8);
qFlag = caseFlag(1);
pFlag = caseFlag(2);
switch qFlag
    case 1
        qd = [1-exp(-t); 2*(1-exp(-t))];
        qd d = [exp(-t); 2*exp(-t)];
        qd dd = [-exp(-t); -2*exp(-t)];
    case 2
        qd = [1-cos(2*pi*t); 2*(1-cos(2*pi*t))];
        qd_d = [2*pi*sin(2*pi*t); 4*pi*sin(2*pi*t)];
        dd = [4*pi^2*cos(2*pi*t); 8*pi^2*cos(2*pi*t)];
end
P = Ps\{pFlag\};
      = eval(qd_fun(t));
% qd
% qd d = eval(subs(diff(qd fun,1),t));
% qd dd = eval(subs(diff(qd fun,2),t));
% qd
        = eval(qd(t));
% qd_d = eval(qd_d(t));
% qd dd = eval(qd dd(t));
q_err = q - qd;
q err d = q_d - qd_d;
qr d = qd d - Lambda*q err;
qr dd = qd dd - Lambda*q err d;
H(1,1) = a(1) + 2*a(3)*cos(q(2)) + 2 * a(4)*sin(q(2));
H(1,2) = a(2) + a(3)*\cos(q(2)) + a(4)*\sin(q(2));
H(2,1) = H(1,2);
H(2,2) = a(2);
h = a(3)*sin(q(2)) - a(4)*cos(q(2));
C(1,1) = -h*q d(2);
C(1,2) = -h*(q d(1)+q d(2));
C(2,1) = h*q d(1);
C(2,2) = 0;
Y(1,1) = qr dd(1);
Y(1,2) = qr dd(2);
Y(2,1) = 0;
Y(2,2) = qr_dd(1) + qr_dd(2);
```

Published with MATLAB® R2016a







## HW5 Problem #3b qd2 P1

