

# Package ‘GeneticMediation’

April 24, 2020

**Type** Package

**Title** Genetic Causal Mediation

**Version** 0.1.0

**License** GPL-3

**Author** Ty Darnell [aut, cre]

**Maintainer** Ty Darnell <tydarnell@gmail.com>

**Description** Provides methods for conducting causal mediation analysis on data from the ROSMAP study and for cleaning, matching, and preparing the data for analysis.

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.0

**Imports** data.table, IRanges, mediation, readr, stats

## R topics documented:

chr_numeric . . . . .	2
clean_data . . . . .	2
data_by_chr . . . . .	2
data_prep_spc . . . . .	3
data_prep_spg . . . . .	3
last_to_first . . . . .	3
lu . . . . .	4
make_folder . . . . .	4
match_all . . . . .	4
match_chr . . . . .	5
med.res_spc . . . . .	5
med.res_spg . . . . .	5
med_all_spc . . . . .	6
med_chr_spc . . . . .	6
med_chr_spg . . . . .	7
med_table_spc . . . . .	7
med_table_spg . . . . .	8
transpose_readcount . . . . .	8
<b>Index</b>	<b>9</b>

---

chr_numeric	<i>Chromosome Numeric</i>
-------------	---------------------------

---

**Description**

Convert chromosome names from character to numeric. Useful when sorting a dataframe by chromosome number.

**Usage**

```
chr_numeric(Chr)
```

**Arguments**

Chr	a character column or vector of chromosome names
-----	--

---

clean_data	<i>Clean Data</i>
------------	-------------------

---

**Description**

Clean snp.info, peak.info data and save as data/chipseq.RData

**Usage**

```
clean_data(snp.path, peak.path)
```

**Arguments**

snp.path	path to SNP information dataframe
peak.path	path to Peak annotation dataframe

---

data_by_chr	<i>Data by Chromosome</i>
-------------	---------------------------

---

**Description**

save snp.info, peak.info for each chromosome as "data/chipseq\_chr.RData"

**Usage**

```
data_by_chr(chrs, snps, peaks)
```

**Arguments**

chrs	Character vector of chromosomes names
snps	SNP information dataframe
peaks	Peak information dataframe

---

data_prep_spc	<i>SNP-Peak-Clinical Data Prep Helper</i>
---------------	---

---

**Description**

Helper function for SNP-Peak-Clinical mediation data. Combine projid, SNPs, PCs, membership, age, gender, peaks, and outcome data for a chromosome

**Usage**

```
data_prep_spc(chr)
```

**Arguments**

chr	chromosome name
-----	-----------------

---

data_prep_spg	<i>SNP-Peak-Gene Data Prep Helper</i>
---------------	---------------------------------------

---

**Description**

Helper function for SNP-Peak-Gene data prep. Combine projid, SNPs, PCs, membership, age, gender, peaks, gene and outcome data for a chromosome.

**Usage**

```
data_prep_spg(chr)
```

**Arguments**

chr	chromosome name
-----	-----------------

---

last_to_first	<i>Last to First</i>
---------------	----------------------

---

**Description**

Make the last column the first column in a dataframe

**Usage**

```
last_to_first(df)
```

**Arguments**

df	dataframe
----	-----------

---

lu	<i>Length Unique</i>
----	----------------------

---

**Description**

Get the length of unique values in a vector

**Usage**

```
lu(x)
```

**Arguments**

x	vector
---	--------

---

make_folder	<i>Make Folder</i>
-------------	--------------------

---

**Description**

Make a folder only if the folder does not already exist

**Usage**

```
make_folder(path)
```

**Arguments**

path	path for new folder
------	---------------------

---

match_all	<i>Match All Chromosomes</i>
-----------	------------------------------

---

**Description**

Match SNPs and Peaks in all chromosomes, save as "data/matches.csv"

**Usage**

```
match_all(snp.info, peak.info, chrs)
```

**Arguments**

snp.info	SNP information
peak.info	Peak information
chrs	character vector of chromosome names

---

match_chr	<i>Match Chromosome</i>
-----------	-------------------------

---

**Description**

Match Peaks and SNPs in a chromosome

**Usage**

```
match_chr(snp.info, peak.info)
```

**Arguments**

snp.info	SNP information
peak.info	Peak information

---

med.res_spc	<i>SNP-Peak-Clinical Mediation Data Prep</i>
-------------	--

---

**Description**

Prepare a chromosome of SNP-Peak-Clinical data for mediation analysis and save as "data/med.res/res\_chr.RData"

**Usage**

```
med.res_spc(chr, all_matches)
```

**Arguments**

chr	chromosome name
all_matches	dataframe of SNP-Peak matches for all chromosomes

---

med.res_spg	<i>SNP-Peak-Gene Mediation Data Prep</i>
-------------	--

---

**Description**

Prepare a chromosome SNP-Peak-Gene data for mediation analysis data and save as "data/gene.res/res\_chr.RData"

**Usage**

```
med.res_spg(chr, med.data, matches)
```

**Arguments**

chr	chromosome name
med.data	gene mediation data
matches	SNP-Peak-Gene matches dataframe

---

med_all_spc	<i>SNP-Peak-Clinical Mediation Table</i>
-------------	--

---

### Description

Create a table of SNP-Peak-Clinical mediation results for all chromosomes

### Usage

```
med_all_spc(chrs, covar, simulations)
```

### Arguments

chrs	character vector of chromosome names
covar	covariates string, each covariate separated by +
simulations	number of simulations to run

---

med_chr_spc	<i>SNP-Peak-Clinical Mediation Table Chromosome</i>
-------------	---

---

### Description

Create SNP-Peak-Clinical mediation table for SNP-Peak matches in a chromosome

### Usage

```
med_chr_spc(matches, med.res.data, covar, simulations)
```

### Arguments

matches	SNP-Peak matches dataframe for a chromosome
med.res.data	mediation data
covar	covariates string, separate covariates with +
simulations	number of simulations to run

---

med_chr_spg	<i>SNP-Peak-Gene Mediation Table Chromosome</i>
-------------	---

---

**Description**

Create a SNP-Peak-Gene mediation table for a chromosome

**Usage**

```
med_chr_spg(chr, gene_matches, simulations)
```

**Arguments**

chr	chromosome name
gene_matches	list of peak-SNP matches for each gene
simulations	number of simulations to run

---

med_table_spc	<i>SNP-Peak-Clinical Mediation Table</i>
---------------	--

---

**Description**

Create SNP-Peak-Clinical mediation table for a SNP-Peak match

**Usage**

```
med_table_spc(med.res.data, match_row, covar, simulations)
```

**Arguments**

med.res.data	mediation data
match_row	row in match dataframe, should have 2 columns
covar	covariates character variable, separate covariates with +
simulations	number of simulations to run

---

med_table_spg	<i>SNP-Peak-Gene Mediation Table</i>
---------------	--------------------------------------

---

**Description**

Create a mediation table for one SNP-Peak-Gene match

**Usage**

```
med_table_spg(med_dat, match_row, simulations)
```

**Arguments**

med_dat	gene mediation data
match_row	row in match dataframe: col1 SNP, col2 Peak, col3 Gene
simulations	number of simulations to run

---

transpose_readcount	<i>Transpose Readcount</i>
---------------------	----------------------------

---

**Description**

Read in and transpose ChIP-seq Readcount dataframe and match project id

**Usage**

```
transpose_readcount(readcount.path)
```

**Arguments**

readcount.path ChIP-seq readcount dataframe file path



# Index

- \*Topic **SNP**
    - match\_all, [4](#)
    - match\_chr, [5](#)
  - \*Topic **chromosome**
    - chr\_numeric, [2](#)
  - \*Topic **column**
    - last\_to\_first, [3](#)
  - \*Topic **data**
    - clean\_data, [2](#)
    - data\_by\_chr, [2](#)
    - data\_prep\_spc, [3](#)
    - data\_prep\_spg, [3](#)
    - med.res\_spc, [5](#)
    - med.res\_spg, [5](#)
  - \*Topic **first**
    - last\_to\_first, [3](#)
  - \*Topic **folder**
    - make\_folder, [4](#)
  - \*Topic **last**
    - last\_to\_first, [3](#)
  - \*Topic **length**
    - lu, [4](#)
  - \*Topic **match**
    - match\_all, [4](#)
    - match\_chr, [5](#)
  - \*Topic **mediation**
    - med\_all\_spc, [6](#)
    - med\_chr\_spc, [6](#)
    - med\_chr\_spg, [7](#)
    - med\_table\_spc, [7](#)
    - med\_table\_spg, [8](#)
  - \*Topic **numeric**
    - chr\_numeric, [2](#)
  - \*Topic **peak**
    - match\_all, [4](#)
    - match\_chr, [5](#)
  - \*Topic **prep**
    - data\_prep\_spg, [3](#)
    - med.res\_spc, [5](#)
  - \*Topic **readcount**
    - transpose\_readcount, [8](#)
  - \*Topic **table**
    - med\_all\_spc, [6](#)
    - med\_chr\_spc, [6](#)
    - med\_chr\_spg, [7](#)
    - med\_table\_spc, [7](#)
    - med\_table\_spg, [8](#)
  - \*Topic **transpose**
    - transpose\_readcount, [8](#)
  - \*Topic **unique**
    - lu, [4](#)
- chr\_numeric, [2](#)
- clean\_data, [2](#)
- data\_by\_chr, [2](#)
- data\_prep\_spc, [3](#)
- data\_prep\_spg, [3](#)
- last\_to\_first, [3](#)
- lu, [4](#)
- make\_folder, [4](#)
- match\_all, [4](#)
- match\_chr, [5](#)
- med.res\_spc, [5](#)
- med.res\_spg, [5](#)
- med\_all\_spc, [6](#)
- med\_chr\_spc, [6](#)
- med\_chr\_spg, [7](#)
- med\_table\_spc, [7](#)
- med\_table\_spg, [8](#)
- transpose\_readcount, [8](#)